Cecchinato, A., 481, 1990
Celaya, R., 1229
Cervantes, I., 96, 1267, 3783
Cervantes-Pahm, S. K., 2674
Chabory, E., 1321
Chae, B. J., 181
Chamorro, S., 170
Chapman, P. L., 349, 1148, 2464
Chase, C. C., Jr., 756, 2321, 2802, 3173
Chaves, A. V., 3018
Chen, C. Y., 3800
Chen, F., 2657
Cheng, H. W., 1184, 3107
Cheng, W. T. K., 2009, 3233
Cheong, H. S., 2551
Choat, W. T., 1823
Choi, H. L., 3707
Choi, J. Y., 181
Chouinard, P. Y., 2346
Christensen, O. F., 2904
Christiansen, F. B., 3522
Chun, J., 2551
Chung, K. Y., 1349
Chwalibog, A., 2361
Clapper, J. A., 2289
Clavier, S. E., 2940
Cline, H. J., 2812
Coblentz, W. K., 383, 3992
Cockrum, R. R., 1777, 3187, 3624
Cole, D., E84
Cole, N. A., 2456
Coleman, S. W., 756, 2321, 2802, 3173
Collins, C. L., 1365
Collins, J. A., 1809
Colman, E., 1286
Columbus, D., 3964
Colvin, C., 1028
Confer, A. W., 2166, 2179
Connor, E. E., E38
Connors, M. T., 689
Constantini, V., E84
Contiero, B., 3504
Cooke, R. F., 4120
Cooper, A. J., 1967
Cooper, D. A., 1663
Corl, B. A., 1999
Correa, J. A., 4068, 4086
Coverdale, J. A., 982, 991
Cozannet, P., 2382
Crews, D. H., Jr., 109, 885, 3214
Cromwell, G. L., 1752
Croney, C. C., E75
Crowley, J. J., 885
Crozier-Dodson, B. A., 1649
Cruz, G. D., 324
Culbertson, M., 3800
Cullor, J. S., 2585
Cundiff, L. V., 102, 1967, 3070
Cupp, A. S., 937
Curik, I., 1267, 2868
Cutler, S. A., 1009

D

Dahlen, C. R., E181, 2337
Dailey, J. W., 3291
Dall'Olio, S., 2235
Dalle Zotte, A., 533
Dal Maso, M., 3372
Damon, C., 1321
Danchin-Burge, C., 505
Danfær, A., 638, 2361
Dänicke, S., 2741
Daniel, J. A., 4026
Davenport, L. C., E40
David, C., 1672, 1684
Davis, B. L., 1642
Davis, M. E., 552
Davis, M. S., 284
Davoli, R., 2235
Dawson, L. E. R., 2403
Day, M. L., E193, 2717
DeAtley, K. L., 1891
de Blas, C., 170
De Blasio, M. J., 1365
DeClerck, J. C., 2425, 2433
De Conto, C., 2255
Defoor, P. J., 3009
Dekkers, J. C., 1009
Dekkers, J. C. M., 32, 1973
de Laat, M. A., 3843
de Lange, C. F. M., 3964
de la Torre, J. L., 2789
Delgado, J. E., 3767
Delmore, R. J., 1168, 2139, 2476, 2825
de los Campos, G., 481
de Mello, A. S. Jr., 3084
Deng, S. J., 3233
Denoyelle, C., 446
Depenbusch, B. E., 258, 2456
Depreux, F. F. S., 562
DeRouchey, J. M., 137, 1725, 2084, 3145, 3154, 3617, 3631, 3666, 3918
DeSilva, U., 3251
De Smet, S., 1286
Devant, M., 2789
Devillers, N., 4086
De Vries, A., E11
Dias, L. G., 572
Díaz, I., 2246
Díaz-Llano, G., 998
DiCostanzo, A., E1, 2132
Dietsche, A. A., 3856
Dikmen, S., 3428
DiLorenzo, N., E123, 1135, 1503, 2425, 2433
Ding, L., 2594
Ding, N. S., 3538
Ding, S. T., 2009, 3233, 3563
Ding, Y., 2594
Dinh, T. T. N., 756
Doeschl-Wilson, A., 2219
Doeschl-Wilson, A. B., 2841
Doherr, M. G., 2255
Doherty, M. L., 3183
Dolev, A., 315
Dominguez, J. C., 2356
Donahue, J. M., 1379
Donham, K. J., E102
Doran, T., 2530
Dougherty, C. T., 3759
Dourmad, J. Y., 2637
Dowd, S. E., 3977
Downie, E. F., 581
Drevet, J. R., 1321
Dritz, S. S., 137, 1642, 1649, 1725, 2084, 3145, 3154, 3617, 3631, 3666, 3918
Drouillard, J. S., 258, 697, 2456
Druet, T., 903
Du, M., E51, 1332
Dubois, S., 2062
Duckett, S. K., 2684
Duffield, T. F., 2019
Dugan, M. E. R., 1842
Duijvesteijn, N., 2883
Dumon, H., 159
Duncan, A. J., 1535
Duncan, I. J. H., 2277
Dungan, R. S., 3693
Dunn, S. M., 1545
Duthie, C., 2219
Dwyer, C. M., 3833
Dyer, N. W., 2444

E

Earing, J. E., 3954
Earl, L. R., 2940
Echavarri, A., 3590
Eckert, J. V., 2055, 3163
Edmonds, M. S., 604
Edrington, T. S., 3977
Edwards, L. N., 4068
Edwards, S. A., 1276
Eicher, S. D., 1195, 3128
Einstein, M. E., 767
Elam, N. A., 1817, 2139
Eler, J. P., 3809
Ellersieck, M. R., 2045, 3568
Ellis, M., 2751, 3887
Emenheiser, J. C., 1341, 2932
Emmans, G. C., 467
England, M. B., 2751
Engle, T. E., 296, 349, 1073, 1148, 1463, 3399, 4068, 4102
Engstrom, M., E25
Enns, R. M., 59, 1891
Erhardt, G., 80, 1982
Erickson, G., E172
Erickson, G. E., 1061, 2393
Erkens, T., 1
Escobar, J., 3896
Estany, J., 442
Estienne, M. J., 400
Etienne, M., 612
Evans, G., 4044
Evans, R. D., 885
Evenhuis, J., 1936
Evenhuis, J. P., 3814
Everts, A. J., 4026
Everts, A. K. R., 4026

F

Fürll, M., 2998
Faber, D., 2530
Faber, T. A., 1421
Fahey, A. G., 109
Fahey, G. C., Jr., 1421, 2978
Fahrenkrug, S. C., 2530, 3187
Fang, Q., 1741
Farkas, J., 1267
Farmer, C., 225, 1672, 1684
Farver, T. B., 2585
Fastinger, N. D., 626
Faucitano, L., 4086
Favreau, A., 1535
Feltmann, A. J., 1314, 1314
Ferguson, D. M., 2144
Fernandes, H. J., 1442
Fernández, I., 96
Fernández, N., 3136
Fernando, R. L., 32, 544
Ferraz, J. B. S., 3809
Ferreira, L. M. S., 435
Ferreira, R. M., 3856
Ferrell, C. L., 1093, 1967
Ferrell, W., 1358
Fierheller, E., 802
Figueiredo, L. G. G., 3809
Fike, K. E., 2514
Fina, M., 2920
Firth, E. C., E40
Fisher, A. D., 2144
Fisher, R., 2092
Fitzner, G. E., 3896
Fluharty, F. L., 2717
Foisnet, A., 1672, 1684
Folch, J. M., 421, 828, 1597
Foley, P. A., 1479
Fonseca, L. F. S., 435
Fontanesi, L., 2235
Ford, S. P., E51, 2029, 2410, 3546
Forni, S., 849
Forrest, J. C., 767
Foxcroft, G. R., 2500
François, D., 505
Fraser, J. N., 1642
Fraser, M. D., 1905
Fredholm, M., 1603
Freetly, H. C., 1093
Fricke, P. M., 1048, 3739, 3856
Friendship, R., 998
Friendship, R. M., 2277
Frobose, H. L., 3617
Froman, D. P., 1314, 1314
Frost, R. A., 2620
Fujishima-Kanaya, N., 23
Fulton, R. W., 2166, 2179
Funston, R. N., E205, 937, 4094

G

Gäbel, G., 2998
Gabler, N. K., E38
Gady, C., 2382
Gahan, D. A., 1411
Gaines, A. M., 2751, 3887
Galantino-Homer, H. L., 3843
Gallaher, D. D., 3313
Galli, C., 2530
Gallo, L., 481, 1990
Galyean, M. L., E123, 416, 1135, 1463, 1503, 2425, 2433, 3009, 3291, 3452, 4102
Gänzle, M. G., 3351
Gao, Q., 2530
Garbe, J. R., 3187
Garber, A. F., 3513
Garcia, J. C., 2356
Garcia, M. D., 491
García, M. L., 421, 828, 1597
Garcia-Rodriguez, A., 749
García-Rojas, P., 1801
García-Tomás, M., 3475
García Vinent, J., 1256
Garmyn, A. J., 1817, 2476, 3683
Garner, J. P., 3107
Garrick, D. J., E3, 59, E170, 544
Gatford, K. L., 1365
Gaughan, J. B., 2153, 3579, 4056
Gauly, M., 80, 1982
Geary, T. W., 943, 2300, 2311
Gebru, E., 3880
Geesink, G. H., 3047, 3059
Geisert, B. G., 2393
George, L. A., 3546
Gerencsér, Z., 533
Gerrard, D. E., 562
Gerrits, W., 3554
Gianola, D., 481, 497
Gibb, D. J., 1842, 3018
Gibson, M. L., 258, 2444, 2456
Giguère, A., 225
Gilbert, H., 2062
Gilbert, Y., E112
Gillis, M. H., 2684
Ginane, C., 1535
Giorgetti, H., 1256
Gipson, T. A., 361
Girard, C. L., 3936
Glenn, B. P., 2530
Goetsch, A. L., 361
Goiri, I., 749
Gomez, R. A., 1823

Gomez-Chiarri, M., 2950
Gomez-Raya, L., 860
Gondret, F., 1626
Gonyou, H. W., 4086
González, L. A., 802
González-Dávalos, L., 1801
González-Recio, O., 1990
Goodband, R. D., 137, 1725, 2084, 3145, 3154, 3617, 3631, 3666, 3918
Goodwin, R. N., 3486
Goonewardene, L. A., 2073, 2627
Gourdine, J. L., 3715
Goyache, F., 96, 3783
Goyal, S., E84
Graham, T. W., 2585
Gramer, M., E84
Gramm, B. R., 1718
Grant, A. L., 562
Grant, G., 170
Graser, H.-U., 1917
Graves, T. K., 3945
Grazul-Bilska, A. T., E61
Green, M. D., 2464
Greene, E. A., 2829
Greenwood, P. L., 3047, 3059
Greenwood, S. L., 707
Greger, M., 811
Gregersen, V. R., 2904
Greiner, S. P., 1341, 2932
Griffin, A. S., 2829
Griffin, D. B., 1817, 2139
Gruand, J., 2856
Gruber, S. L., 1148
Grummer, R. R., 1048
Guay, F., 3936
Guérin, C., 2637
Guillemet, R., 2637
Guillouet, P., 2856
Guldbrandtsen, B., 3522
Gunawardena, C. K., 660, 2627
Gunn, P., 3121
Gunn, P. J., 1771, 3128
Guo, T. F., 3538
Guo, Y. M., 3538
Gutiérrez, J. P., 96, 3783
Guttmann, R. P., 1297, 1297
Gyovai, P., 1267

H

Haandlykken, M., 1240
Hackbart, K. S., 3856
Hackett, P. B., 2530
Hackmann, T. J., 1108
Haden, J. K., 2045
Hadidi, S., 1936
Halalsheh, R. A., 3611
Halekoh, U., 202
Hales, K. E., 1135, 2425, 2433
Haley, D. B., 802
Hall, J. M., 2132
Hall, J. O., 2189
Hall, M. H., 3296
Hallford, D. M., 599, 4133
Hammer, C. J., E61, 982, 991, 1786, 3645
Hampson, D. J., 3327
Han, X. F., 3984
Hansen, C. F., 3327
Hansen, G. R., 374, 4120
Hansen, S. L., 275
Harmon, D. L., 306, 727
Harmon, J. D., 1204, 2797
Harper, A. F., 400
Harper, M. T., 2199
Harrison, B. E., 47
Hart, K. J., 1479, 2703
Hasegawa, Y., 2103
Hassen, A. T., E151
Hatcher, S., 3198
Hatfield, P. G., 1125
Haudum, A., 2741
Hayashi, T., 23
Hayes, S. H., 3954
Hazeleger, W., 2611
He, M. L., 1082
Held, S., 3554
Helmers, M. J., 1204
Henckel, P., 2904
Hendrick, S., 802
Henkin, Z., 315
Henry-Berger, J., 1321
Hernandez, A., 3327
Hernandez, L. L., 3611
Hernández, P., 3419
Hernot, D. C., 1421
Herring, W. O., 3800
Herrler, A., 421
Hersom, M. J., E121, 374
Hess, B. W., 1295, 2410
Hicks, J. A., 275
Higgins, J. J., 258
Hildrum, K. I., 3445
Hill, R. A., E38, 3749
Hilton, G. G., 338, 1168, 1817, 2139, 2476, 3683
Hinkle, J. B., 3084
Hocquette, J. F., 446
Hodgen, J. M., 2825
Holcomb, K. E., 4142
Holcombe, S. J., 1028
Holl, J., 3800
Holl, J. W., 455
Holland, B. P., 338, 2166, 2179, 2486
Hollung, K., 3445
Homm, J. W., 1503
Honeyman, M. S., 1204, 2797
Hooda, S., 3351
Hoppe, S., 1982
Horn, G. W., 1554, 1564, 1914
Horn, M., 3121
Horn, M. J., 3128
Horn, N. L., 3631
Horn, P., 533
Horohov, D. W., 1379
Hortós, M., 1522
Houdijk, J. G. M., 1513, 3833
Hoving-Bolink, A. H., 4044
Howard, A. B., 2829
Hsu, C. C., 3233
Hsu, W. L., 895
Hu, J.-H., 1657
Hu, Z., 3439
Huang, L. S., 3538
Huber, K., 3390
Hudson, M. D., 1577
Huff, N. K., 926
Hulbert, L. E., 3291
Hulsegge, B., 4044
Hunt, M. C., 1168
Hutcheson, J. P., 330, 338, 416, 1168, 1809, 1817, 2139

I

Ibáñez-Escriche, N., 3493
Ijaz, A., 922
Iqbal, M., 922
Ishida-Kitagawa, N., 3269

J

Jacela, J. Y., 3145, 3617
Jackson, M. J., 1307, 1307
Jackson, R. B., 581
Jansman, A. J. M., 1017
Janss, L. L. G., 3814
Janssens, S., 1286
Janzen, E., 802
Jarvis, S., 1276
Jenkinson, C. M. C., E40
Jennings, J. S., 2289
Jensen, S. K., 202
Ji, F., 214
Jiang, H., 3226
Jiang, S. Q., 1694
Jiang, Z.-L., 1657
Jiang, Z. Y., 1694
Jo, J. K., 181
Johnson, A. K., 2797
Johnson, B. J., 124, 330, 416, 1168, 1349, 1642, 1809, 2825
Johnson, D. E., 1349
Johnson, G. A., E195
Johnson, L. J., 2153
Johnson, M. L., 2692
Johnson, P. S., 1777
Johnson, R. K., 895, 3486
Johnson, T. R., 1195
Johnston, D. J., 1917, 1973
Johnston, L. J., 1388, 1398, 2648, 3313, 3927
Johnston, M. E., 2265
Jondreville, C., 1706
Jones, C. K., 1725, 2084, 3631
Jones, D. B., 2959
Jones, M. L., 2729
Jones, R., E32
Jones, R. D., 1733
Jørgensen, C. B., 1603
Joss-Moore, L. A., E216
Journaux, L., 446
Joy, M., 572, 3409
Juárez, M., 1842
Jungst, S. B., 2265
Junqueira, J. B., 1215

K

Kalbe, C., 1626
Kallenbach, R. L., 1880
Kalm, E., 2219
Kane, S. L., 3749
Kanetani, T., 879
Kang, H. J., 795
Kangawa, K., 2103
Kaps, M., 2868
Karges, K., 2444
Karges, K. K., 258, 2456
Karren, B. J., 982, 991
Karriker, L., 3486
Karrow, N., 2092
Kass, P. H., 4142
Kaushik, S., 1759
Kebreab, E., 638, 2361
Keele, J. W., 837
Keenan, L. D., 3749
Kehrli, M. E., Jr., 2585
Keisler, D. H., 2321
Kellermeier, J. D., 416
Kelly, A. K., 109, 3214
Kelly, M. J., 1957
Kemp, B., 2611, 3554
Kemp, C. M., 1160
Kenealy, M. D., 1204
Kenny, D. A., 109, 885, 1479, 2703, 3214
Kenyon, P. R., E40
Kephart, K. B., 2199
Kerr, B. J., 192, 238, 2648, 3927
Kessler, K. L., 1777, 3624
Keuning, E., 1522, 4044
Kiarie, E., 1433, 3304
Kidane, A., 1513
Kijas, J. W., 3183
Kil, D. Y., 2959
Killefer, J., 1168, 1823, 2139, 2751
Kim, B., 3880
Kim, B. G., 1718
Kim, E., 2551, 2556
Kim, I. H., 3320
Kim, J. C., 3327
Kim, J. S., 181
Kim, J. W., 3187
Kim, M. K., 3880
Kim, S. W., E195, 214, 2657, 3725, 3871
Kim, Y. W., 181
Kind, K. L., 1365
King, D. A., 1160
Kiran, D., 1034
Kirch, B. H., 408
Kirkpatrick, B. W., 2556
Kirkwood, R. N., 2356
Kirschten, L. A., 2444
Kivipelto, J., 248
Kizilkaya, K., 544
Kliebenstein, J. B., 1204
Klopfenstein, T., E172
Klopfenstein, T. J., 1061, 2393
Klotz, J. L., 408
Knap, P. W., 1276, 2219
Knauer, M., 3486
Knauer, M. T., 2913
Knox, R. V., E193
Kobayashi, S., 2103
Koch, J. M., 1619
Koers, W. C., 284
Koger, T. J., 3399
Kojima, M., 2103, 2103
König, S., 1982
Kononoff, P. J., 3977
Koohmaraie, M., 3070
Kott, R. W., 1125
Kraenzlin, M., 3598
Kraft, G., 2122
Kramer, J. K. G., 1842
Krehbiel, C. R., 338, 1554, 1564, 1914, 2166, 2179, 2486, 3251, 3262
Kreuzer, M., 3242
Kronberg, S. L., 2108
Krueger, N., 3977
Kruijt, L., 1522
Kuehn, L. A., 102, 837, 1160
KuKanich, B., 1649
Kunitomo, Y., 3269
Kurose, Y., 2103
Kwon, I. K., 181
Kwon, J. H., 795
Kyriazakis, I., 1513

L

La, T., 3327
Laforest, J. P., 2346, 4086
Lajudie, P., 3529
Lake, S. L., 1771, 3121, 3128
Lalman, D. L., 1577
Lamb, G. C., E181, 2132, 2337
Lamberson, W. R., 3624
Lambertz, C., 80
Lammers, P. J., 1204
Lancaster, P. A., 1554, 1564, 1914
Lane, R. H., E216
Langemeier, M., E32
Lankford, L. M., 3611
Lardy, G. P., 2444, 2812, 3739

Larsen, T., 202
Larson, D. M., E205, 937, 4094
Larson, J. E., E181
Larzul, C., 2841
Latter, M., 3579
Laudert, S. B., 1349, 4102
Laurenssen, B. F. A., 2611
Lauridsen, C., 202
Laville, E., 2856
Lawrence, A. B., 1276
Lawrence, L. M., 3954
Lawrence, R., 4056
Lawrence, T., 1809
Lawrence, T. E., 1168, 1817, 2139, 4037
Layton, A. W., 1125
Lázaro, R. P., 671
Lea, J. M., 2144
Ledoux, D. R., 3624
Lee, C., 2144
Lee, C. H., 214
Lee, E. J., 795
Lee, H. B., 3896
Lee, H. S., 3563
Lee, J. H., 181, 3320, 3707
Lee, J. S., 3880
Lee, K., 2551
Lee, M. R. F., 1905
Leeds, T. D., 1936, 3814
Le Floc'h, N., 612, 3936
Legako, J., 1809
Leibovich, J., 1135, 1503, 2425, 2433
Leick, C. M., 2751
Leitman, N. R., 2045
Lekatz, L. A., 955
Lemenager, R., 3121
Lemenager, R. P., 1771, 3128
Lengi, A. J., 1999
Lengyel, M., 533
Lenoir, A., 1321
Leonard, S. G., 2988
Lepetit, J., 446
Leray, V., 159
Leroy, G., 505
Leslie, K. E., 2019
Lessard, M., 225
Lessire, M., 2382
Lettat, A., 3041
Létourneau-Montminy, M. P., 1706
Levéziel, H., 446
Lewis, G. S., E193
Lewis, R. M., 428, 467, 1341, 2932
Leytem, A. B., 1860
Li, D. F., 1741
Li, F. N., 1741
Li, H. D., 2904
Li, N., 2530
Li, P. F., 3871
Li, Q.-W., 1657
Li, X., 1657
Li, X. L., E195
Li, Y.-K., 1657
Liao, S. F., 306, 707
Liesegang, A., 3363, 3598
Lin, E. C., 3233, 3563
Lin, Y. C., 1694
Lindemann, M. D., 1379, 1752
Lindner, A. E., 950, 2038
Linneen, S. K., 3666
Lisle, A., 4056
Lisonbee, L. D., 2189
Liu, B. H., 3233, 3563
Liu, H.-C. S., 275
Liu, P., 3871
Liu, Y., 3909
Lobo, R. B., 52, 849
Loerch, S. C., 737, 2717
Löest, C. A., 3611
Lonergan, S. M., 2797
Long, N. M., 2029, 3251, 3262, 3546
Long, R., 2594
Looper, M. L., 2802, 4133
López-Bejar, M., 3475
López de Maturana, E., 1990, 3493
Louveau, I., 1626
Loxton, I., 4056
Loza, P. L., 1061
Lubbs, D. C., 3945
Lucy, M. C., E193
Ludden, P. A., 718, 727
Luebbe, M. K., 2393
Luna-Nevarez, P., 1891
Lund, M. S., 871, 2904
Lundgren, H., 1240
Lupton, C. J., 2620, 3030
Luther, J. S., E61, 3645
Lynch, B. P., 2988
Lynch, M. B., 1411

M

Ma, J. W., 3538
Mabry, J. W., 3486
MacDonald, J. C., 2393, 3384
Mach, N., 1522
MacHugh, D. E., 3183
Macken, C. N., 2393
Mackenzie, D. D. S., E40
Mackie, R., E84
MacNeil, M. D., 517, 943
Maddock, R. J., 3399
Maddock, T. D., 2132
Maddock Carlin, K. R., E61
Mader, T. L., 2153, 4056
Madsen, P., 871
Madson, D. M., 4078
Maga, E. A., 1588, 2530
Magee, D. A., 3183
Magnin, M., 1706
Mahajan, A., 1009
Mahan, D. C., 626, 3337
Mai, M. D., 3522
Mallory, D. A., 2045, 3568
Malpaux, B., 3280, 3778
Mamedova, L. K., 124
Mandell, I. B., 4006
Manjarin, R., 2356
Mansfield, J., 3327
Manteca, X., 2789
Mantovani, R., 3206, 3504
Marchant-Forde, J. N., 1184, 3107
Mark, T., 1603
Márquez, G. C., 59
Marquezini, G., E181
Martín, D., 3464
Martínez, A., 1229
Martel, C. A., 2337
Marti, S., 2789
Martin, C., 3041
Martin, J. L., 937, 4094
Martin, J. N., 1168
Martin, L., 159
Massé, D. I., E112
Masse, L., E112
Mateo, K. S., 3399
Mateo, R. D., 214
Mateos, G. G., 671
Matics, Z., 533
Matte, J. J., 2346, 3936
Matthews, J. C., 306, 707
Mattos, E. C., 3809
Maxwell, D. L., 2797
May, M. L., 1135, 1503, 2425, 2433, 2456
McAllister, T. A., 802, 1842, 3018
McBride, B. W., 707, 2092
McCormick, R. J., 1332
McCurdy, M. P., 1554, 1564, 1914
McDaneld, T., 837
McDowell, K. J., 1379
McGee, M., 109, 885, 3214
Mc Geough, E. J., 1479, 2703
McIlvaney, K., 3833
McIntyre, B. L., 3047, 3059
McKeith, F. K., 1823, 2139, 2751, 3887
McKnight, D. R., 2019
McKnight, R. A., E216
McLeod, K. R., 306
McMeniman, J. P., 1135, 3009
McPhee, M. J., 1848
Means, W. J., 1332
Meers, S. A., 1733
Mehaffey, J. M., 1809
Meisel, R. L., 1184, 3107
Mekkawy, W., 1276
Melchior, D., 1017
Mendl, M., 3554
Mendoza, O. F., 3887
Meng, Q. W., 3320
Meng, X. J., E84
Menoyo, D., 170
Mercadante, M. E. Z., 435, 849
Merchán, M., 421, 828, 1597
Mersmann, H. J., 2009, 3563
Métayer, J. P., 2382
Metcalfe, D. B., E216
Metges, C. C., 1626
Metzler-Zebeli, B. U., 147, 3351
Meunier-Salaün, M. C., 2637
Meyer, A. M., 1786, 2410
Miao, Y., 2604
Miarelli, M., 593
Middelbos, I. S., 2978
Mikawa, S., 23
Miles, J. R., 2576
Miller, D. R., 581
Miller, L. R., 2132
Miller, M. F., 330, 416, 756, 1168, 1809, 1817, 2139
Miller, P. S., 238
Miller, R. K., 3486
Miller, S. P., 1957
Millman, S. T., 2019, 2277
Minick Bormann, J., 1947
Minton, J. E., 1642, 1649
Mirando, M. A., 1295
Misztal, I., 3800
Mitcham, P. B., 926, 2940
Miyoshi, J., 3269
Moloney, A. P., 2703
Monegue, J. S., 1752
Montelongo, M. A., 2166, 2179
Montgomery, J. L., 338
Montgomery, T. H., 1817, 2139
Moorby, J. M., 1905
Moore, C. B., 2464
Moore, S. S., 16, 3789
Mora, O., 1801
Morante, R., 3783
Morgan, J. B., 3683
Morgavi, D. P., 3041
Mori, H., 879
Morris, S. T., E40
Mosenthin, R., 147, 3351
Mosley, J. C., 2620
Mosley, T. K., 2620
Mosnier, E., 612
Mote, B., 821
Muir, J. P., 1492
Muir, W. M., 2530
Mujibi, F. D. N., 3789
Mulder, H. A., 4044
Mullan, B. P., 3327
Müllenhoff, A., 80
Muller, T., 3579
Munoz, J. D., 2356
Murphy, A. M., 3183
Murphy, C. N., 2604
Murray, J. D., 1588, 2530
Muscher, A. S., 3390
Musser, J., 2620
Mutsvangwa, T., 1034
Myer, R. O., 2055, 3163
Myers, G., E84

N

Nagy, I., 533, 1267
Nam, K. C., 795
Nanni Costa, L., 2235
Naranjo, V. D., 1868, 2779
Narcy, A., 1706
Nathanielsz, P. W., E51, 2029, 3546
Natter, R., 4016
Navarro, J. C., 1759
Neary, M. K., 1771
Nelson, M. L., E133
Nelssen, J. L., 137, 1725, 2084, 3145, 3154, 3617, 3631, 3666, 3918
Nery, J., 159
Neugebauer, N., 523
Neville, B. W., 2444, 2812
Neville, T. L., 1786, 2692, 3645
Newcom, D. W., 2913
Newkirk, R. W., 2073
Newman, K. E., 1379
Newman, M. C., 1752
Nguyen, P., 159
Nichols, W. T., 330, 338, 416, 1168, 1809, 1817, 2139
Nielsen, U. S., 871
Niemeyer, D. O., 2144
Nii, M., 23
Nijland, M. J., 2029, 3546
Nimmo, R. D., 1718
Nisbet, D. J., 3977
Nitta, M., 3269
Niven, S. J., 3964
Nkrumah, D. J., 3789
Nkrumah, J. D., 16, 517
Noblet, J., 2062, 2382
Noguera, J. L., 2246, 3493
Nonneman, D. J., 1
Norman, S. T., 3579
Northcutt, S. L., 517
Notter, D. R., 1341, 2932
Nottle, M. B., 1365
Nozière, P., 3041
Ntawubizi, M., 1286
Nyachoti, C. M., 1433, 3304

O

Oba, M., 3018
Oberbauer, A. M., 2585
O'Connell, N. E., 2403
O'Connor, M. E., 2464
Odle, J., 2265
O'Doherty, J. V., 1411, 2988
Oevermann, A., 2255
Ofstad, R., 3445

Ogawa, T., 3269
Ohashi, M., 3269
Ohh, S. J., 181
Oikawa, T., 879
O'Kiely, P., 1479, 2703
Okine, E. K., 3018
Oliveira, H. N., 3809
Oliver, W. T., 2576
Olson, KC, 1777, 2337
Olson, T. A., 3173
Oltjen, J. W., 324
Oostindjer, M., 3554
Opriessnig, T., 4078
Or-Rashid, M. M., 2092
Oregui, L. M., 749
Orlov, A., 315
Orman, A., 3428
Ortigues-Marty, I., 2122
O'Shea, C. J., 1411
Osoro, K., 1229
Osterstock, J. B., 3384
Owens, F. N., E151
Owens, J. A., 1365

P

Palomero, J., 1307, 1307
Paiva, L. M., 1442
Palhière, I., 505
Palti, Y., 1936, 3814
Papet, I., 2122
Paradis, M. A., 4068
Pardo, C. E., 3242
Parera, N., 671
Park, S. C., 3880
Park, S. D. E., 3183
Park, T. J., 2551
Parr, T., 2565
Parsons, C. M., 1421
Parsons, G. L., 258
Parveen, I., 1905
Pate, J. L., 737
Patience, J. F., 2767
Patterson, A. R., 4078
Patterson, D. J., 2045, 3568
Patterson, J. L., 2500
Paulino, M. F., 1442
Paull, D. R., 2144
Payet-Duprat, N., 446
Peelman, L. J., 1
Peinado, M. J., 3590
Peiró, R., 421, 828, 1597
Pellegrini, P., 3529
Pena, R. N., 442
Peng, Y., 1741
Peng, Z., 3439
Penner, G. B., 2998
Père, M.-C., 612
Peres, A. M., 572
Pérez-Cabal, M. A., 3783
Pérez-Sánchez, J., 1759
Peris, C., 3136
Péry, C., 903, 2856
Peters, J. C., 626
Petersen, S. T., E95
Peterson, S. W., E40
Petersson, K. H., 2950
Petersson-Wolfe, C. S., 2950
Petherick, J. C., 3579
Pethick, D. W., 3059
Phillips, C. J. C., 3579
Phillips, N. D., 3327
Phillips, W. A., 756
Phocas, F., 3529
Piao, X. S., 3871
Piedrafita, J., 1248, 2920
Piles, M., 3475
Pines, M. K., 3579
Plastow, G. S., 3538
Platter, W. J., 1823
Pluháček, J., 131
Pluske, J. R., 3327
Pokharel, S., 3084
Poletto, R., 1184, 3107
Pollitt, C. C., 3843
Pomar, C., 1706
Ponder, M. A., 3896
Poppi, D. P., 689
Poulos, S. P., E38
Prado-Cooper, M. J., 3251, 3262
Prather, R. S., 2604
Price, K. L., 3896
Primot, Y., 2382
Pringle, T. D., 1733
Proschowsky, H. F., 1603
Provenza, F. D., 2189
Prusa, K. J., 3666
Puchala, R., 361
Puls, C. L., 2751
Purslow, P. P., 4006
Pyatt, N., 3128
Pyatt, N. A., 3121

Q

Qu, A., 1009
Quant, A. D., 1752
Quesnel, H., 1672, 1684
Quinn, M. J., 1135, 1503, 2425, 2433, 2456
Quintanilla, R., 2246

R

Räder, I., 523
Radnai, I., 1267
Radunz, A. E., 2717
Raes, K., 1286
Rafel, O., 3475
Raines, C. R., 2199
Ramaekers, P., 612
Ramon, J., 3475
Randel, R. D., 3173
Ratliff, B. W., 3631
Rauw, W. M., 860
Razook, A. G., 435
Redden, R. R., 1125
Redmer, D. A., E61, 955, 1786, 2692, 3645
Reecy, J. M., 1220
Reed, J. J., 1786, 2410, 2692, 3645
Reed, M. T., 2144
Regatieri, I. C., 435
Rehage, J., 2741
Rehfeldt, C., 1626
Rehman, H., 922
Reinhardt, C. D., 258, 2456
Reinsch, N., 523
Reisberg, K., 2998
Reiter, S. T., 4133
Reixach, J., 2246
Rekaya, R., 460, 3475
Relling, A. E., 737
Rémond, D., 2122
Rempel, L. A., 1
Ren, F., 1741
Ren, Y., 3909
Renand, G., 446
Renaudeau, D., 3715
Reneau, J. K., E11
Repard, N. M., 3296
Requena, R., 3136
Reuter, R. R., 3291
Rexroad, C. E. III, 1936, 3814
Reynolds, C. K., 737
Reynolds, L. P., E61, 955, 1786, 2410, 2692, 3645
Richard, F., 2637
Richards, C. J., 2166, 2179, 2486
Richert, B. T., 1184, 3107
Rickard, B. A., 2514
Ridge, T. K., 3945
Riley, D. G., 756, 2321, 2802, 3173
Ripoll, G., 3409
Robbins, K., 124
Roberts, A. J., 943
Roberts, C. T., 1365
Robinson, D. L., 3047, 3059
Robinson, J. A. B., 3513
Robinson, T. J., 727
Robison, O. W., 3486
Roche, J. R., 581
Rodehutscord, M., 147
Rodriguez, A. B., 1160
Rodríguez, M., 3136
Rodríguez Iglesias, R. M., 1256
Rodríguez-Sánchez, J. A., 324
Roehe, R., 1276, 2219
Rogers, H. R., 1168, 1809
Rogers, P. L., 428
Rohrer, G. A., 1, 455
Rooke, J. A., 3833
Rosa, G. J. M., 497, 3809
Rose, M. N., 3683
Rosendo, A., 903
Rosenkrans, C. F. Jr., 4133
Rosenvold, K., 1830
Ross, T. T., 599, 3611
Rothschild, M., 821
Rothschild, M. F., 1009
Rottinghaus, G. E., 3624
Roura, E., 3725
Rousset, S., 446
Rubio, L. A., 3590
Ruble M. V., 1220
Ruiz, R., 3590
Russo, V., 2235
Rustemeyer, S. M., 3624
Ryan, S. E., 2514
Rydhmer, L., 1240

S

Saez, F., 1321
Safari, E., 3198
Sahana, G., 3522
Saif, L. J., E84
Sainz, R. D., 52, 324
Saldarriaga, J. P., 1663
Sales, M. A., 4133
Salmi, B., 2841
Salter, A. M., 2565
Sanchez, W., E25
Sandstrom, M. A., 860
Santacreu, M. A., 421, 828, 1597
Sanz, A., 3409
Sapa, J., 3529
Sapienza, D. A., E151
Sarr, O., 1626
Sartori, C., 3206
Sato, E., 3269
Satterfield, M. C., E195
Sauber, T. E., 2959
Sauvant, D., 1706
Savary-Auzeloux, I., 2122
Sawalha, R. M., 428
Scanga, J. A., 2464
Schaefer, A. L., 802
Schafer, D. J., 2045
Scharf, B., 2321
Schatten, H., 2604
Schauer, C. S., 2444
Scheffler, J. M., 562
Schiavon, S., 3372
Schieck, S. J., 2648, 3927
Schild, H. J., 523
Schinckel, A. P., 767
Schneider, J. D., 137
Schneider, M. J., 1220
Scholljegerdes, E. J , 2108
Schoonmaker, J. P., 3657
Schröder, B., 3390
Schrick, F. N., 3759
Schroeder, J. W., 3739
Schwab, C., 1610
Schwab, C. R., 69
Schwartzkopf-Genswein, K. S., 802
Scotti, E., 2235
Scraggs, E., 3183
Scramlin, S. M., 1823, 2751
Seabolt, B. S., 3725
See, M. T., 2913
Sellier, P., 2062
Senaratne, L. S., 3084
Seneviratne, R. W., 2073
Serenius, T., 821, 3486
Serrano, A., 2789
Serrano, M. P., 671
Sesana, J. C., 1215
Sesana, R. C., 1215
Sève, B., 612
Sexson, J. L., 296
Shabtay, A., 315
Shackelford, S. D., 491, 1160, 3070
Shan, T., 3909
Shao, B., 2594
Sharma, V. K., 1195
Shaver, R. D., 3739, 3856
Shaw, D. P., 3624
Shekk, V., 3843
Shelor, M. K., 258
Sherman, E. L., 16
Shi, D., 2530
Shimada, A., 1801
Shin, H. D., 2551
Shin, S. A., 3880
Shinde, P. L., 181
Shook, J. N., 338, 2476, 2486
Shouse, S. C., 2797
Shrestha, N. P., 1276
Shurson, G. C., 1388, 1398, 2373, 2648, 3313, 3927
Sidler-Lauff, K., 3598
Siegford, J. M., E73
Siewerdt, F., 87
Signorelli, F., 593
Silberberg, M., 3041
Silva, J. A. V., 1215
Silva, S. L., 435
Silva-del-Río, N., 1048
Silver, G. A., 1891
Silverstein, J. T., 1936
Simm, G., 2219
Simmen, R. C. M., 552
Singh, V., E143
Sironen, A. I., 821
Skiba, F., 2382
Skjolaas, K. A., 1642
Slominski, B. A., 3304
Smart, A. J., 3399
Smiley, S., 1421
Smith, D. R., 1135, 1503, 2425, 2433
Smith, D. T., 3546
Smith, G. C., 349, 1148, 2464
Smith, M. F., 2045, 2300, 2311, 3568
Smith, T. K., 998

Smith, T. P. L., 837
Smits, R. J., 1365
Smurthwaite, K. M., 1276
Snelling, W. M., 837
Socha, M. T., 3856
Soede, N. M., 2611
Son, J. C., 3880
Son, K. W., 707
Song, M., 3313
Sonstegard, T. S., 837
Sørensen, H., 638, 2361
Sørensen, P., 1603
Soto-Navarro, S. A., 2410, 2692
Southern, L. L., 238, 1868, 2779
Souza, F. R. P., 435
Spain, J. N., 1108
Spate, L., 2604
Spears, J. K., 3945
Spears, J. W., 275, 296
Speidel, S. E., 59
Spencer, T. E., E195
Speroni, C., 2235
Spiers, D. E., 2321
St-Pierre, N. R., E25
Stahl, C. H., 1009
Stalder, K. J., 69, 3486
Staniar, W. B., 1028, 3296
Staples, C. R., 4120
Starke, A., 2741
Steibel, J. P., 1028
Stein, D. R., 338
Stein, H. H., 1454, 1718, 2373, 2674, 2959, 2968
Step, D. L., 338, 2166, 2179, 2486
Stevenson, J. S., E181, 2337
Stewart, L. L., 1718
Stewart, T. S., 1610
Stock, R. A., 1061
Stone, W., E25
Stookey, J. M., 802
Storer, W. A., 926
Stotish, R., 2530
Strathe, A. B., 638, 2361
Streeter, M. N., 330, 338, 416, 1168, 1809, 1817, 2139
Strickland, J. R., 408
Stroh, H. L., 937
Strosser, G. L., 3611
Stull, C. L., 4142
Su, G., 871
Sugino, T., 2103
Sulabo, R. C., 3145, 3154, 3631, 3666, 3918
Sullivan, E., 2530
Sun, C., 871
Sun, W., 3439
Sun, Z. H., 3984
Sunny, N. E., 912
Suresh, A., 3707
Suzuki, Y., 2103
Swanson, K. S., 1421, 2978, 3945
Sweeney, T., 1411, 2988, 3214
Szasz, J. I., 284
Szendrő, Z., 533, 1267

T

Tagliapietra, F., 3372
Tait, R. G. Jr., 1220
Takahashi, H., 2103
Takeya, T., 3269
Tan, Z. L., 3984
Tang, S. X., 3984
Taniguchi, M., 23
Tarrés, J., 2920
Tatsukawa, Y., 879
Tatum, J. D., 349, 1148, 1463, 2464, 4102
Taylor, C. A., Jr., 2620
Taylor, J. B., 955, 1786, 2692, 3645
Taylor, J. F., 2530, 3187
Tedeschi, L. O., 1442, 3009
Teglas, M. B., 860
Teixeira, A., 572
Tel, L., 3715
te Pas, M. F. W., 1522, 4044
Tetens, J., 3167
Thacker, P. A., 1860, 3871
Thain, D. S., 860
Thaller, G., 3167
Thallman, R. M., 102, 491, 837, 1160
Therkildsen, M., 1830
Thomas, M. G., 1891
Thompson, D. L., Jr., 926, 2940
Thompson, J. M., 3059
Thompson, L. D., 756
Thompson, M. M., 2444
Thorson, J. F., 982, 991
Titgemeyer, E. C., 1349, 2729
Tittor, A. W., 416
Tjardes, K. E., 3399
Todd, C. G., 2019
Tokach, M. D., 137, 1725, 2084, 3145, 3154, 3486, 3617, 3631, 3666, 3918
Tolkamp, B. J., 1513
Tomiyama, M., 879
Tong, J., E51
Tong, J. F., 1332
Tonhati, H., 435
Toone, C. D., 718, 727
Toosi, A., 32
Torrey, S., 4086
Tosh, J. J., 3513
Totty, H. R., 3896
Tournier, C., 159
Trabue, S. L., 192
Trakooljul, N., 275
Tran, H. T., 1358
Trefan, L., 2841
Trenkle, A. H., 3657
Tribout, T., 2856
Trippel, E. A., 3513
Trottier, N. L., 1028
Tseng, Y. W., 3563
Tsuruta, S., 3800
Tucker, A. L., 2277
Turgeon, O. A., 284
Tusell, L., 3475

U

Uimari, P., 821
Underwood, K. R., E51
Ungar, E. D., 315
Urriola, P. E., 1454, 2373
Uthlaut, A. B., 3546
Utt, M. D., 3896
Uwituze, S., 258

V

Vahjen, W., 147
Valencia, D. G., 671
Vallejo, R. L., 1936, 3814
van den Brand, H., 3554
van der Linden, D. S., E40
Vander Pol, K. J., 284, 1061
van der Waaij, E. H., 2611
van Diepen, J. Th. M., 1017
Van Eenennaam, A., 2530
Van Emon, M., 3121
Van Emon, M. L., 3128
van Heugten, E., 214, 3725
VanLeeuwen, D. M., 1891
Van Melis, M. H., 3809
van Milgen, J., 2062
VanOverbeke, D. L., 338, 1168, 1817, 2139, 2476, 2486, 3683
Van Vleck, L. D., 895, 1967
Vanzant, E. S., 306, 3954
Varela-Echavarría, A., 1801
Varona, L., 3493
Vasconcelos, J. T., 1135
Vazquez, A. I., 497
Veiseth-Kent, E., 3445
Velarde, A., 2789
Vernersen, A., 1603
Vernet, P., 1321
Verrier, E., 505
Vester, B. M., 2978
Vester Boler, B. M., 3945
Veum, T. L., 2665
Vignes, J. L., 2265
Vilkki, J., 821
Villalba, J. J., 2189
Villanueva, B., 428
Villarroya, F., 1801
Vineyard, K. R., 248
Vinjé, J., E84
von Heimendahl, E., 972
Vonnahme, K. A., E61, E193, E205, 955, 1786, 2410, 2692, 3645, 3739

W

Wagner, J. J., E121, 296, 1073, 1463, 1554, 1564, 1914, 4102
Wagner, J. R., 767
Waldron, D. F., 2620
Walgenbach, R. P., 383, 3992
Walker, C. E., 697
Walker, D. K., 1349
Walker, J. W., 2620
Walmsley, B. J., 1848
Walton, M., 2530
Wang, A., 3226
Wang, D., 3871
Wang, H., 2594
Wang, J., 2594
Wang, J. J., 2657
Wang, J. P., 3320
Wang, M., 1752, 3984
Wang, P. H., 2009, 3233, 3563
Wang, X. Q., 2657
Wang, Y., 3909
Wang, Z., 3789
Ward, M. A., 2692
Warren, L. K., 248, 2055, 3163
Waterman, R. C., 943
Watkins, K. L., 2665
Weaber, R. L., 2321
Weaver, A. D., 3399, 4026
Webb, B. A., 1379
Weber, G. M., 1936
Weber, T. E., 192, 238
Weigel, K., 2556
Weigel, K. A., 497
Welch, T. J., 1936, 3814
Wells, K. J., 2300, 2311
Welsh, C. S., 1610
Welsh, T. H., E38
Wenk, C., 3363
Werner, C., 4016
Wertz-Lutz, A. E., 2289
Wesley, I. V., 1195
Wesley, R. L., 599
Wester, D. B., 3452
Wettemann, R. P., 3251, 3262
Wheeler, M., 2530
Wheeler, T. L., 491, 1160, 3070, 4026
White, B. R., E82
Whitelaw, B., 2530
Whitney, M. H., 3313
Whitney, T. R., 1492, 3030
Whittle, J., 2829
Wicke, M., 4016
Widowski, T. M., 2277
Wiens, G. D., 1936, 3814
Wierenga, K. T., 3018
Williams, C. A., 2829
Williams, C. B., 2523
Williams, G. L., 1663
Williams, J. L., 460
Williams, N. H., 2767
Williams, N. M., 1379
Williamson, B. C., 4133
Wilmoth, T. A., 1619
Wilson, D. E., 1947
Wilson, D. J., 2045, 3568
Wilson, E. R., 2265
Wilson, M. E., 1619
Wiltbank, M. C., 3856
Wise, T. H., 1
Wiseman, T. G., 626, 3337
Wittek, T., 2998
Wojcicki, B. J., 2978
Wolcott, M. L., 1848
Wold, J. P., 1905
Wolf, J., 2893
Wolt, J. D., 3767
Wolter, B. F., 2751
Wood, B. J., 1957
Woodward, A. D., 1028
Woodward, B. W., 517
Woyengo, T. A., 1433
Wright, C. L., 1777, 3399
Wu, G., E195
Wu, G. Y., 2657
Wu, S. C., 2009
Wu, W. Z., 2657
Wulf, D. M., 3399, 4026
Wulfhorst, J. D., 3749
Wuliji, T., 860
Wylie, A. R., 109

X

Xia, Y., E112
Xu, G., 1388, 1398
Xu, X., 3439
Xue, Y., 707

Y

Yamaguchi, T., 23, 2103
Yan, L., 3320
Yan, X., 1332
Yang, C. C., 3233
Yang, K. X., 3538
Yang, L., 1694
Yang, S. Y., 3880
Yang, W. Z., 680, 1082
Yang, Y., 3304
Yang, Y. X., 181
Yao, H. Q., 3707
Yates, D. A., 330, 338, 416, 1168, 1809, 1817, 2139, 2476
Yates, D. T., 599, 3611
Yates, L. D., 2464
Yates, L. J., 599

Yehuda, Y., 315
Yin, J. D., 1741
Yogo, K., 3269
Yokoo, M. J., 52
Yoon, I., 3896
Yoon, S. Y., 181
Yoshida, Y., 2103
Young, I. S., 2403
Young, M. G., 2073
Yousaf, M. S., 922
Yu, Y. H., 2009
Yuan, Z. Q., 3984
Yun, K., 181
Yun, Y., 2551

Z

Zan, L.-S., 1657
Zebeli, Q., 1545
Zehnder, C. M., 2132
Zeng, B., 3984
Zeng, Z. K., 3871
Zerby, H. N., 2717
Zhang, X., 2604
Zhang, Y., 871
Zhao, J., E51
Zhao, J.-G., 2604
Zhao, J. X., 1332
Zhao, X.-L., 1657
Zhao, Y. G., 3538
Zheng, C. T., 1694
Zhong, W. J., 1694
Zhou, C. S., 3984
Zhou, G., 3439
Zhou, T. X., 3320
Zhu, C. L., 3964
Zhu, K., 3707
Zhu, L., 3909
Zhu, M., E51
Zhu, M. J., 1332
Ziemer, C. J., E84, 192
Zijlstra, R. T., 660, 2073, 2627, 3351
Zimmer, D., 523
Zinn, R. A., E121
Zomeño, C., 3419
Zulkifli, R. M., 2565
Zuluaga, J. F., 1663

Subject index for Volume 88
(January through December 2010)

A

abdominal subcutaneous adipose tissue
Correlations between fat depot traits and fatty acid composition in abdominal subcutaneous adipose tissue and longissimus muscle: Results from a White Duroc × Erhualian intercross F_2 population, 3538
abortion
Invited Review: The role of caterpillars in mare reproductive loss syndrome: A model for environmental causes of abortion, 1379
accelerated lambing
Accelerated lambing achieved by a photoperiod regimen consisting of alternating 4-month sequences of long and short days applied year-round, 3280
acclimation
Effect of temperature on thermal acclimation in growing pigs estimated using a nonlinear function, 3715
accuracy
Validation of live animal ultrasonic measurements of body composition in market lambs, 2932
acid-base balance
Effects of varying bulk densities of steam-flaked corn and dietary roughage concentration on in vitro fermentation, performance, carcass quality, and acid-base balance measurements in finishing steers, 1135
acidosis
Evaluation of triticale dried distillers grains with solubles as a substitute for barley grain and barley silage in feedlot finishing diets, 3018
Metabolic acidosis in sheep alters expression of renal and skeletal muscle amino acid enzymes and transporters, 707
Persistence of blood changes associated with alteration of the dietary electrolyte balance in commercial pigs after feed withdrawal, transportation, and lairage, and the effects on performance and carcass quality, 4068
across-breed genomic prediction
Genomic prediction of simulated multibreed and purebred performance using observed fifty thousand single nucleotide polymorphism genotypes, 544
activity
Invited review: Feeding behavior of goats, 361
acute phase protein
Strong associations among rumen endotoxin and acute phase proteins with plasma minerals in lactating cows fed graded amounts of concentrate, 1545
adaptability
Adaptability of pregnant Merino ewes to the cold desert climate in Nevada, 860
additive
Use of chitosans to modulate ruminal fermentation of a 50:50 forage-to-concentrate diet in sheep, 749
adipocyte
Conjugated linoleic acid differentially regulates fat deposition in backfat and longissimus muscle of finishing pigs, 1694
Factors influencing the differentiation of bovine preadipocytes in vitro, 1999
Visfatin regulates genes related to lipid metabolism in porcine adipocytes, 3233
adipogenesis
Fetal programming of skeletal muscle development in ruminant animals, E51
adipose tissue
Porcine peroxisome proliferator-activated receptor δ mediates the lipolytic effects of dietary fish oil to reduce body fat deposition, 2009
Prenatal exposure to maternal low or high protein diets induces modest changes in the adipose tissue proteome of newborn piglets, 1626
adipose triglyceride lipase
Breed difference and regulation of the porcine Sirtuin 1 by insulin, 3909
admixture
Genomic selection in admixed and crossbred populations, 32
β-adrenergic agonist
Additive effects of a steroidal implant and zilpaterol hydrochloride on feedlot performance, carcass characteristics, and skeletal muscle messenger ribonucleic acid abundance in finishing steers, 330
Effect of extended withdrawal of zilpaterol hydrochloride on performance and carcass traits in finishing beef steers, 338
Effects of zilpaterol hydrochloride feeding duration on beef and calf-fed Holstein strip loin steak color, 1168
Perspectives on the application of zilpaterol hydrochloride in the United States beef industry, 2825
adrenocorticotropic hormone challenge
Technical note: Comparison of salivary and serum cortisol concentrations after adrenocorticotropic hormone challenge in ewes, 599
adult sow
Energy value of wheat distillers grains with solubles for growing pigs and adult sows, 2382
aflatoxin
Effects of dietary aflatoxin on the health and performance of growing barrows, 3624
age
Gastrointestinal tract mucosal histomorphometry and epithelial cell proliferation and apoptosis in neonatal and adult dogs, 2255
age at first conception
Evaluation of tropically adapted straightbred and crossbred beef cattle: Heifer age and size at first conception and characteristics of their first calves, 3173
aggression
Behavior and peripheral amine concentrations in relation to ractopamine feeding, sex, and social rank of finishing pigs, 1184
aggressiveness
Aggressiveness and brain amine concentration in dominant and subordinate finishing pigs fed the β-adrenoreceptor agonist ractopamine, 3107
aging
Redox regulation in skeletal muscle during contractile activity and aging, 1307
Redox regulation of cysteine-dependent enzymes, 1297
The influence of vitamin E on immune function and response to vaccination in older horses, 2950
β-adrenergic agonist
Effects of ractopamine and trenbolone acetate implants with or without estradiol on growth performance, carcass characteristics, adipogenic enzyme activity, and blood metabolites in feedlot steers and heifers, 4102
β-agonist
Effect of zilpaterol hydrochloride supplementation on cutability and subprimal yield of beef steer carcasses, 1817
agouti-related peptide
Effect of feed restriction and supplemental dietary fat on gut peptide and hypothalamic neuropeptide messenger ribonucleic acid concentrations in growing wethers, 737
airborne bacteria
Effect of microclimate on particulate matter, airborne bacteria, and odorous compounds in swine nursery houses, 3707
air classification
Characterization of the nutritional value of air-classified protein and starch fractions of field pea and zero-tannin faba bean in grower pigs, 660
air-classification
Protein and starch concentrates of air-classified field pea and zero-tannin faba bean for weaned pigs, 2627
air quality
The potential ability of swine nutrition to influence environmental factors positively, E95

alfalfa leaf meal
Using alfalfa leaf meal as a supplement in late-gestation beef heifer and nursing beef calf diets, 2132
allantoic fluid
An estrogen sensor for poultry sex sorting, 1358
alpaca
Analysis of the existence of major genes affecting alpaca fiber traits, 3783
altrenogest
Altrenogest treatment during late pregnancy did not reduce colostrum yield in primiparous sows, 1684
amine
Behavior and peripheral amine concentrations in relation to ractopamine feeding, sex, and social rank of finishing pigs, 1184
amino acid
Cationic and neutral amino acid transporter transcript abundances are differentially expressed in the equine intestinal tract, 1028
Characterization of the nutritional value of air-classified protein and starch fractions of field pea and zero-tannin faba bean in grower pigs, 660
Chronic improvement of amino acid nutrition stimulates initiation of global messenger ribonucleic acid translation in tissues of sheep without affecting protein elongation, 689
Dietary nitrogen-to-energy ratio alters amino acid partition in the whole body and among the splanchnic tissues of growing rams, 2122
Effect of virginiamycin on the apparent ileal digestibility of amino acids by growing pigs, 1718
Gluconeogenesis differs in developing chick embryos derived from small compared with typical size broiler breeder eggs, 912
Ileal digestibility of amino acids in conventional, fermented, and enzyme-treated soybean meal and in soy protein isolate, fish meal, and casein fed to weanling pigs, 2674
Metabolic acidosis in sheep alters expression of renal and skeletal muscle amino acid enzymes and transporters, 707
Net flux of amino acids across the portal-drained viscera and liver of the ewe during abomasal infusion of protein and glucose, 1093
The nutritional value of expeller-pressed canola meal for grower-finisher pigs, 2073
amino acid bioavailability
Protein digestibility evaluations of meat and fish substrates using laboratory, avian, and ileally cannulated dog assays, 1421
amino acid digestibility
Amino acid digestibility and energy concentration of high-protein corn dried distillers grains and high-protein sorghum dried distillers grains with solubles for swine, 3617
ammonia
Effect of β-glucans contained in barley- and oat-based diets and exogenous enzyme supplementation on gastrointestinal fermentation of finisher pigs and subsequent manure odor and ammonia emissions, 1411
The physiological and behavioral responses of steers to gaseous ammonia in simulated long-distance transport by ship, 3579
The potential ability of swine nutrition to influence environmental factors positively, E95
AMP-activated protein kinase
Mouse AMP-activated protein kinase γ3 subunit R225Q mutation affecting mouse growth performance when fed a high-energy diet, 1332
amplification of complementary deoxyribonucleic acid end
Regulation of the expression of angiotensin-converting enzyme 2 by polyunsaturated fatty acids in porcine adipocytes, 3563
anaerobic digestion
Potential of low-temperature anaerobic digestion to address current environmental concerns on swine production, E112
anestrus
Effect of gonadotropin treatment on estrus, ovulation, and litter size in weaned and anestrous sows, 2356
Factors affecting preovulatory follicle diameter and ovulation rate after gonadotropin-releasing hormone in postpartum beef cows. Part II: Anestrous cows, 2311
angiogenic factor
Maternal dietary restriction and selenium supply alters messenger ribonucleic acid expression of angiogenic factors in maternal intestine, mammary gland, and fetal jejunal tissues during late gestation in pregnant ewe lambs, 2692
Maternal selenium supplementation and timing of nutrient restriction in pregnant sheep: Effects on maternal endocrine status and placental characteristics, 955
angiopoietin-like protein
Tissue expression of angiopoietin-like protein 4 in cattle, 124
angiotensin-converting enzyme
Regulation of the expression of angiotensin-converting enzyme 2 by polyunsaturated fatty acids in porcine adipocytes, 3563
Angus
Intramuscular fat and fatty acid composition of longissimus muscle from divergent pure breeds of cattle, 756
animal agriculture
Welfare applications of genetically engineered animals for use in agriculture, 1588
animal breeding
Accounting for additive genetic mutations on litter size in Ripollesa sheep, 1248
animal feeding operation
BOARD-INVITED REVIEW: Fate and transport of bioaerosols associated with livestock operations and manures, 3693
animal model
Technical note: An R package for fitting generalized linear mixed models in animal breeding, 497
animal protein
Protein digestibility evaluations of meat and fish substrates using laboratory, avian, and ileally cannulated dog assays, 1421
animal variability
A multivariate nonlinear mixed effects method for analyzing energy partitioning in growing pigs, 2361
animal welfare
Engaging science in a climate of values: Tools for animal scientists tasked with addressing ethical problems, E75
Unwanted horses: The role of nonprofit equine rescue and sanctuary organizations, 4142
annexin
Prenatal exposure to maternal low or high protein diets induces modest changes in the adipose tissue proteome of newborn piglets, 1626
anterior mammary gland
Differential composition of proteomes in sow colostrum and milk from anterior and posterior mammary glands, 2657
antimicrobial
Use of chitosans to modulate ruminal fermentation of a 50:50 forage-to-concentrate diet in sheep, 749
antioxidant
Redox regulation of cysteine-dependent enzymes, 1297
antioxidant activity
Effects of trehalose supplementation on semen quality and oxidative stress variables in frozen-thawed bovine semen, 1657
apoptosis
Gastrointestinal tract mucosal histomorphometry and epithelial cell proliferation and apoptosis in neonatal and adult dogs, 2255
Morphological and biochemical assessment of apoptosis in different skeletal muscles of bulls during conditioning, 3439
apparent digestibility
Effect of the form of dietary fat and the concentration of dietary neutral detergent fiber on ileal and total tract endogenous losses and apparent and true digestibility of fat by growing pigs, 2959
Use of chitosans to modulate ruminal fermentation of a 50:50 forage-to-concentrate diet in sheep, 749
appetite
Dietary macronutrients and feeding frequency affect fasting and postprandial concentrations of hormones involved in appetite regulation in adult dogs, 3945
arginine
Effect of dietary supplementation with glutamine and a combination of glutamine-arginine on intestinal health in twenty-five-day-old weaned rabbits, 170
Impacts of amino acid nutrition on pregnancy outcome in pigs: Mechanisms and implications for swine production, E195
artificial insemination
Comparison of long-term progestin-based estrus synchronization protocols in beef heifers, 3568
Comparison of short-term progestin-based protocols to synchronize estrus and ovulation in postpartum beef cows, 2045
Control of the estrous cycle to improve fertility for fixed-time artificial insemination in beef cattle: A review, E181
Interaction of genotype × artificial insemination conditions for male effect on fertility and prolificacy, 3475
artificial neural network
Assessment of goat fat depots using ultrasound technology and multiple multivariate prediction models, 572

aspartate transaminase
Metabolic acidosis in sheep alters expression of renal and skeletal muscle amino acid enzymes and transporters, 707
association study
Investigation of the oviductal glycoprotein 1 (*OVGP1*) gene associated with embryo survival and development in the rabbit, 1597
Longissimus muscle transcriptome profiles related to carcass and meat quality traits in fresh meat Piétrain carcasses, 4044
The insulin-like growth factor 2 (*IGF2*) gene intron3-g.3072G>A polymorphism is not the only *Sus scrofa* chromosome 2p mutation affecting meat production and carcass traits in pigs: Evidence from the effects of a cathepsin D (*CTSD*) gene polymorphism, 2235
Atlantic cod
Genetic, maternal, and environmental variance components for body weight and length of Atlantic cod at 2 points in life, 3513
average daily gain
Maternal and social genetic effects on average daily gain of piglets from birth until weaning, 2883
Awassi
The assessment of carcass traits of Awassi lambs by real-time ultrasound at different body weights and sexes, 3428

B

Bacillus
Interaction of *Bacillus* species and *Salmonella enterica* serovar Typhimurium in immune or inflammatory signaling from swine intestinal epithelial cells, 1649
Bacillus thuringiensis corn
Fumonisin B_1 and implications in nursery swine productivity: A quantitative exposure assessment, 3767
bacitracin
Evaluation of antibiotic effects on phosphorus digestibility and utilization by growing-finishing pigs fed a phosphorus-deficient, corn-soybean meal diet, 1752
backfat
Effect of pen mates on growth, backfat depth, and longissimus muscle area of swine, 895
Evaluation of the prediction of alternative measures of pork carcass composition by three optical probes, 767
bacteria
Bacterial fermentation affects net mineral flux in the large intestine of pigs fed diets with viscous and fermentable nonstarch polysaccharides, 3351
Effect of β-glucans contained in barley- and oat-based diets and exogenous enzyme supplementation on gastrointestinal fermentation of finisher pigs and subsequent manure odor and ammonia emissions, 1411
Ileal microbiota of growing pigs fed different dietary calcium phosphate levels and phytase content and subjected to ileal pectin infusion, 147
bacterial and digestive enzyme activity
Amino acid and fiber digestibility, intestinal bacterial profile, and enzyme activity in growing pigs fed dried distillers grains with solubles-based diets, 3304
bacterial cold water disease
Evidence of major genes affecting resistance to bacterial cold water disease in rainbow trout using Bayesian methods of segregation analysis, 3814
bacterial diversity
Evaluation of bacterial diversity in the rumen and feces of cattle fed diets containing levels of dried distillers grains plus solubles using bacterial tag-encoded FLX amplicon pyrosequencing, 3977
band castration
Pain mitigation after band castration of beef calves and its effects on performance, behavior, *Escherichia coli*, and salivary cortisol, 802
barley
Effect of β-glucans contained in barley- and oat-based diets and exogenous enzyme supplementation on gastrointestinal fermentation of finisher pigs and subsequent manure odor and ammonia emissions, 1411
barley grain
Strong associations among rumen endotoxin and acute phase proteins with plasma minerals in lactating cows fed graded amounts of concentrate, 1545
barley silage
Evaluation of triticale dried distillers grains with solubles as a substitute for barley grain and barley silage in feedlot finishing diets, 3018
battle contest
Genetics of fighting ability in cattle using data from the traditional battle contest of the Valdostana breed, 3206
Bayes factor
Bayes factor analyses of heritability for serum and muscle lipid traits in Duroc pigs, 2246
Bayesian analysis
An application of change-point recursive models to the relationship between litter size and number of stillborns in pigs, 3493
Evidence of major genes affecting resistance to bacterial cold water disease in rainbow trout using Bayesian methods of segregation analysis, 3814
Genetic parameters of piglet survival and birth weight from a two-generation crossbreeding experiment under outdoor conditions designed to disentangle direct and maternal effects, 1276
The relevance of purebred information for predicting genetic merit of survival at birth of crossbred piglets, 481
Bayesian model averaging
Genomic prediction of simulated multibreed and purebred performance using observed fifty thousand single nucleotide polymorphism genotypes, 544
BeadChip array
Technical note: High fidelity of whole-genome amplified sheep (*Ovis aries*) deoxyribonucleic acid using a high-density single nucleotide polymorphism array-based genotyping platform, 3183
bedding
Performance and carcass characteristics of finishing beef cattle managed in a bedded hoop-barn system, 2797
beef
Association of liver abnormalities with carcass grading performance and value, 4037
Characterization of biological types of cattle (Cycle VIII): Carcass, yield, and longissimus palatability traits, 3070
Comparative effects of ractopamine hydrochloride and zilpaterol hydrochloride on growth performance, carcass traits, and longissimus tenderness of finishing steers, 1823
Contribution of genetic influences to animal-to-animal variation in myoglobin content and beef lean color stability, 1160
Effect of zilpaterol hydrochloride supplementation on cutability and subprimal yield of beef steer carcasses, 1817
Effects of oil source and fish oil addition on ruminal biohydrogenation of fatty acids and conjugated linoleic acid formation in beef steers fed finishing diets, 2684
Effects of ring castration with local anesthesia and analgesia in Holstein calves at 3 months of age on welfare indicators, 2789
Effects of sex and short-term magnesium supplementation on stress responses and longissimus muscle quality characteristics of crossbred cattle, 349
Effects of zilpaterol hydrochloride feeding duration on beef and calf-fed Holstein strip loin steak color, 1168
Establishing an appropriate mode of comparison for measuring the performance of marbling score output from video image analysis beef carcass grading systems, 2464
Estimated gene frequencies of GeneSTAR markers and their size of effects on meat tenderness, marbling, and feed efficiency in temperate and tropical beef cattle breeds across a range of production systems, 1917
Feeding wheat dried distillers grains with solubles improves beef *trans* and conjugated linoleic acid profiles, 1842
Influence of feeding various quantities of wet and dry distillers grains to finishing steers on carcass characteristics, meat quality, retail-case life of ground beef, and fatty acid profile of longissimus muscle, 3399
Moisture enhancement and blade tenderization effects on the shear force and palatability of strip loin steaks from beef cattle fed zilpaterol hydrochloride, 1809
Predicting red meat yields in carcasses from beef-type and calf-fed Holstein steers using the United States Department of Agriculture calculated yield grade, 2139
Relationships of behavioral and physiological symptoms of preslaughter stress to beef longissimus muscle tenderness, 1148
The effects of zilpaterol hydrochloride on carcass cutability and tenderness of calf-fed Holstein steers, 2476
beef calf
Effects of maternal natural (*RRR* α-tocopherol acetate) or synthetic (all-*rac* α-tocopherol acetate) vitamin E supplementation on suckling calf performance, colostrum immunoglobulin G, and immune function, 3128

beef cattle
Additive genetic relationships between scrotal circumference, heifer pregnancy, and stayability in Nellore cattle, 3809
Assessment of different on-farm measures of beef cattle temperament for use in genetic evaluation, 3529
Changes and evolution of corn coproducts for beef cattle, E143
Consequences of long-term inbreeding accumulation on preweaning traits in a closed nucleus Angus herd, 87
Control of the estrous cycle to improve fertility for fixed-time artificial insemination in beef cattle: A review, E181
Corn or sorghum wet distillers grains with solubles in combination with steam-flaked corn: Feedlot cattle performance, carcass characteristics, and apparent total tract digestibility, 2433
Corn or sorghum wet distillers grains with solubles in combination with steam-flaked corn: In vitro fermentation and hydrogen sulfide production, 2425
Effect of bovine respiratory disease and overall pathogenic disease incidence on carcass traits, 491
Effect of dietary supplemental vitamin A concentration on performance, carcass merit, serum metabolites, and lipogenic enzyme activity in yearling beef steers, 1463
Effect of divergence in residual feed intake on feeding behavior, blood metabolic variables, and body composition traits in growing beef heifers, 109
Effect of extended withdrawal of zilpaterol hydrochloride on performance and carcass traits in finishing beef steers, 338
Effect of feeding wet distillers grains on performance, marbling deposition, and fatty acid content of beef from steers fed low- or high-forage diets, 3657
Effects of maternal nutrition on conceptus growth and offspring performance: Implications for beef cattle production, E205
Effects of rumen-protected polyunsaturated fatty acid supplementation on performance and physiological responses of growing cattle after transportation and feedlot entry, 4120
Effects of winter growing program on visceral organ mass, composition, and oxygen consumption of beef steers during growing and finishing, 1554
Effects of winter growing programs on subsequent feedlot performance, carcass characteristics, body composition, and energy requirements of beef steers, 1564
Estimates of inbreeding depression for serum insulin-like growth factor I concentrations, body weights, and body weight gains in Angus beef cattle divergently selected for serum insulin-like growth factor I concentration, 552
Estimation of genetic and crossbreeding parameters for preweaning traits in German Angus and Simmental beef cattle and the reciprocal crosses, 80
Estimation of genetic parameters for body weights, scrotal circumference, and testicular volume measured at different ages in Nellore cattle, 1215
Factors affecting preovulatory follicle diameter and ovulation rate after gonadotropin-releasing hormone in postpartum beef cows. Part I: Cycling cows, 2300
Factors affecting preovulatory follicle diameter and ovulation rate after gonadotropin-releasing hormone in postpartum beef cows. Part II: Anestrous cows, 2311
Genetic evaluation of Angus cattle for carcass marbling using ultrasound and genomic indicators, 517
Genetic relationships among calving ease, gestation length, and calf survival to weaning in the Asturiana de los Valles beef cattle breed, 96
Genome-wide association study of growth in crossbred beef cattle, 837
Induction of peroxisomal proliferator-activated receptor γ and peroxisomal proliferator-activated receptor γ coactivator 1 by unsaturated fatty acids, retinoic acid, and carotenoids in preadipocytes obtained from bovine white adipose tissue, 1801
Influence of advancing season on dietary composition, intake, site of digestion, and microbial efficiency in beef steers grazing season-long or twice-over rotation native range pastures in western North Dakota, 2812
Interaction of breed type and endophyte-infected tall fescue on milk production and quality in beef cattle, 2802
Modeling the relationship between scanned rump and 12th-rib fat in young temperate and tropical bovines: Model development and evaluation, 1848
Nutritional and management methods to decrease nitrogen losses from beef feedlots, E172
Pain mitigation after band castration of beef calves and its effects on performance, behavior, *Escherichia coli*, and salivary cortisol, 802
Parametric bootstrap for testing model fitting of threshold and grouped data models: An application to the analysis of calving ease of Bruna dels Pirineus beef cattle, 2920
Performance, residual feed intake, digestibility, carcass traits, and profitability of Angus-Hereford steers housed in individual or group pens, 324
Perspectives on the application of zilpaterol hydrochloride in the United States beef industry, 2825
Phenotypic and genetic parameters for different measures of feed efficiency in different breeds of Irish performance-tested beef bulls, 885
Postweaning growth and carcass traits in crossbred cattle from Hereford, Angus, Brangus, Beefmaster, Bonsmara, and Romosinuano maternal grandsires, 102
Prediction of genetic values for feed intake from individual body weight gain and total feed intake of the pen, 1967
Prepartum dietary energy source fed to beef cows: I. Effects on pre- and postpartum cow performance, 2717
Repeatability of feed efficiency, carcass ultrasound, feeding behavior, and blood metabolic variables in finishing heifers divergently selected for residual feed intake, 3214
Season of testing and its effect on feed intake and efficiency in growing beef cattle, 3789
Steer responses to feeding soybean hulls and steroid hormone implantation on toxic tall fescue pasture, 3759
Temperament traits of beef calves measured under field conditions and their relationships to performance, 1982
The two mutations, Q204X and nt821, of the myostatin gene affect carcass and meat quality in young heterozygous bulls of French beef breeds, 446
Utilization and application of wet potato processing coproducts for finishing cattle, E133
Whole genome single nucleotide polymorphism associations with feed intake and feed efficiency in beef cattle, 16
beef cattle facility
Performance and carcass characteristics of finishing beef cattle managed in a bedded hoop-barn system, 2797
beef cattle producer
Factors affecting beef cattle producer perspectives on feed efficiency, 3749
beef cow
Administration of human chorionic gonadotropin 7 days after fixed-time artificial insemination of suckled beef cows, 2337
Comparison of short-term progestin-based protocols to synchronize estrus and ovulation in postpartum beef cows, 2045
Effect of dietary cation-anion difference on measures of acid-base physiology and performance in beef cattle, 374
Effect of weaning date (normal vs. late) on performance of young and mature beef cows and their progeny in a fall calving system in the Southern Great Plains, 1577
Effects of body condition on measures of intramuscular and rump fat, endocrine factors, and calving rate of beef cows grazing common bermudagrass or endophyte-infected tall fescue, 4133
Effects of natural (*RRR* α-tocopherol acetate) or synthetic (all-*rac* α-tocopherol acetate) vitamin E supplementation on reproductive efficiency in beef cows, 3121
Effects of stage of gestation and nutrient restriction during early to mid-gestation on maternal and fetal visceral organ mass and indices of jejunal growth and vascularity in beef cows, 2410
beef heifer
Comparison of long-term progestin-based estrus synchronization protocols in beef heifers, 3568
Dose response to cinnamaldehyde supplementation in growing beef heifers: Ruminal and intestinal digestion, 680
beef round muscle
Mapping of intramuscular tenderness and muscle fiber orientation of muscles in the beef round, 3084
beef tenderness
Phenotypic differences in matrix metalloproteinase 2 activity between fibroblasts from 3 bovine muscles, 4006
behavior
Assessment of different on-farm measures of beef cattle temperament for use in genetic evaluation, 3529
Effects of different moving devices at loading on stress response and meat quality in pigs, 4086
Invited review: Feeding behavior of goats, 361

Metabolic maturity at birth and neonate lamb survival: Association among maternal factors, litter size, lamb birth weight, and plasma metabolic and endocrine factors on survival and behavior, 581
The effect of dentition on feeding development in piglets and on their growth and behavior after weaning, 2277
behavior test
Temperament traits of beef calves measured under field conditions and their relationships to performance, 1982
belly quality
Effect of distillers dried grains with solubles and ractopamine (Paylean) on quality and shelf-life of fresh pork and bacon, 2751
benzoic acid
Influence of benzoic acid and phytase in low-phosphorus diets on bone characteristics in growing-finishing pigs, 3363
Berkshire pig
Genetic parameters for preweaning and early growth traits in Berkshire pigs when creep feeding is used, 879
bermudagrass
Digestibility and nutrient retention of perennial peanut and bermudagrass hays for mature horses, 2055
best linear unbiased prediction
An animal breeding approach to the estimation of genetic and environmental trends from field populations, E3
binomial proportion
Comparison of multinomial and binomial proportion methods for analysis of multinomial count data, 3452
bioaerosol
BOARD-INVITED REVIEW: Fate and transport of bioaerosols associated with livestock operations and manures, 3693
bioclimatic index
A comprehensive index for assessing environmental stress in animals, 2153
bioethics
Trait selection and welfare of genetically engineered animals in agriculture, 811
biogas
Potential of low-temperature anaerobic digestion to address current environmental concerns on swine production, E112
biogenic amine
Aggressiveness and brain amine concentration in dominant and subordinate finishing pigs fed the β-adrenoreceptor agonist ractopamine, 3107
biohydrogenation
Effects of oil source and fish oil addition on ruminal biohydrogenation of fatty acids and conjugated linoleic acid formation in beef steers fed finishing diets, 2684
bioinformatics analysis
Longissimus muscle transcriptome profiles related to carcass and meat quality traits in fresh meat Piétrain carcasses, 4044
biomarker
Comparative proteomic profiling of 2 muscles from 5 different pure pig breeds using surface-enhanced laser desorption/ionization time-of-flight proteomics technology, 1522
biometrics
Determination of carcass and body fat compositions of grazing crossbred bulls using body measurements, 1442
biotechnology
Trait selection and welfare of genetically engineered animals in agriculture, 811
birth weight
Genetic parameters of piglet survival and birth weight from a two-generation crossbreeding experiment under outdoor conditions designed to disentangle direct and maternal effects, 1276
Impact of piglet birth weight, birth order, and litter size on subsequent growth performance, carcass quality, muscle composition, and eating quality of pork, 2767
Intrauterine crowding decreases average birth weight and affects muscle fiber hyperplasia in piglets, 3242
Maternal responses to daily maternal porcine somatotropin injections during early-mid pregnancy or early-late pregnancy in sows and gilts, 1365
blade tenderization
Moisture enhancement and blade tenderization effects on the shear force and palatability of strip loin steaks from beef cattle fed zilpaterol hydrochloride, 1809
blood
Maximal lactate steady state during exercise in blood of horses, 2038
Relationships between racing times of Standardbreds and v_4 and v_{200}, 950
blood acid-base
Effect of dietary cation-anion difference on measures of acid-base physiology and performance in beef cattle, 374
blood metabolite
Cinnamaldehyde in feedlot cattle diets: Intake, growth performance, carcass characteristics, and blood metabolites, 1082
Dose response to cinnamaldehyde supplementation in growing beef heifers: Ruminal and intestinal digestion, 680
Effects of different moving devices at loading on stress response and meat quality in pigs, 4086
blood serum
Redberry juniper as a roughage source in lamb feedlot rations: Performance and serum nonesterified fatty acids, urea nitrogen, and insulin-like growth factor-1 concentrations, 1492
boar
Effect of dietary n-3 fatty acids (fish oils) on boar reproduction and semen quality, 2346
body composition
A low-fat liquid diet increases protein accretion and alters cellular signaling for protein synthesis in 10-day-old pigs, 2576
Application of biological simulation models in estimating feed efficiency of finishing steers, 2523
Effect of body composition on diet selection in finishing pigs, 1733
Effect of divergence in residual feed intake on feeding behavior, blood metabolic variables, and body composition traits in growing beef heifers, 109
Effects of ractopamine and trenbolone acetate implants with or without estradiol on growth performance, carcass characteristics, adipogenic enzyme activity, and blood metabolites in feedlot steers and heifers, 4102
Effects of winter growing programs on subsequent feedlot performance, carcass characteristics, body composition, and energy requirements of beef steers, 1564
Longitudinal changes in ultrasonic measurements of body composition during growth in Suffolk ram lambs and evaluation of alternative adjustment strategies for ultrasonic scan data, 1341
Plasma ghrelin concentrations of beef cattle consuming a similar amount of dietary energy supplied by different ingredients, 2289
Repeatability of feed efficiency, carcass ultrasound, feeding behavior, and blood metabolic variables in finishing heifers divergently selected for residual feed intake, 3214
body condition
Effects of body condition on measures of intramuscular and rump fat, endocrine factors, and calving rate of beef cows grazing common bermudagrass or endophyte-infected tall fescue, 4133
body shape
Modeling variance structure of body shape traits of Lipizzan horses, 2868
body temperature
Effect of shade on body temperature and performance of feedlot steers, 4056
body weight gain
Adaptability of pregnant Merino ewes to the cold desert climate in Nevada, 860
bone
A calcitonin receptor (*CALCR*) single nucleotide polymorphism is associated with growth performance and bone integrity in response to dietary phosphorus deficiency, 1009
Influence of benzoic acid and phytase in low-phosphorus diets on bone characteristics in growing-finishing pigs, 3363
bootstrap
Parametric bootstrap for testing model fitting of threshold and grouped data models: An application to the analysis of calving ease of Bruna dels Pirineus beef cattle, 2920
Bos indicus
Assessment of *DGAT1* and *LEP* gene polymorphisms in three Nelore (*Bos indicus*) lines selected for growth and their relationship with growth and carcass traits, 435
Genetic associations between carcass traits measured by real-time ultrasound and scrotal circumference and growth traits in Nelore cattle, 52
Presynchronization with gonadotropin-releasing hormone increases the proportion of *Bos indicus*-influenced females ovulating at initiation of synchronization but fails to improve synchronized new follicular wave emergence or fixed-time artificial insemination concep-

tion rates using intravaginal progesterone, gonadotropin-releasing hormone, and prostaglandin $F_{2\alpha}$, 1663
Bos taurus
Effect of shade on body temperature and performance of feedlot steers, 4056
Bos taurus chromosome 3
The effect of variation at the retinoic acid receptor-related orphan receptor C gene on intramuscular fat percent and marbling score in Australian cattle, 47
Bos taurus coreana
Identification of genetic polymorphisms in bovine mitochondrial deoxyribonucleic acid, 2551
bovine
Contractile response of fescue-naïve bovine lateral saphenous veins to increasing concentrations of tall fescue alkaloids, 408
Effects of exposure to calves persistently infected with bovine viral diarrhea virus type 1b and *Mannheimia haemolytica* challenge on animal performance, nitrogen balance, and visceral organ mass in beef steers, 2179
Effects of exposure to calves persistently infected with bovine viral diarrhea virus type 1b and subsequent infection with *Mannheima haemolytica* on clinical signs and immune variables: Model for bovine respiratory disease via viral and bacterial interaction, 2166
Relationship between muscle microstructure, the calpain system, and shear force in bovine longissimus dorsi muscle, 3445
The small intestinal epithelia of beef steers differentially express sugar transporter messenger ribonucleic acid in response to abomasal versus ruminal infusion of starch hydrolysate, 306
Tissue expression of angiopoietin-like protein 4 in cattle, 124
bovine respiratory disease
Effect of bovine respiratory disease during preconditioning on subsequent feedlot performance, carcass characteristics, and beef attributes, 2486
Effects of exposure to calves persistently infected with bovine viral diarrhea virus type 1b and *Mannheimia haemolytica* challenge on animal performance, nitrogen balance, and visceral organ mass in beef steers, 2179
Effects of exposure to calves persistently infected with bovine viral diarrhea virus type 1b and subsequent infection with *Mannheima haemolytica* on clinical signs and immune variables: Model for bovine respiratory disease via viral and bacterial interaction, 2166
Evaluation of fixed sources of variation and estimation of genetic parameters for incidence of bovine respiratory disease in preweaned calves and feedlot cattle, 1220
bovine semen
Effects of trehalose supplementation on semen quality and oxidative stress variables in frozen-thawed bovine semen, 1657
bovine viral diarrhea
Effects of exposure to calves persistently infected with bovine viral diarrhea virus type 1b and *Mannheimia haemolytica* challenge on animal performance, nitrogen balance, and visceral organ mass in beef steers, 2179
bovine viral diarrhea virus
Effects of exposure to calves persistently infected with bovine viral diarrhea virus type 1b and subsequent infection with *Mannheima haemolytica* on clinical signs and immune variables: Model for bovine respiratory disease via viral and bacterial interaction, 2166
Brachyspira hyodysenteriae
Diets containing inulin but not lupins help to prevent swine dysentery in experimentally challenged pigs, 3327
Brahman
Evaluation of tropically adapted straightbred and crossbred beef cattle: Heifer age and size at first conception and characteristics of their first calves, 3173
Intramuscular fat and fatty acid composition of longissimus muscle from divergent pure breeds of cattle, 756
brain
Aggressiveness and brain amine concentration in dominant and subordinate finishing pigs fed the β-adrenoreceptor agonist ractopamine, 3107
Brangus
Growth characteristics, reproductive performance, and evaluation of their associative relationships in Brangus cattle managed in a Chihuahuan Desert production system, 1891
breed
Characterization of biological types of cattle (Cycle VIII): Carcass, yield, and longissimus palatability traits, 3070
Comparative proteomic profiling of 2 muscles from 5 different pure pig breeds using surface-enhanced laser desorption/ionization time-of-flight proteomics technology, 1522
Contribution of genetic influences to animal-to-animal variation in myoglobin content and beef lean color stability, 1160
Differential effects of maternal undernutrition between days 1 and 90 of pregnancy on ewe and lamb performance and lamb parasitism in hill or lowland breeds, 3833
Postweaning growth and carcass traits in crossbred cattle from Hereford, Angus, Brangus, Beefmaster, Bonsmara, and Romosinuano maternal grandsires, 102
breed effect
Estimation of breed and heterosis effects for growth and carcass traits in cattle using published crossbreeding studies, 460
Evaluation of tropically adapted straightbred and crossbred beef cattle: Heifer age and size at first conception and characteristics of their first calves, 3173
broken-line model
Technical note: Analysis of total lipid and triacylglycerol content in small liver biopsy samples in cattle, 2741
buffalo
Assessment of buffalo semen with the 3-(4,5-dimethylthiazol-2-yl)-2,5-diphenyltetrazolium bromide reduction assay, 922
bulk density
Effects of varying bulk densities of steam-flaked corn and dietary roughage concentration on in vitro fermentation, performance, carcass quality, and acid-base balance measurements in finishing steers, 1135

C

calbindin D9k
Influence of different calcium supplies and a single vitamin D injection on vitamin D receptor and calbindin D9k immunoreactivities in the gastrointestinal tract of goat kids, 3598
calcineurin
Molecular cloning and characterization of porcine calcineurin-α subunit expression in skeletal muscle, 562
calcium
A new approach to sperm preservation based on bioenergetic theory, 1314
Effect of reduced dietary calcium concentration and phytase supplementation on calcium and phosphorus utilization in weanling pigs with modified mineral status, 1706
Influence of different calcium supplies and a single vitamin D injection on vitamin D receptor and calbindin D9k immunoreactivities in the gastrointestinal tract of goat kids, 3598
Reproductive performance and bone status markers of gilts and lactating sows supplemented with two different forms of vitamin D, 202
calcium phosphate
Ileal microbiota of growing pigs fed different dietary calcium phosphate levels and phytase content and subjected to ileal pectin infusion, 147
calf
Biological markers of neonatal calf performance: The relationship of insulin-like growth factor-I, zinc, and copper to poor neonatal growth, 2585
Using alfalfa leaf meal as a supplement in late-gestation beef heifer and nursing beef calf diets, 2132
calf survival
Genetic relationships among calving ease, gestation length, and calf survival to weaning in the Asturiana de los Valles beef cattle breed, 96
callipyge
Detection of a quantitative trait locus for ham weight with polar overdominance near the ortholog of the callipyge locus in an experimental pig F_2 population, 3167
Enhancement technology improves palatability of normal and callipyge lambs, 4026
calpain
Production and processing studies on calpain-system gene markers for tenderness in Brahman cattle: 1. Growth, efficiency, temperament, and carcass characteristics, 3047
Production and processing studies on calpain-system gene markers for tenderness in Brahman cattle: 2. Objective meat quality, 3059
calpain system
Relationship between muscle microstructure, the calpain system, and shear force in bovine longissimus dorsi muscle, 3445

calpastatin
Production and processing studies on calpain-system gene markers for tenderness in Brahman cattle: 1. Growth, efficiency, temperament, and carcass characteristics, 3047
Production and processing studies on calpain-system gene markers for tenderness in Brahman cattle: 2. Objective meat quality, 3059
calving
Evaluation of tropically adapted straightbred and crossbred beef cattle: Heifer age and size at first conception and characteristics of their first calves, 3173
calving ease
Genetic relationships among calving ease, gestation length, and calf survival to weaning in the Asturiana de los Valles beef cattle breed, 96
Parametric bootstrap for testing model fitting of threshold and grouped data models: An application to the analysis of calving ease of Bruna dels Pirineus beef cattle, 2920
calving rate
Effects of body condition on measures of intramuscular and rump fat, endocrine factors, and calving rate of beef cows grazing common bermudagrass or endophyte-infected tall fescue, 4133
camphor
Pharmacokinetic differences in exposure to camphor after intraruminal dosing in selectively bred lines of goats, 2620
candidate gene
Effect of polymorphisms in candidate genes on reproduction traits in Finnish pig populations, 821
canine
Protein digestibility evaluations of meat and fish substrates using laboratory, avian, and ileally cannulated dog assays, 1421
canola meal
Energy and amino acid utilization in expeller-extracted canola meal fed to growing pigs, 1433
The nutritional value of expeller-pressed canola meal for grower-finisher pigs, 2073
carbohydrase
Efficacy of commercial enzymes in diets containing various concentrations and sources of dried distillers grains with solubles for nursery pigs, 2084
carbohydrate
Comparison of dried whey permeate and a carbohydrate product in diets for nursery pigs, 1868
carcass
Characterization of biological types of cattle (Cycle VIII): Carcass, yield, and longissimus palatability traits, 3070
Cinnamaldehyde in feedlot cattle diets: Intake, growth performance, carcass characteristics, and blood metabolites, 1082
Effect of bovine respiratory disease during preconditioning on subsequent feedlot performance, carcass characteristics, and beef attributes, 2486
Effects of nutrient restriction of bovine dams during early gestation on postnatal growth, carcass and organ characteristics, and gene expression in adipose tissue and muscle, 3251
Effects of winter growing programs on subsequent feedlot performance, carcass characteristics, body composition, and energy requirements of beef steers, 1564
Estimation of genetic trends in French Large White pigs from 1977 to 1998 for growth and carcass traits using frozen semen, 2856
Evaluating percentage of roughage in lamb finishing diets containing 40% dried distillers grains: Growth, serum urea nitrogen, nonesterified fatty acids, and insulin growth factor-1 concentrations and wool, carcass, and fatty acid characteristics, 3030
Production and processing studies on calpain-system gene markers for tenderness in Brahman cattle: 1. Growth, efficiency, temperament, and carcass characteristics, 3047
Validation of live animal ultrasonic measurements of body composition in market lambs, 2932
carcass characteristic
Changes of the activities of glycolytic and oxidative enzymes before and after slaughter in the longissimus muscle of Pietrain and Duroc pigs and a Duroc-Pietrain crossbreed, 4016
Epistatic analysis of carcass characteristics in pigs reveals genomic interactions between quantitative trait loci attributable to additive and dominance genetic effects, 2219
carcass composition
Correlative responses for carcass and meat quality traits to selection for ovulation rate or prenatal survival in French Large White pigs, 903
Effect of breed body size and the muscular hypertrophy gene in the production and carcass traits of concentrate-finished yearling bulls, 1229
Estimation of carcass composition by ultrasound measurements in 4 anatomical locations of 3 commercial categories of lamb, 3409
Evaluation of the prediction of alternative measures of pork carcass composition by three optical probes, 767
Postweaning growth and carcass traits in crossbred cattle from Hereford, Angus, Brangus, Beefmaster, Bonsmara, and Romosinuano maternal grandsires, 102
carcass fat composition prediction
Assessment of goat fat depots using ultrasound technology and multiple multivariate prediction models, 572
carcass merit
Association of liver abnormalities with carcass grading performance and value, 4037
Effect of extended withdrawal of zilpaterol hydrochloride on performance and carcass traits in finishing beef steers, 338
Effects of exposure to calves persistently infected with bovine viral diarrhea virus type 1b and *Mannheimia haemolytica* challenge on animal performance, nitrogen balance, and visceral organ mass in beef steers, 2179
carcass quality
Effect of dietary supplemental vitamin A concentration on performance, carcass merit, serum metabolites, and lipogenic enzyme activity in yearling beef steers, 1463
Impact of piglet birth weight, birth order, and litter size on subsequent growth performance, carcass quality, muscle composition, and eating quality of pork, 2767
Influence of feeding various quantities of wet and dry distillers grains to finishing steers on carcass characteristics, meat quality, retail-case life of ground beef, and fatty acid profile of longissimus muscle, 3399
carcass trait
Effect of bovine respiratory disease and overall pathogenic disease incidence on carcass traits, 491
Effect of dam and sire genotypes on productive and carcass traits of rabbits, 533
The two mutations, Q204X and nt821, of the myostatin gene affect carcass and meat quality in young heterozygous bulls of French beef breeds, 446
carcass trait in cattle
Evidence for parent-of-origin effects on genetic variability of beef traits, 523
carcass value
Association of liver abnormalities with carcass grading performance and value, 4037
casein
Effect of dry- versus wet-autoclaving of spray-dried egg albumen compared with casein as protein sources on apparent nitrogen and energy balance, plasma urea nitrogen and glucose concentrations, and growth performance of neonatal swine, 2665
caselife
Comparison of tenderness, palatability, and retail caselife of enhanced cow subprimals with nonenhanced cow and United States Department of Agriculture Select subprimals, 3683
caspase-3
Morphological and biochemical assessment of apoptosis in different skeletal muscles of bulls during conditioning, 3439
castration
Effects of ring castration with local anesthesia and analgesia in Holstein calves at 3 months of age on welfare indicators, 2789
cat
Dietary cellulose, fructooligosaccharides, and pectin modify fecal protein catabolites and microbial populations in adult cats, 2978
caterpillar
Invited Review: The role of caterpillars in mare reproductive loss syndrome: A model for environmental causes of abortion, 1379
cathepsin D gene
The insulin-like growth factor 2 (*IGF2*) gene intron3-g.3072G>A polymorphism is not the only *Sus scrofa* chromosome 2p mutation affecting meat production and carcass traits in pigs: Evidence from the effects of a cathepsin D (*CTSD*) gene polymorphism, 2235
cation-anion balance
Effects of water quality and dietary potassium on performance and carcass characteristics of yearling steers, 296
Persistence of blood changes associated with alteration of the dietary electrolyte balance in commercial pigs after feed withdrawal, trans-

portation, and lairage, and the effects on performance and carcass quality, 4068
cattle
Additive effects of a steroidal implant and zilpaterol hydrochloride on feedlot performance, carcass characteristics, and skeletal muscle messenger ribonucleic acid abundance in finishing steers, 330
Calving day and age at first calving in Angus heifers, 1947
Comparison of 2 high-throughput spectral techniques to predict differences in diet composition of grazing sheep and cattle, 1905
Determination of carcass and body fat compositions of grazing crossbred bulls using body measurements, 1442
Effect of bovine respiratory disease during preconditioning on subsequent feedlot performance, carcass characteristics, and beef attributes, 2486
Effect of nitrogen supplementation on urea kinetics and microbial use of recycled urea in steers consuming corn-based diets, 2729
Effects of flunixin meglumine on pregnancy establishment in beef cattle, 943
Effects of nutrient restriction of bovine dams during early gestation on postnatal growth, carcass and organ characteristics, and gene expression in adipose tissue and muscle, 3251
Effects of nutrient restriction of bovine dams during early gestation on postnatal growth and regulation of plasma glucose, 3262
Effects of ractopamine and sex on serum metabolites and skeletal muscle gene expression in finishing steers and heifers, 1349
Effects of ractopamine hydrochloride are not confined to mammalian tissue: Evidence for direct effects of ractopamine hydrochloride supplementation on fermentation by ruminal microorganisms, 697
Effects of sex and short-term magnesium supplementation on stress responses and longissimus muscle quality characteristics of crossbred cattle, 349
Energy cost of activities and locomotion of grazing cows: A repeated study in larger plots, 315
Evaluation of fixed sources of variation and estimation of genetic parameters for incidence of bovine respiratory disease in preweaned calves and feedlot cattle, 1220
Evaluation of physiological and blood serum differences in heat-tolerant (Romosinuano) and heat-susceptible (Angus) *Bos taurus* cattle during controlled heat challenge, 2321
Factors influencing the differentiation of bovine preadipocytes in vitro, 1999
Fetal programming of skeletal muscle development in ruminant animals, E51
Genetics of fighting ability in cattle using data from the traditional battle contest of the Valdostana breed, 3206
Growth characteristics, reproductive performance, and evaluation of their associative relationships in Brangus cattle managed in a Chihuahuan Desert production system, 1891
Methane emissions, feed intake, and performance of finishing beef cattle offered maize silages harvested at 4 different stages of maturity, 1479
Methane emissions, feed intake, performance, digestibility, and rumen fermentation of finishing beef cattle offered whole-crop wheat silages differing in grain content, 2703
Plasma ghrelin concentrations of beef cattle consuming a similar amount of dietary energy supplied by different ingredients, 2289
Production and processing studies on calpain-system gene markers for tenderness in Brahman cattle: 1. Growth, efficiency, temperament, and carcass characteristics, 3047
Production and processing studies on calpain-system gene markers for tenderness in Brahman cattle: 2. Objective meat quality, 3059
Proteins involved in iron metabolism in beef cattle are affected by copper deficiency in combination with high dietary manganese, but not by copper deficiency alone, 275
Read distance performance and variation of 5 low-frequency radio frequency identification panel transceiver manufacturers, 2514
Rumen fluid inhibits proliferation and stimulates expression of cyclin-dependent kinase inhibitors 1A and 2A in bovine rumen epithelial cells, 3226
Technical note: Analysis of total lipid and triacylglycerol content in small liver biopsy samples in cattle, 2741
Technical note: Development of a self-contained, indwelling rectal temperature probe for cattle research, 3291
The effect of variation at the retinoic acid receptor-related orphan receptor C gene on intramuscular fat percent and marbling score in Australian cattle, 47
The physiological and behavioral responses of steers to gaseous ammonia in simulated long-distance transport by ship, 3579
Yeast cell-wall products containing β-glucan plus ascorbic acid affect neonatal *Bos taurus* calf leukocytes and growth after a transport stressor, 1195
cattle breed
Differential expression of liver proteins in Chianina and Holstein young bulls, 593
Intramuscular fat and fatty acid composition of longissimus muscle from divergent pure breeds of cattle, 756
cell cycle
Rumen fluid inhibits proliferation and stimulates expression of cyclin-dependent kinase inhibitors 1A and 2A in bovine rumen epithelial cells, 3226
cell proliferation
Gastrointestinal tract mucosal histomorphometry and epithelial cell proliferation and apoptosis in neonatal and adult dogs, 2255
cereal grain
Fall growth, nutritive value, and estimation of total digestible nutrients for cereal-grain forages in the north-central United States, 383
In situ disappearance of dry matter and fiber from fall-grown cereal-grain forages from the north-central United States, 3992
Phosphorus utilization and characterization of excreta from swine fed diets containing a variety of cereal grains balanced for total phosphorus, 1860
change point
An application of change-point recursive models to the relationship between litter size and number of stillborns in pigs, 3493
chicory
Effects of maternal protein nutrition and subsequent grazing on chicory (*Cichorium intybus*) on parasitism and performance of lambs, 1513
Chihuahuan Desert
Growth characteristics, reproductive performance, and evaluation of their associative relationships in Brangus cattle managed in a Chihuahuan Desert production system, 1891
chilling
Stepwise chilling: Tender pork without compromising water-holding capacity, 1830
chito-oligosaccharide
Chito-oligosaccharide reduces diarrhea incidence and attenuates the immune response of weaned pigs challenged with *Escherichia coli* K88, 3871
chitosan
Use of chitosans to modulate ruminal fermentation of a 50:50 forage-to-concentrate diet in sheep, 749
chlortetracycline
Effects of late gestation supplementation of rumen undegradable protein, vitamin E, zinc, and chlortetracycline to ewes on indices of immune transfer and productivity, 1125
chocolate
Effect of milk chocolate product on week-1 feed intake and growth performance of weanling pigs, 2779
cholesterol
Bayes factor analyses of heritability for serum and muscle lipid traits in Duroc pigs, 2246
cinnamaldehyde
Cinnamaldehyde in feedlot cattle diets: Intake, growth performance, carcass characteristics, and blood metabolites, 1082
Dose response to cinnamaldehyde supplementation in growing beef heifers: Ruminal and intestinal digestion, 680
clinoptilolite
Effects of high-sulfur water and clinoptilolite on health and growth performance of steers fed forage-based diets, 1777
close-up diet
Effects of twin pregnancy and dry period feeding strategy on milk production, energy balance, and metabolic profiles in dairy cows, 1048
coculture cell monolayer
Porcine oocytes denuded before maturation can develop to the blastocyst stage if provided a cumulous cell-derived coculture system, 2604
cold stress
A comprehensive index for assessing environmental stress in animals, 2153
collagen turnover
Phenotypic differences in matrix metalloproteinase 2 activity between fibroblasts from 3 bovine muscles, 4006

colon simulation technique
Fiber-related digestive processes in three different breeds of pigs, 972
color stability
Contribution of genetic influences to animal-to-animal variation in myoglobin content and beef lean color stability, 1160
colostrum
Differential composition of proteomes in sow colostrum and milk from anterior and posterior mammary glands, 2657
colostrum yield
Altrenogest treatment during late pregnancy did not reduce colostrum yield in primiparous sows, 1684
Relationships between colostrum production by primiparous sows and sow physiology around parturition, 1672
compensatory growth
Effect of dietary protein and lysine fluctuations in the absence and presence of ractopamine on performance and carcass quality of late-finishing pigs, 604
competition
Effect of pen mates on growth, backfat depth, and longissimus muscle area of swine, 895
Maternal and social genetic effects on average daily gain of piglets from birth until weaning, 2883
composition
Determination of carcass and body fat compositions of grazing crossbred bulls using body measurements, 1442
Effect of dietary organic and inorganic micromineral source and level on sow body, liver, colostrum, mature milk, and progeny mineral compositions over six parities, 626
conditioning
Morphological and biochemical assessment of apoptosis in different skeletal muscles of bulls during conditioning, 3439
conjugated linoleic acid
Conjugated linoleic acid differentially regulates fat deposition in backfat and longissimus muscle of finishing pigs, 1694
Effects of low-protein diets and rumen-protected conjugated linoleic acid on production and carcass traits of growing double-muscled Piemontese bulls, 3372
Effects of oil source and fish oil addition on ruminal biohydrogenation of fatty acids and conjugated linoleic acid formation in beef steers fed finishing diets, 2684
Factors influencing the differentiation of bovine preadipocytes in vitro, 1999
Feeding wheat dried distillers grains with solubles improves beef *trans* and conjugated linoleic acid profiles, 1842
Transfer of conjugated linoleic acid from sows to their offspring and its impact on the fatty acid profiles of plasma, muscle, and subcutaneous fat in piglets, 1741
connexin-37
Identification and expression analysis of connexin-45 and connexin-60 as major connexins in porcine oocytes, 3269
connexin-45
Identification and expression analysis of connexin-45 and connexin-60 as major connexins in porcine oocytes, 3269
connexin-60
Identification and expression analysis of connexin-45 and connexin-60 as major connexins in porcine oocytes, 3269
consumer
Moisture enhancement and blade tenderization effects on the shear force and palatability of strip loin steaks from beef cattle fed zilpaterol hydrochloride, 1809
control chart
Application of statistical process control charts to monitor changes in animal production systems, E11
controlled internal drug release
Presynchronization with gonadotropin-releasing hormone increases the proportion of *Bos indicus*-influenced females ovulating at initiation of synchronization but fails to improve synchronized new follicular wave emergence or fixed-time artificial insemination conception rates using intravaginal progesterone, gonadotropin-releasing hormone, and prostaglandin $F_{2\alpha}$, 1663
controlled internal drug release insert
Comparison of short-term progestin-based protocols to synchronize estrus and ovulation in postpartum beef cows, 2045
copper
Biological markers of neonatal calf performance: The relationship of insulin-like growth factor-I, zinc, and copper to poor neonatal growth, 2585
Proteins involved in iron metabolism in beef cattle are affected by copper deficiency in combination with high dietary manganese, but not by copper deficiency alone, 275
corn
Effect of feeding combinations of wet distillers grains and wet corn gluten feed to feedlot cattle, 1061
Influence of the inclusion of cooked cereals and pea starch in diets based on soy or pea protein concentrate on nutrient digestibility and performance of young pigs, 671
corn coproduct
Changes and evolution of corn coproducts for beef cattle, E143
corn distillers dried grains with solubles withdrawal
The effects of feeding diets containing corn distillers dried grains with solubles, and withdrawal period of distillers dried grains with solubles, on growth performance and pork quality in grower-finisher pigs, 1388
corn germ
Evaluation of elevated dietary corn fiber from corn germ meal in growing female pigs, 192
corn gluten feed
Applying technology with newer feed ingredients in feedlot diets: Do the old paradigms apply?, E123
correlated random effect
Technical note: An R package for fitting generalized linear mixed models in animal breeding, 497
correlation
Correlations between fat depot traits and fatty acid composition in abdominal subcutaneous adipose tissue and longissimus muscle: Results from a White Duroc × Erhualian intercross F_2 population, 3538
cortical granule
Porcine oocytes denuded before maturation can develop to the blastocyst stage if provided a cumulous cell-derived coculture system, 2604
cortisol
Relationships of behavioral and physiological symptoms of preslaughter stress to beef longissimus muscle tenderness, 1148
cost
A review of population data utilization in beef cattle research, E32
CO-Synch
Presynchronization with gonadotropin-releasing hormone increases the proportion of *Bos indicus*-influenced females ovulating at initiation of synchronization but fails to improve synchronized new follicular wave emergence or fixed-time artificial insemination conception rates using intravaginal progesterone, gonadotropin-releasing hormone, and prostaglandin $F_{2\alpha}$, 1663
cottonseed hull
Evaluating percentage of roughage in lamb finishing diets containing 40% dried distillers grains: Growth, serum urea nitrogen, nonesterified fatty acids, and insulin growth factor-1 concentrations and wool, carcass, and fatty acid characteristics, 3030
(co)variance component
Interaction of genotype × artificial insemination conditions for male effect on fertility and prolificacy, 3475
cow
Comparison of tenderness, palatability, and retail caselife of enhanced cow subprimals with nonenhanced cow and United States Department of Agriculture Select subprimals, 3683
Genetic evaluation of type traits in hypertrophic Piemontese cows, 3504
creep feed
Using alfalfa leaf meal as a supplement in late-gestation beef heifer and nursing beef calf diets, 2132
creep feeding
Effects of lactation feed intake and creep feeding on sow and piglet performance, 3145
Effects of varying creep feeding duration on the proportion of pigs consuming creep feed and neonatal pig performance, 3154
Genetic parameters for preweaning and early growth traits in Berkshire pigs when creep feeding is used, 879
Influence of feed flavors and nursery diet complexity on preweaning and nursery pig performance, 3918
crop production
Nonsolar energy use and one-hundred-year global warming potential of Iowa swine feedstuffs and feeding strategies, 1204
cross-breeding
Precision genetics for complex objectives in animal agriculture, 2530

crossbreeding
Genomic selection in admixed and crossbred populations, 32
Estimation of genetic and crossbreeding parameters for preweaning traits in German Angus and Simmental beef cattle and the reciprocal crosses, 80
Introduction of meat sheep breeds in extensive systems of Patagonia: Lamb growth and survival, 1256
crude protein
The effect of rumen degradable and rumen undegradable intake protein on feedlot performance and carcass merit in heavy yearling steers, 1073
cryoconservation
Pedigree analysis of seven small French sheep populations and implications for the management of rare breeds, 505
cryopreservation
Effects of trehalose supplementation on semen quality and oxidative stress variables in frozen-thawed bovine semen, 1657
cutability
Effect of zilpaterol hydrochloride supplementation on cutability and subprimal yield of beef steer carcasses, 1817
The effects of zilpaterol hydrochloride on carcass cutability and tenderness of calf-fed Holstein steers, 2476
cyadox
Chito-oligosaccharide reduces diarrhea incidence and attenuates the immune response of weaned pigs challenged with *Escherichia coli* K88, 3871
cyanocobalamin
Bioavailability of dietary cyanocobalamin (vitamin B_{12}) in growing pigs, 3936
cytokine
Effects of exposure to calves persistently infected with bovine viral diarrhea virus type 1b and subsequent infection with *Mannheima haemolytica* on clinical signs and immune variables: Model for bovine respiratory disease via viral and bacterial interaction, 2166

D

dairy calf
Nonsteroidal anti-inflammatory drug therapy for neonatal calf diarrhea complex: Effects on calf performance, 2019
dairy cow
Effect of dietary organic zinc, manganese, copper, and cobalt supplementation on milk production, follicular growth, embryo quality, and tissue mineral concentrations in dairy cows, 3856
Effect of feeding rolled flaxseed on milk fatty acid profiles and reproductive performance of dairy cows, 3739
Effects of twin pregnancy and dry period feeding strategy on milk production, energy balance, and metabolic profiles in dairy cows, 1048
Expression and activity of key hepatic gluconeogenesis enzymes in response to increasing intravenous infusions of glucose in dairy cows, 2998
Strong associations among rumen endotoxin and acute phase proteins with plasma minerals in lactating cows fed graded amounts of concentrate, 1545
dairy ewe
Dose response of lactating dairy ewes during suckling and milking to bovine somatotropin, 3136
Daisy^{II} incubator
Comparison of in vitro digestibility estimates using the Daisy^{II} incubator with in vivo digestibility estimates in horses, 3954
dam effect
Effect of dam and sire genotypes on productive and carcass traits of rabbits, 533
data analysis
Applications of population data analysis in on-farm dairy trials, E25
defaunation
Effects of partial ruminal defaunation on urea-nitrogen recycling, nitrogen metabolism, and microbial nitrogen supply in growing lambs fed low or high dietary crude protein concentrations, 1034
degradable intake protein
The effect of rumen degradable and rumen undegradable intake protein on feedlot performance and carcass merit in heavy yearling steers, 1073
dentition
The effect of dentition on feeding development in piglets and on their growth and behavior after weaning, 2277
deoxyribonucleic acid
The effect of variation at the retinoic acid receptor-related orphan receptor C gene on intramuscular fat percent and marbling score in Australian cattle, 47
developmental programming
Developmental programming: The concept, large animal models, and the key role of uteroplacental vascular development, E61
Effects of maternal nutrition on conceptus growth and offspring performance: Implications for beef cattle production, E205
Effects of plane of nutrition and selenium supply during gestation on ewe and neonatal offspring performance, body composition, and serum selenium, 1786
Ovine offspring growth and diet digestibility are influenced by maternal selenium supplementation and nutritional intake during pregnancy despite a common postnatal diet, 3645
diarrhea
Influence of dietary protein content and source on fecal quality, electrolyte concentrations, and osmolarity, and digestibility in dogs differing in body size, 159
Nonsteroidal anti-inflammatory drug therapy for neonatal calf diarrhea complex: Effects on calf performance, 2019
diet
Fumonisin B_1 and implications in nursery swine productivity: A quantitative exposure assessment, 3767
Redox regulation of cysteine-dependent enzymes, 1297
dietary crude protein
Effects of partial ruminal defaunation on urea-nitrogen recycling, nitrogen metabolism, and microbial nitrogen supply in growing lambs fed low or high dietary crude protein concentrations, 1034
dietary electrolyte balance
Persistence of blood changes associated with alteration of the dietary electrolyte balance in commercial pigs after feed withdrawal, transportation, and lairage, and the effects on performance and carcass quality, 4068
dietary fat
Induction of peroxisomal proliferator-activated receptor γ and peroxisomal proliferator-activated receptor γ coactivator 1 by unsaturated fatty acids, retinoic acid, and carotenoids in preadipocytes obtained from bovine white adipose tissue, 1801
dietary fiber
Digestibility of dietary fiber in distillers coproducts fed to growing pigs, 2373
Evaluation of elevated dietary corn fiber from corn germ meal in growing female pigs, 192
dietary nitrogen
Dietary nitrogen reduction enhances urea transport across goat rumen epithelium, 3390
dietary restriction
Maternal dietary restriction and selenium supply alters messenger ribonucleic acid expression of angiogenic factors in maternal intestine, mammary gland, and fetal jejunal tissues during late gestation in pregnant ewe lambs, 2692
dietary treatment
Effect of probiotic-, bacteriophage-, or organic acid-supplemented feeds or fermented soybean meal on the growth performance, acute-phase response, and bacterial shedding of grower pigs challenged with *Salmonella enterica* serotype Typhimurium, 3880
diet complexity
Influence of feed flavors and nursery diet complexity on preweaning and nursery pig performance, 3918
diet composition
The effect of diet composition on tryptophan requirement of young piglets, 1017
diet selection
Comparison of 2 high-throughput spectral techniques to predict differences in diet composition of grazing sheep and cattle, 1905
Effect of body composition on diet selection in finishing pigs, 1733
Selection of tannins by sheep in response to gastrointestinal nematode infection, 2189
differentiation
Conjugated linoleic acid differentially regulates fat deposition in backfat and longissimus muscle of finishing pigs, 1694
digestibility
Amino acid and fiber digestibility, intestinal bacterial profile, and enzyme activity in growing pigs fed dried distillers grains with solubles-based diets, 3304
Characterization of the nutritional value of air-classified protein and starch fractions of field pea and zero-tannin faba bean in grower pigs, 660

Comparison of in vitro digestibility estimates using the Daisy^{II} incubator with in vivo digestibility estimates in horses, 3954
Corn or sorghum wet distillers grains with solubles in combination with steam-flaked corn: Feedlot cattle performance, carcass characteristics, and apparent total tract digestibility, 2433
Digestibility and nutrient retention of perennial peanut and bermudagrass hays for mature horses, 2055
Digestibility of dietary fiber in distillers coproducts fed to growing pigs, 2373
Dose response to cinnamaldehyde supplementation in growing beef heifers: Ruminal and intestinal digestion, 680
Effect of reduced dietary calcium concentration and phytase supplementation on calcium and phosphorus utilization in weanling pigs with modified mineral status, 1706
Effects of distillers dried grains with solubles on amino acid, energy, and fiber digestibility and on hindgut fermentation of dietary fiber in a corn-soybean meal diet fed to growing pigs, 1454
Energy value of wheat distillers grains with solubles for growing pigs and adult sows, 2382
Evaluation of antibiotic effects on phosphorus digestibility and utilization by growing-finishing pigs fed a phosphorus-deficient, corn-soybean meal diet, 1752
Evaluation of dried distillers grains and roughage source in steam-flaked corn finishing diets, 258
Ileal digestibility of amino acids in conventional, fermented, and enzyme-treated soybean meal and in soy protein isolate, fish meal, and casein fed to weanling pigs, 2674
Methane emissions, feed intake, performance, digestibility, and rumen fermentation of finishing beef cattle offered whole-crop wheat silages differing in grain content, 2703
Performance and phosphorus balance of pigs fed diets formulated on the basis of values for standardized total tract digestibility of phosphorus, 2968
Protein digestibility evaluations of meat and fish substrates using laboratory, avian, and ileally cannulated dog assays, 1421
The nutritional value of expeller-pressed canola meal for grower-finisher pigs, 2073

digestible energy
Effect of selenium supplementation and plane of nutrition on mares and their foals: Selenium concentrations and glutathione peroxidase, 991

digestible phosphorus
Effect of phytase on apparent total tract digestibility of phosphorus in corn-soybean meal diets fed to finishing pigs, 238

digestion
Effect of supplemental ground flaxseed fed to beef cattle grazing summer native range on the northern Great Plains, 2108
Effects of dietary supplementation with alkyl polyglycoside, a nonionic surfactant, on nutrient digestion and ruminal fermentation in goats, 3984

digital cushion
Lipid content and fatty acid composition of the digital cushion of bulls offered different amounts of linseed, 2403

3-(4,5-dimethylthiazol-2-yl)-2,5-diphenyltetrazolium bromide
Assessment of buffalo semen with the 3-(4,5-dimethylthiazol-2-yl)-2,5-diphenyltetrazolium bromide reduction assay, 922

3-(4.5-dimethylthiazol-2-yl)-2,5-diphenyltetrazolium bromide test
Assessment of buffalo semen with the 3-(4,5-dimethylthiazol-2-yl)-2,5-diphenyltetrazolium bromide reduction assay, 922

direct sequencing
Identification of genetic polymorphisms in bovine mitochondrial deoxyribonucleic acid, 2551

disease
Evaluation of fixed sources of variation and estimation of genetic parameters for incidence of bovine respiratory disease in preweaned calves and feedlot cattle, 1220

disease resistance
Evidence of major genes affecting resistance to bacterial cold water disease in rainbow trout using Bayesian methods of segregation analysis, 3814
Response to selection for bacterial cold water disease resistance in rainbow trout, 1936

dispersion
BOARD-INVITED REVIEW: Fate and transport of bioaerosols associated with livestock operations and manures, 3693

display color
Effects of zilpaterol hydrochloride feeding duration on beef and calf-fed Holstein strip loin steak color, 1168

distillers coproduct
Digestibility of dietary fiber in distillers coproducts fed to growing pigs, 2373

distillers dried grains with solubles
Dietary effects of distillers dried grains with solubles on performance and milk composition of lactating sows, 3313
Digestibility of dietary fiber in distillers coproducts fed to growing pigs, 2373
Effect of distillers dried grains with solubles and ractopamine (Paylean) on quality and shelf-life of fresh pork and bacon, 2751
Effect of nitrogen supplementation on urea kinetics and microbial use of recycled urea in steers consuming corn-based diets, 2729
Effect of thiamine concentration on animal health, feedlot performance, carcass characteristics, and ruminal hydrogen sulfide concentrations in lambs fed diets based on 60% distillers dried grains plus solubles, 2444
Fumonisin B_1 and implications in nursery swine productivity: A quantitative exposure assessment, 3767

distillers dried grain with solubles
Changes and evolution of corn coproducts for beef cattle, E143
Effects of distillers dried grains with solubles on amino acid, energy, and fiber digestibility and on hindgut fermentation of dietary fiber in a corn-soybean meal diet fed to growing pigs, 1454
Effects of mannanase and distillers dried grain with solubles on growth performance, nutrient digestibility, and carcass characteristics of grower-finisher pigs, 181

distillers grain
Applying technology with newer feed ingredients in feedlot diets: Do the old paradigms apply?, E123
Comparison of 3 tall fescue-based stocker systems, 1880
Effect of feeding combinations of wet distillers grains and wet corn gluten feed to feedlot cattle, 1061

distillers grains
Dried distillers grains with solubles with reduced corn silage levels in beef finishing diets, 2456
Effect of feeding wet distillers grains on performance, marbling deposition, and fatty acid content of beef from steers fed low- or high-forage diets, 3657
Feed preferences and performance of nursery pigs fed diets containing various inclusion amounts and qualities of distillers coproducts and flavor, 3725
Influence of feeding various quantities of wet and dry distillers grains to finishing steers on carcass characteristics, meat quality, retail-case life of ground beef, and fatty acid profile of longissimus muscle, 3399

distillers grains with solubles
Corn or sorghum wet distillers grains with solubles in combination with steam-flaked corn: Feedlot cattle performance, carcass characteristics, and apparent total tract digestibility, 2433
Corn or sorghum wet distillers grains with solubles in combination with steam-flaked corn: In vitro fermentation and hydrogen sulfide production, 2425

docility
Assessment of different on-farm measures of beef cattle temperament for use in genetic evaluation, 3529

docosahexaenoic acid
Fatty acid profile of colostrum and milk of ewes supplemented with fish meal and the subsequent plasma fatty acid status of their lambs, 2092

dog
Dietary macronutrients and feeding frequency affect fasting and postprandial concentrations of hormones involved in appetite regulation in adult dogs, 3945
Gastrointestinal tract mucosal histomorphometry and epithelial cell proliferation and apoptosis in neonatal and adult dogs, 2255
Influence of dietary protein content and source on fecal quality, electrolyte concentrations, and osmolarity, and digestibility in dogs differing in body size, 159

domestic livestock
A comprehensive index for assessing environmental stress in animals, 2153

double-muscled
Effect of breed body size and the muscular hypertrophy gene in the production and carcass traits of concentrate-finished yearling bulls, 1229

double-muscling
Effects of low-protein diets and rumen-protected conjugated linoleic acid on production and carcass traits of growing double-muscled Piemontese bulls, 3372

dried distillers grain
Amino acid digestibility and energy concentration of high-protein corn dried distillers grains and high-protein sorghum dried distillers grains with solubles for swine, 3617
Evaluating percentage of roughage in lamb finishing diets containing 40% dried distillers grains: Growth, serum urea nitrogen, nonesterified fatty acids, and insulin growth factor-1 concentrations and wool, carcass, and fatty acid characteristics, 3030
Evaluation of dried distillers grains and roughage source in steam-flaked corn finishing diets, 258
dried distillers grains
Evaluation of bacterial diversity in the rumen and feces of cattle fed diets containing levels of dried distillers grains plus solubles using bacterial tag-encoded FLX amplicon pyrosequencing, 3977
dried distillers grains plus solubles
Feeding wheat dried distillers grains with solubles improves beef *trans* and conjugated linoleic acid profiles, 1842
dried distillers grains with solubles
Amino acid and fiber digestibility, intestinal bacterial profile, and enzyme activity in growing pigs fed dried distillers grains with solubles-based diets, 3304
Effects of crude glycerin on performance and carcass characteristics of finishing wether lambs, 1771
Effects of dried distillers grains with solubles on carcass fat quality of finishing pigs, 3666
Efficacy of commercial enzymes in diets containing various concentrations and sources of dried distillers grains with solubles for nursery pigs, 2084
Evaluation of triticale dried distillers grains with solubles as a substitute for barley grain and barley silage in feedlot finishing diets, 3018
dried grain with solubles
Effects of feeding diets containing increasing content of corn distillers dried grains with solubles to grower-finisher pigs on growth performance, carcass composition, and pork fat quality, 1398
dried porcine solubles
Effects of fermented soybean meal and specialty animal protein sources on nursery pig performance, 1725
dried skim milk
Fermented soybean meal as a vegetable protein source for nursery pigs: I. Effects on growth performance of nursery pigs, 214
drip loss
Stepwise chilling: Tender pork without compromising water-holding capacity, 1830
dry-rolled corn
Dried distillers grains with solubles with reduced corn silage levels in beef finishing diets, 2456
dry matter disappearance
In situ disappearance of dry matter and fiber from fall-grown cereal-grain forages from the north-central United States, 3992
dry matter intake
Development and evaluation of feeding-period average dry matter intake prediction equations from a commercial feedlot database, 3009
duration
Effects of varying creep feeding duration on the proportion of pigs consuming creep feed and neonatal pig performance, 3154

E

eating behavior
Evaluation of triticale dried distillers grains with solubles as a substitute for barley grain and barley silage in feedlot finishing diets, 3018
EcoCare
The potential ability of swine nutrition to influence environmental factors positively, E95
economic analysis
A review of population data utilization in beef cattle research, E32
efficiency
A review of population data utilization in beef cattle research, E32
Effect of bovine respiratory disease during preconditioning on subsequent feedlot performance, carcass characteristics, and beef attributes, 2486
Effect of breed body size and the muscular hypertrophy gene in the production and carcass traits of concentrate-finished yearling bulls, 1229
egg production
Genotype × environment interaction as it relates to egg production in turkeys (*Meleagris gallopavo*), 1957
eicosapentaenoic acid
Fatty acid profile of colostrum and milk of ewes supplemented with fish meal and the subsequent plasma fatty acid status of their lambs, 2092
electronic identification
Read distance performance and variation of 5 low-frequency radio frequency identification panel transceiver manufacturers, 2514
Suitability of electronic mini-boluses for the early identification of goat kids and effects on growth performance and development of the reticulorumen, 3464
embryo
Gluconeogenesis differs in developing chick embryos derived from small compared with typical size broiler breeder eggs, 912
embryonated egg
An estrogen sensor for poultry sex sorting, 1358
embryo quality
Effect of dietary organic zinc, manganese, copper, and cobalt supplementation on milk production, follicular growth, embryo quality, and tissue mineral concentrations in dairy cows, 3856
embryo survival and development
Candidate gene analysis for reproductive traits in two lines of rabbits divergently selected for uterine capacity, 828
Investigation of the oviductal glycoprotein 1 (*OVGP1*) gene associated with embryo survival and development in the rabbit, 1597
endocrinology
Relationships between colostrum production by primiparous sows and sow physiology around parturition, 1672
endogenous loss
Effect of the form of dietary fat and the concentration of dietary neutral detergent fiber on ileal and total tract endogenous losses and apparent and true digestibility of fat by growing pigs, 2959
Performance and phosphorus balance of pigs fed diets formulated on the basis of values for standardized total tract digestibility of phosphorus, 2968
endogenous phytase
Phosphorus utilization and characterization of excreta from swine fed diets containing a variety of cereal grains balanced for total phosphorus, 1860
endotoxin
Hyperleptinemia in horses: Responses to administration of a small dose of lipopolysaccharide endotoxin in mares and geldings, 926
energy
Amino acid digestibility and energy concentration of high-protein corn dried distillers grains and high-protein sorghum dried distillers grains with solubles for swine, 3617
Characterization of the nutritional value of air-classified protein and starch fractions of field pea and zero-tannin faba bean in grower pigs, 660
Determining the effect of lysine:calorie ratio on growth performance of ten- to twenty-kilogram of body weight nursery pigs of two different genotypes, 137
Dietary nitrogen-to-energy ratio alters amino acid partition in the whole body and among the splanchnic tissues of growing rams, 2122
Effects of distillers dried grains with solubles on amino acid, energy, and fiber digestibility and on hindgut fermentation of dietary fiber in a corn-soybean meal diet fed to growing pigs, 1454
Mouse AMP-activated protein kinase γ3 subunit R225Q mutation affecting mouse growth performance when fed a high-energy diet, 1332
The nutritional value of expeller-pressed canola meal for grower-finisher pigs, 2073
energy and nitrogen balance
Effect of dry- versus wet-autoclaving of spray-dried egg albumen compared with casein as protein sources on apparent nitrogen and energy balance, plasma urea nitrogen and glucose concentrations, and growth performance of neonatal swine, 2665
energy and nutrient density
Influence of probiotics in different energy and nutrient density diets on growth performance, nutrient digestibility, meat quality, and blood characteristics in growing-finishing pigs, 3320
energy cost
Energy cost of activities and locomotion of grazing cows: A repeated study in larger plots, 315

energy metabolism
A multivariate nonlinear mixed effects method for analyzing energy partitioning in growing pigs, 2361
energy metabolism hemicellulose
Evaluation of elevated dietary corn fiber from corn germ meal in growing female pigs, 192
energy source
A low-fat liquid diet increases protein accretion and alters cellular signaling for protein synthesis in 10-day-old pigs, 2576
energy utilization
Energy utilization in pigs selected for high and low residual feed intake, 2062
energy value
Effect of nutrient composition of feeds on digestibility of organic matter by cattle: A review, E151
Energy value of wheat distillers grains with solubles for growing pigs and adult sows, 2382
enhanced
Comparison of tenderness, palatability, and retail caselife of enhanced cow subprimals with nonenhanced cow and United States Department of Agriculture Select subprimals, 3683
enhancement
Enhancement technology improves palatability of normal and callipyge lambs, 4026
Moisture enhancement and blade tenderization effects on the shear force and palatability of strip loin steaks from beef cattle fed zilpaterol hydrochloride, 1809
environment
Community and occupational health concerns in pork production: A review, E102
Performance and carcass characteristics of finishing beef cattle managed in a bedded hoop-barn system, 2797
The potential ability of swine nutrition to influence environmental factors positively, E95
environmental enrichment
Effects of environmental enrichment and loose housing of lactating sows on piglet performance before and after weaning, 3554
environmental factor
A comprehensive index for assessing environmental stress in animals, 2153
environmental model
A comprehensive index for assessing environmental stress in animals, 2153
enzymatic activity
Morphology and enzymatic activity of the small intestinal mucosa of Iberian pigs as compared with a lean pig strain, 3590
enzyme
Efficacy of commercial enzymes in diets containing various concentrations and sources of dried distillers grains with solubles for nursery pigs, 2084
Influence of genetic line on lipid metabolism traits of rabbit muscle, 3419
enzyme-treated soybean meal
Ileal digestibility of amino acids in conventional, fermented, and enzyme-treated soybean meal and in soy protein isolate, fish meal, and casein fed to weanling pigs, 2674
enzyme activity
Effects of dietary supplementation with alkyl polyglycoside, a nonionic surfactant, on nutrient digestion and ruminal fermentation in goats, 3984
Expression and activity of key hepatic gluconeogenesis enzymes in response to increasing intravenous infusions of glucose in dairy cows, 2998
epididymis
Mammalian glutathione peroxidases control acquisition and maintenance of spermatozoa integrity, 1321
epigenetics
Epigenetics and fetal adaptation to perinatal events: Diversity through fidelity, E216
Evidence for parent-of-origin effects on genetic variability of beef traits, 523
epinephrine
Relationships of behavioral and physiological symptoms of preslaughter stress to beef longissimus muscle tenderness, 1148
epistasis
Epistatic analysis of carcass characteristics in pigs reveals genomic interactions between quantitative trait loci attributable to additive and dominance genetic effects, 2219
epithelial cell
Gastrointestinal tract mucosal histomorphometry and epithelial cell proliferation and apoptosis in neonatal and adult dogs, 2255
equine
Cationic and neutral amino acid transporter transcript abundances are differentially expressed in the equine intestinal tract, 1028
Effect of selenium supplementation and plane of nutrition on mares and their foals: Foaling data, 982
Effect of selenium supplementation and plane of nutrition on mares and their foals: Selenium concentrations and glutathione peroxidase, 991
Invited Review: The role of caterpillars in mare reproductive loss syndrome: A model for environmental causes of abortion, 1379
Novel keratins identified by quantitative proteomic analysis as the major cytoskeletal proteins of equine (*Equus caballus*) hoof lamellar tissue, 3843
ergocornine
Contractile response of fescue-naïve bovine lateral saphenous veins to increasing concentrations of tall fescue alkaloids, 408
ergocristine
Contractile response of fescue-naïve bovine lateral saphenous veins to increasing concentrations of tall fescue alkaloids, 408
ergocryptine
Contractile response of fescue-naïve bovine lateral saphenous veins to increasing concentrations of tall fescue alkaloids, 408
ergonovine
Contractile response of fescue-naïve bovine lateral saphenous veins to increasing concentrations of tall fescue alkaloids, 408
Escherichia coli
Chito-oligosaccharide reduces diarrhea incidence and attenuates the immune response of weaned pigs challenged with *Escherichia coli* K88, 3871
estimated allele effect
Investigation of candidate regions influencing litter size in Danish Landrace sows, 1603
estimation
Estimated gene frequencies of GeneSTAR markers and their size of effects on meat tenderness, marbling, and feed efficiency in temperate and tropical beef cattle breeds across a range of production systems, 1917
estradiol
Factors affecting preovulatory follicle diameter and ovulation rate after gonadotropin-releasing hormone in postpartum beef cows. Part I: Cycling cows, 2300
Factors affecting preovulatory follicle diameter and ovulation rate after gonadotropin-releasing hormone in postpartum beef cows. Part II: Anestrous cows, 2311
estrogen conjugate
An estrogen sensor for poultry sex sorting, 1358
estrus
Estimates of variance components for genetic correlations among swine estrus traits, 2913
estrus synchronization
Comparison of long-term progestin-based estrus synchronization protocols in beef heifers, 3568
Comparison of short-term progestin-based protocols to synchronize estrus and ovulation in postpartum beef cows, 2045
Control of the estrous cycle to improve fertility for fixed-time artificial insemination in beef cattle: A review, E181
ethical assessment
Engaging science in a climate of values: Tools for animal scientists tasked with addressing ethical problems, E75
ewe
Maternal dietary restriction and selenium supply alters messenger ribonucleic acid expression of angiogenic factors in maternal intestine, mammary gland, and fetal jejunal tissues during late gestation in pregnant ewe lambs, 2692
Technical note: Effects of rumen passage on fluoxetine bioavailability in serum and effects of fluoxetine on serum prolactin concentration and demeanor in ewes, 3611
ewe colostrum and milk
Fatty acid profile of colostrum and milk of ewes supplemented with fish meal and the subsequent plasma fatty acid status of their lambs, 2092
excretion
Performance and phosphorus balance of pigs fed diets formulated on the basis of values for standardized total tract digestibility of phosphorus, 2968

Phosphorus requirement and excretion of finishing beef cattle fed different concentrations of phosphorus, 2393
exercise
Maximal lactate steady state during exercise in blood of horses, 2038
Relationships between racing times of Standardbreds and v_4 and v_{200}, 950
expeller extracted
Energy and amino acid utilization in expeller-extracted canola meal fed to growing pigs, 1433
expeller-pressed
The nutritional value of expeller-pressed canola meal for grower-finisher pigs, 2073
extension
Development and usage of eXtension's HorseQuest: An online resource, 2829
extensive system
Introduction of meat sheep breeds in extensive systems of Patagonia: Lamb growth and survival, 1256

F

faba bean
Protein and starch concentrates of air-classified field pea and zero-tannin faba bean for weaned pigs, 2627
fall calving
Effect of weaning date (normal vs. late) on performance of young and mature beef cows and their progeny in a fall calving system in the Southern Great Plains, 1577
farrowing
Effect of gonadotropin treatment on estrus, ovulation, and litter size in weaned and anestrous sows, 2356
Reduced feed intake of lactating primiparous sows is associated with increased insulin resistance during the peripartum period and is not modified through supplementation with dietary tryptophan, 612
fasting heat production
Energy utilization in pigs selected for high and low residual feed intake, 2062
fasting-induced adipose factor
Tissue expression of angiopoietin-like protein 4 in cattle, 124
fat
Effect of the form of dietary fat and the concentration of dietary neutral detergent fiber on ileal and total tract endogenous losses and apparent and true digestibility of fat by growing pigs, 2959
fat accumulation
Mouse AMP-activated protein kinase γ3 subunit R225Q mutation affecting mouse growth performance when fed a high-energy diet, 1332
fat content
Effect of electron beam irradiation and storage on the quality attributes of sausages with different fat contents, 795
fat deposition
Conjugated linoleic acid differentially regulates fat deposition in backfat and longissimus muscle of finishing pigs, 1694
fat depot trait
Correlations between fat depot traits and fatty acid composition in abdominal subcutaneous adipose tissue and longissimus muscle: Results from a White Duroc × Erhualian intercross F_2 population, 3538
fatness
Epistatic analysis of carcass characteristics in pigs reveals genomic interactions between quantitative trait loci attributable to additive and dominance genetic effects, 2219
fat quality
Effects of dried distillers grains with solubles on carcass fat quality of finishing pigs, 3666
fattening
Effect of breed body size and the muscular hypertrophy gene in the production and carcass traits of concentrate-finished yearling bulls, 1229
fat thickness
Estimation of carcass composition by ultrasound measurements in 4 anatomical locations of 3 commercial categories of lamb, 3409
fatty acid
Bayes factor analyses of heritability for serum and muscle lipid traits in Duroc pigs, 2246
Effect of dietary omega-3 fatty acid source on plasma and red blood cell membrane composition and immune function in yearling horses, 248
Effect of distillers dried grains with solubles and ractopamine (Paylean) on quality and shelf-life of fresh pork and bacon, 2751
Effect of feeding wet distillers grains on performance, marbling deposition, and fatty acid content of beef from steers fed low- or high-forage diets, 3657
Feeding wheat dried distillers grains with solubles improves beef *trans* and conjugated linoleic acid profiles, 1842
Genetic parameters for intramuscular fatty acid composition and metabolism in pigs, 1286
Intramuscular fat and fatty acid composition of longissimus muscle from divergent pure breeds of cattle, 756
Lipid content and fatty acid composition of the digital cushion of bulls offered different amounts of linseed, 2403
Regulation of ovine and porcine stearoyl coenzyme A desaturase gene promoters by fatty acids and sterols, 2565
fatty acid biomarker
Tissue-specific robustness of fatty acid signatures in cultured gilthead sea bream (*Sparus aurata* L.) fed practical diets with a combined high replacement of fish meal and fish oil, 1759
fatty acid composition
Correlations between fat depot traits and fatty acid composition in abdominal subcutaneous adipose tissue and longissimus muscle: Results from a White Duroc × Erhualian intercross F_2 population, 3538
fatty acid profile
Transfer of conjugated linoleic acid from sows to their offspring and its impact on the fatty acid profiles of plasma, muscle, and subcutaneous fat in piglets, 1741
fatty liver
Technical note: Analysis of total lipid and triacylglycerol content in small liver biopsy samples in cattle, 2741
fecal egg count
Differential effects of maternal undernutrition between days 1 and 90 of pregnancy on ewe and lamb performance and lamb parasitism in hill or lowland breeds, 3833
Effects of maternal protein nutrition and subsequent grazing on chicory (*Cichorium intybus*) on parasitism and performance of lambs, 1513
fecal quality
Influence of dietary protein content and source on fecal quality, electrolyte concentrations, and osmolarity, and digestibility in dogs differing in body size, 159
feces
Comparison of in vitro digestibility estimates using the Daisy^{II} incubator with in vivo digestibility estimates in horses, 3954
Effect of nutrient composition of feeds on digestibility of organic matter by cattle: A review, E151
Influence of dietary protein content and source on fecal quality, electrolyte concentrations, and osmolarity, and digestibility in dogs differing in body size, 159
feed analysis
Effect of nutrient composition of feeds on digestibility of organic matter by cattle: A review, E151
feed behavior
Repeatability of feed efficiency, carcass ultrasound, feeding behavior, and blood metabolic variables in finishing heifers divergently selected for residual feed intake, 3214
feed challenge
Experimental feed induction of ruminal lactic, propionic, or butyric acidosis in sheep, 3041
feed composition
Feed intake of sheep as affected by body weight, breed, sex, and feed composition, 467
feed efficiency
Effect of divergence in residual feed intake on feeding behavior, blood metabolic variables, and body composition traits in growing beef heifers, 109
Factors affecting beef cattle producer perspectives on feed efficiency, 3749
Phenotypic and genetic parameters for different measures of feed efficiency in different breeds of Irish performance-tested beef bulls, 885
Repeatability of feed efficiency, carcass ultrasound, feeding behavior, and blood metabolic variables in finishing heifers divergently selected for residual feed intake, 3214
Season of testing and its effect on feed intake and efficiency in growing beef cattle, 3789

feed flavor
Influence of feed flavors and nursery diet complexity on preweaning and nursery pig performance, 3918
feeding
Changes in blood pancreatic polypeptide and ghrelin concentrations in response to feeding in sheep, 2103
The effect of dentition on feeding development in piglets and on their growth and behavior after weaning, 2277
feeding behavior
Effect of divergence in residual feed intake on feeding behavior, blood metabolic variables, and body composition traits in growing beef heifers, 109
Feed transition between gestation and lactation is exhibited earlier in sows fed a high-fiber diet during gestation, 2637
feed intake
Feed intake of sheep as affected by body weight, breed, sex, and feed composition, 467
Plasma ghrelin concentrations of beef cattle consuming a similar amount of dietary energy supplied by different ingredients, 2289
Prediction of genetic values for feed intake from individual body weight gain and total feed intake of the pen, 1967
Reduced feed intake of lactating primiparous sows is associated with increased insulin resistance during the peripartum period and is not modified through supplementation with dietary tryptophan, 612
feedlot
Corn or sorghum wet distillers grains with solubles in combination with steam-flaked corn: Feedlot cattle performance, carcass characteristics, and apparent total tract digestibility, 2433
Dried distillers grains with solubles with reduced corn silage levels in beef finishing diets, 2456
Nutritional and management methods to decrease nitrogen losses from beef feedlots, E172
Redberry juniper as a roughage source in lamb feedlot rations: Performance and serum nonesterified fatty acids, urea nitrogen, and insulin-like growth factor-1 concentrations, 1492
feedlot cattle
Development and evaluation of feeding-period average dry matter intake prediction equations from a commercial feedlot database, 3009
Effects of varying bulk densities of steam-flaked corn and dietary roughage concentration on in vitro fermentation, performance, carcass quality, and acid-base balance measurements in finishing steers, 1135
Phosphorus requirement and excretion of finishing beef cattle fed different concentrations of phosphorus, 2393
feedlot finishing diet
Evaluation of triticale dried distillers grains with solubles as a substitute for barley grain and barley silage in feedlot finishing diets, 3018
feedlot performance
Effects of winter growing programs on subsequent feedlot performance, carcass characteristics, body composition, and energy requirements of beef steers, 1564
Evaluation of dried distillers grains and roughage source in steam-flaked corn finishing diets, 258
The effect of rumen degradable and rumen undegradable intake protein on feedlot performance and carcass merit in heavy yearling steers, 1073
feed processing
Nonsolar energy use and one-hundred-year global warming potential of Iowa swine feedstuffs and feeding strategies, 1204
female fertility
Improvement in genetic evaluation of female fertility in dairy cattle using multiple-trait models including milk production traits, 871
female offspring
The effect of early to mid-gestational nutrient restriction on female offspring fertility and hypothalamic-pituitary-adrenal axis response to stress, 2029
fermentable carbohydrate
Diets containing inulin but not lupins help to prevent swine dysentery in experimentally challenged pigs, 3327
fermentation
Bacterial fermentation affects net mineral flux in the large intestine of pigs fed diets with viscous and fermentable nonstarch polysaccharides, 3351
fermentation pathway
Experimental feed induction of ruminal lactic, propionic, or butyric acidosis in sheep, 3041
fermented soybean meal
Effects of fermented soybean meal and specialty animal protein sources on nursery pig performance, 1725
Fermented soybean meal as a vegetable protein source for nursery pigs: I. Effects on growth performance of nursery pigs, 214
Ileal digestibility of amino acids in conventional, fermented, and enzyme-treated soybean meal and in soy protein isolate, fish meal, and casein fed to weanling pigs, 2674
fertility
Accelerated lambing achieved by a photoperiod regimen consisting of alternating 4-month sequences of long and short days applied year-round, 3280
Calving day and age at first calving in Angus heifers, 1947
Effect of dietary crude protein source on hormone and follicle characteristics in beef heifers, 937
Effect of feeding rolled flaxseed on milk fatty acid profiles and reproductive performance of dairy cows, 3739
Genotype × environment interaction as it relates to egg production in turkeys (*Meleagris gallopavo*), 1957
Growth characteristics, reproductive performance, and evaluation of their associative relationships in Brangus cattle managed in a Chihuahuan Desert production system, 1891
The effect of early to mid-gestational nutrient restriction on female offspring fertility and hypothalamic-pituitary-adrenal axis response to stress, 2029
The effect of gilt age at first estrus and breeding on third estrus on sow body weight changes and long-term reproductive performance, 2500
fescue toxicosis
Effects of body condition on measures of intramuscular and rump fat, endocrine factors, and calving rate of beef cows grazing common bermudagrass or endophyte-infected tall fescue, 4133
Steer responses to feeding soybean hulls and steroid hormone implantation on toxic tall fescue pasture, 3759
fetal development
Effect of excessive, hormonally induced intrauterine crowding in the gilt on fetal development on day 40 of pregnancy, 2611
Effects of stage of gestation and nutrient restriction during early to mid-gestation on maternal and fetal visceral organ mass and indices of jejunal growth and vascularity in beef cows, 2410
fetal growth
Impacts of amino acid nutrition on pregnancy outcome in pigs: Mechanisms and implications for swine production, E195
Periconceptional growth hormone treatment alters fetal growth and development in lambs, 1619
fetal programming
Dam and granddam feeding during pregnancy in sheep affects milk supply in offspring and reproductive performance in grand-offspring, E40
Winter grazing system and supplementation of beef cows during late gestation influence heifer progeny, 4094
fetus
Fetal programming of skeletal muscle development in ruminant animals, E51
Invited Review: The role of caterpillars in mare reproductive loss syndrome: A model for environmental causes of abortion, 1379
Maternal dietary restriction and selenium supply alters messenger ribonucleic acid expression of angiogenic factors in maternal intestine, mammary gland, and fetal jejunal tissues during late gestation in pregnant ewe lambs, 2692
fiber
Analysis of the existence of major genes affecting alpaca fiber traits, 3783
Dietary cellulose, fructooligosaccharides, and pectin modify fecal protein catabolites and microbial populations in adult cats, 2978
Effects of distillers dried grains with solubles on amino acid, energy, and fiber digestibility and on hindgut fermentation of dietary fiber in a corn-soybean meal diet fed to growing pigs, 1454
Feed transition between gestation and lactation is exhibited earlier in sows fed a high-fiber diet during gestation, 2637
fiber diameter
Adaptability of pregnant Merino ewes to the cold desert climate in Nevada, 860
fiber digestion
Fiber-related digestive processes in three different breeds of pigs, 972
fiber type
Molecular cloning and characterization of porcine calcineurin-α subunit expression in skeletal muscle, 562

field pea
Protein and starch concentrates of air-classified field pea and zero-tannin faba bean for weaned pigs, 2627
fighting ability
Genetics of fighting ability in cattle using data from the traditional battle contest of the Valdostana breed, 3206
financial data
A review of population data utilization in beef cattle research, E32
finishing cattle
Effect of feeding combinations of wet distillers grains and wet corn gluten feed to feedlot cattle, 1061
Manipulating grain processing method and roughage level to improve feed efficiency in feedlot cattle, 284
finishing pig
Conjugated linoleic acid differentially regulates fat deposition in backfat and longissimus muscle of finishing pigs, 1694
Effect of phytase on apparent total tract digestibility of phosphorus in corn-soybean meal diets fed to finishing pigs, 238
fish
Protein digestibility evaluations of meat and fish substrates using laboratory, avian, and ileally cannulated dog assays, 1421
fish composition
Tissue-specific robustness of fatty acid signatures in cultured gilthead sea bream (*Sparus aurata* L.) fed practical diets with a combined high replacement of fish meal and fish oil, 1759
fishmeal
Chronic improvement of amino acid nutrition stimulates initiation of global messenger ribonucleic acid translation in tissues of sheep without affecting protein elongation, 689
fish oil
Effect of dietary n-3 fatty acids (fish oils) on boar reproduction and semen quality, 2346
Effect of maternal fish oil and seaweed extract supplementation on colostrum and milk composition, humoral immune response, and performance of suckled piglets, 2988
Effects of oil source and fish oil addition on ruminal biohydrogenation of fatty acids and conjugated linoleic acid formation in beef steers fed finishing diets, 2684
Porcine peroxisome proliferator-activated receptor δ mediates the lipolytic effects of dietary fish oil to reduce body fat deposition, 2009
Tissue-specific robustness of fatty acid signatures in cultured gilthead sea bream (*Sparus aurata* L.) fed practical diets with a combined high replacement of fish meal and fish oil, 1759
Flavobacterium psychrophilum
Response to selection for bacterial cold water disease resistance in rainbow trout, 1936
flavor
Feed preferences and performance of nursery pigs fed diets containing various inclusion amounts and qualities of distillers coproducts and flavor, 3725
flax
Dietary supplementation with different forms of flax in late gestation and lactation: Effects on sow and litter performances, endocrinology, and immune response, 225
flaxseed
Effect of feeding rolled flaxseed on milk fatty acid profiles and reproductive performance of dairy cows, 3739
Effect of supplemental ground flaxseed fed to beef cattle grazing summer native range on the northern Great Plains, 2108
flight speed
Temperament traits of beef calves measured under field conditions and their relationships to performance, 1982
flunixin meglumine
Effects of flunixin meglumine on pregnancy establishment in beef cattle, 943
fluorescence emission spectroscopy
Comparison of 2 high-throughput spectral techniques to predict differences in diet composition of grazing sheep and cattle, 1905
fluoxetine
Technical note: Effects of rumen passage on fluoxetine bioavailability in serum and effects of fluoxetine on serum prolactin concentration and demeanor in ewes, 3611
follicle diameter
Factors affecting preovulatory follicle diameter and ovulation rate after gonadotropin-releasing hormone in postpartum beef cows. Part I: Cycling cows, 2300
Factors affecting preovulatory follicle diameter and ovulation rate after gonadotropin-releasing hormone in postpartum beef cows. Part II: Anestrous cows, 2311
follicle growth
Factors affecting preovulatory follicle diameter and ovulation rate after gonadotropin-releasing hormone in postpartum beef cows. Part I: Cycling cows, 2300
Factors affecting preovulatory follicle diameter and ovulation rate after gonadotropin-releasing hormone in postpartum beef cows. Part II: Anestrous cows, 2311
follicular growth
Effect of dietary organic zinc, manganese, copper, and cobalt supplementation on milk production, follicular growth, embryo quality, and tissue mineral concentrations in dairy cows, 3856
food preference
Sheep use preingestive cues as indicators of postingestive consequences to improve food learning, 1535
forage
Effect of dietary cation-anion difference on measures of acid-base physiology and performance in beef cattle, 374
Influence of advancing season on dietary composition, intake, site of digestion, and microbial efficiency in beef steers grazing season-long or twice-over rotation native range pastures in western North Dakota, 2812
forage dry matter yield
Fall growth, nutritive value, and estimation of total digestible nutrients for cereal-grain forages in the north-central United States, 383
forage nutritive value
Fall growth, nutritive value, and estimation of total digestible nutrients for cereal-grain forages in the north-central United States, 383
forage substitution
Evaluation of triticale dried distillers grains with solubles as a substitute for barley grain and barley silage in feedlot finishing diets, 3018
Fourier-transform infrared spectroscopy
Comparison of 2 high-throughput spectral techniques to predict differences in diet composition of grazing sheep and cattle, 1905
fowl sperm
A new approach to sperm preservation based on bioenergetic theory, 1314
free choice
Feed transition between gestation and lactation is exhibited earlier in sows fed a high-fiber diet during gestation, 2637
freeze-dry
Technical note: Efficient protocol for isolation of total ribonucleic acid from lyophilized fat and muscle pig samples, 442
frozen semen
Estimation of genetic trends in French Large White pigs from 1977 to 1998 for growth and carcass traits using frozen semen, 2856
fructan
Dietary cellulose, fructooligosaccharides, and pectin modify fecal protein catabolites and microbial populations in adult cats, 2978
fumonisin
Fumonisin B_1 and implications in nursery swine productivity: A quantitative exposure assessment, 3767
Fusarium mycotoxin
Effects of feeding diets naturally contaminated with *Fusarium* mycotoxins on protein metabolism in late gestation and lactation of first-parity sows, 998

G

gastrointestinal microbial ecology
Use of *Saccharomyces cerevisiae* fermentation product on growth performance and microbiota of weaned pigs during *Salmonella* infection, 3896
gastrointestinal tract
Effects of stage of gestation and nutrient restriction during early to mid-gestation on maternal and fetal visceral organ mass and indices of jejunal growth and vascularity in beef cows, 2410
Gastrointestinal tract mucosal histomorphometry and epithelial cell proliferation and apoptosis in neonatal and adult dogs, 2255
GDF8
The two mutations, Q204X and nt821, of the myostatin gene affect carcass and meat quality in young heterozygous bulls of French beef breeds, 446

gelding
Hyperleptinemia in horses: Responses to administration of a small dose of lipopolysaccharide endotoxin in mares and geldings, 926
Hyperleptinemia in mares and geldings: Assessment of insulin sensitivity from glucose responses to insulin injection, 2940
gene association
Prediction of prion protein genotype and association of this genotype with lamb performance traits of Suffolk sheep, 428
gene expression
Differential gene expression of ewes varying in tolerance to dietary nitrate, 3187
Effects of ractopamine and sex on serum metabolites and skeletal muscle gene expression in finishing steers and heifers, 1349
Expression and activity of key hepatic gluconeogenesis enzymes in response to increasing intravenous infusions of glucose in dairy cows, 2998
Fine mapping of quantitative trait loci for meat color on *Sus scrofa* chromosome 6: Analysis of the swine *NUDT7* gene, 23
Technical note: Efficient protocol for isolation of total ribonucleic acid from lyophilized fat and muscle pig samples, 442
gene marker
Estimated gene frequencies of GeneSTAR markers and their size of effects on meat tenderness, marbling, and feed efficiency in temperate and tropical beef cattle breeds across a range of production systems, 1917
generalization
Sheep use preingestive cues as indicators of postingestive consequences to improve food learning, 1535
generalized linear mixed model
Technical note: An R package for fitting generalized linear mixed models in animal breeding, 497
gene sequence
Molecular cloning and characterization of porcine calcineurin-α subunit expression in skeletal muscle, 562
genetic
Estimates of variance components for genetic correlations among swine estrus traits, 2913
Factors associated with sow stayability in 6 genotypes, 3486
genetic conservation
Pedigree analysis of 5 swine breeds in the United States and the implications for genetic conservation, 1610
genetic correlation
Additive genetic relationships between scrotal circumference, heifer pregnancy, and stayability in Nellore cattle, 3809
Estimates of genetic parameters among scale activity scores, growth, and fatness in pigs, 455
Estimation of genetic parameters for body weights, scrotal circumference, and testicular volume measured at different ages in Nellore cattle, 1215
Genetic associations between carcass traits measured by real-time ultrasound and scrotal circumference and growth traits in Nelore cattle, 52
Genetic parameters for intramuscular fatty acid composition and metabolism in pigs, 1286
Genetic relationships among calving ease, gestation length, and calf survival to weaning in the Asturiana de los Valles beef cattle breed, 96
Genetics of growth in piglets and the association with homogeneity of body weight within litters, 1240
genetic diversity
Genetic diversity and population structure of American Red Angus cattle, 59
Genetic diversity and population structure of the synthetic Pannon White rabbit revealed by pedigree analyses, 1267
Pedigree analysis of 5 swine breeds in the United States and the implications for genetic conservation, 1610
genetic engineering
Precision genetics for complex objectives in animal agriculture, 2530
Welfare applications of genetically engineered animals for use in agriculture, 1588
genetic evaluation
Assessment of different on-farm measures of beef cattle temperament for use in genetic evaluation, 3529
Improvement in genetic evaluation of female fertility in dairy cattle using multiple-trait models including milk production traits, 871
genetic line
Partition of minerals in body components from a high- and low-lean genetic line of barrows and gilts from 20 to 125 kilograms of body weight, 3337
genetic marker
Production and processing studies on calpain-system gene markers for tenderness in Brahman cattle: 1. Growth, efficiency, temperament, and carcass characteristics, 3047
Production and processing studies on calpain-system gene markers for tenderness in Brahman cattle: 2. Objective meat quality, 3059
genetic parameter
Assessment of different on-farm measures of beef cattle temperament for use in genetic evaluation, 3529
Calving day and age at first calving in Angus heifers, 1947
Estimation of genetic and crossbreeding parameters for preweaning traits in German Angus and Simmental beef cattle and the reciprocal crosses, 80
Genetic associations between carcass traits measured by real-time ultrasound and scrotal circumference and growth traits in Nelore cattle, 52
Genetic evaluation of Angus cattle for carcass marbling using ultrasound and genomic indicators, 517
Genetic evaluation of type traits in hypertrophic Piemontese cows, 3504
Genetic parameters for preweaning and early growth traits in Berkshire pigs when creep feeding is used, 879
Genetic parameters of piglet survival and birth weight from a two-generation crossbreeding experiment under outdoor conditions designed to disentangle direct and maternal effects, 1276
Genetic relationships among calving ease, gestation length, and calf survival to weaning in the Asturiana de los Valles beef cattle breed, 96
Heritabilities and genetic correlations for litter size and semen traits in Czech Large White and Landrace pigs, 2893
Maternal and social genetic effects on average daily gain of piglets from birth until weaning, 2883
Phenotypic and genetic parameters for different measures of feed efficiency in different breeds of Irish performance-tested beef bulls, 885
Results from six generations of selection for intramuscular fat in Duroc swine using real-time ultrasound. II. Genetic parameters and trends, 69
Selection to reduce residual feed intake in pigs produces a correlated response in juvenile insulin-like growth factor-I concentration, 1973
genetics
Contribution of genetic influences to animal-to-animal variation in myoglobin content and beef lean color stability, 1160
Genetics of fighting ability in cattle using data from the traditional battle contest of the Valdostana breed, 3206
Lamb survival in Australian Merino Sheep: A genetic analysis, 3198
genetic size-scaling
Feed intake of sheep as affected by body weight, breed, sex, and feed composition, 467
genetic technology
Precision genetics for complex objectives in animal agriculture, 2530
genetic trend
An animal breeding approach to the estimation of genetic and environmental trends from field populations, E3
Estimation of genetic trends in French Large White pigs from 1977 to 1998 for growth and carcass traits using frozen semen, 2856
genetic value
Prediction of genetic values for feed intake from individual body weight gain and total feed intake of the pen, 1967
genetic variability
Accounting for additive genetic mutations on litter size in Ripollesa sheep, 1248
Pedigree analysis of seven small French sheep populations and implications for the management of rare breeds, 505
genome-wide association
A genome-wide association study for milk production traits in Danish Jersey cattle using a 50K single nucleotide polymorphism chip, 3522
genome-wide association study
Genome-wide association study of growth in crossbred beef cattle, 837
genomic imprinting
Evidence for parent-of-origin effects on genetic variability of beef traits, 523
genomic selection
Genomic selection in admixed and crossbred populations, 32

genotype
A calcitonin receptor (*CALCR*) single nucleotide polymorphism is associated with growth performance and bone integrity in response to dietary phosphorus deficiency, 1009
Effect of dam and sire genotypes on productive and carcass traits of rabbits, 533
genotype × environment interaction
Genotype × environment interaction as it relates to egg production in turkeys (*Meleagris gallopavo*), 1957
Interaction of genotype × artificial insemination conditions for male effect on fertility and prolificacy, 3475
The relevance of purebred information for predicting genetic merit of survival at birth of crossbred piglets, 481
genotype prediction
Prediction of prion protein genotype and association of this genotype with lamb performance traits of Suffolk sheep, 428
genotyping
Technical note: High fidelity of whole-genome amplified sheep (*Ovis aries*) deoxyribonucleic acid using a high-density single nucleotide polymorphism array-based genotyping platform, 3183
German Angus
Estimation of genetic and crossbreeding parameters for preweaning traits in German Angus and Simmental beef cattle and the reciprocal crosses, 80
gestation
Dietary supplementation with different forms of flax in late gestation and lactation: Effects on sow and litter performances, endocrinology, and immune response, 225
Effects of plane of nutrition and selenium supply during gestation on ewe and neonatal offspring performance, body composition, and serum selenium, 1786
Effects of stage of gestation and nutrient restriction during early to mid-gestation on maternal and fetal visceral organ mass and indices of jejunal growth and vascularity in beef cows, 2410
Reproductive performance and bone status markers of gilts and lactating sows supplemented with two different forms of vitamin D, 202
Type of accommodation during gestation affects growth performance and reproductive characteristics of gilt offspring, 400
gestation length
Genetic relationships among calving ease, gestation length, and calf survival to weaning in the Asturiana de los Valles beef cattle breed, 96
ghrelin
Changes in blood pancreatic polypeptide and ghrelin concentrations in response to feeding in sheep, 2103
Dietary macronutrients and feeding frequency affect fasting and postprandial concentrations of hormones involved in appetite regulation in adult dogs, 3945
Metabolic maturity at birth and neonate lamb survival: Association among maternal factors, litter size, lamb birth weight, and plasma metabolic and endocrine factors on survival and behavior, 581
Plasma ghrelin concentrations of beef cattle consuming a similar amount of dietary energy supplied by different ingredients, 2289
gilt
Type of accommodation during gestation affects growth performance and reproductive characteristics of gilt offspring, 400
global positioning system
Energy cost of activities and locomotion of grazing cows: A repeated study in larger plots, 315
glucagon-like peptide
Dietary macronutrients and feeding frequency affect fasting and postprandial concentrations of hormones involved in appetite regulation in adult dogs, 3945
β-glucan
Effect of β-glucans contained in barley- and oat-based diets and exogenous enzyme supplementation on gastrointestinal fermentation of finisher pigs and subsequent manure odor and ammonia emissions, 1411
Yeast cell-wall products containing β-glucan plus ascorbic acid affect neonatal *Bos taurus* calf leukocytes and growth after a transport stressor, 1195
glucose
Effects of nutrient restriction of bovine dams during early gestation on postnatal growth and regulation of plasma glucose, 3262
Gluconeogenesis differs in developing chick embryos derived from small compared with typical size broiler breeder eggs, 912
Hyperleptinemia in mares and geldings: Assessment of insulin sensitivity from glucose responses to insulin injection, 2940
glucose dysregulation
Maternal obesity and increased nutrient intake before and during gestation in the ewe results in altered growth, adiposity, and glucose tolerance in adult offspring, 3546
glucose infusion
Expression and activity of key hepatic gluconeogenesis enzymes in response to increasing intravenous infusions of glucose in dairy cows, 2998
glutamine
Effect of dietary supplementation with glutamine and a combination of glutamine-arginine on intestinal health in twenty-five-day-old weaned rabbits, 170
Impacts of amino acid nutrition on pregnancy outcome in pigs: Mechanisms and implications for swine production, E195
glutathione peroxidase
Effect of selenium supplementation and plane of nutrition on mares and their foals: Selenium concentrations and glutathione peroxidase, 991
gluten feed
Effect of feeding combinations of wet distillers grains and wet corn gluten feed to feedlot cattle, 1061
glycerin
Effects of crude glycerin on performance and carcass characteristics of finishing wether lambs, 1771
Metabolizable energy content of refined glycerin and its effects on growth performance and carcass and pork quality characteristics of finishing pigs, 3887
glycerol
Evaluation of glycerol, a biodiesel coproduct, in grow-finish pig diets to support growth and pork quality, 3927
Use of crude glycerol, a biodiesel coproduct, in diets for lactating sows, 2648
glycolytic and oxidative enzyme
Changes of the activities of glycolytic and oxidative enzymes before and after slaughter in the longissimus muscle of Pietrain and Duroc pigs and a Duroc-Pietrain crossbreed, 4016
glycolytic pathway
Prenatal exposure to maternal low or high protein diets induces modest changes in the adipose tissue proteome of newborn piglets, 1626
goat
Assessment of goat fat depots using ultrasound technology and multiple multivariate prediction models, 572
Dietary nitrogen reduction enhances urea transport across goat rumen epithelium, 3390
Influence of different calcium supplies and a single vitamin D injection on vitamin D receptor and calbindin D9k immunoreactivities in the gastrointestinal tract of goat kids, 3598
Invited review: Feeding behavior of goats, 361
Pharmacokinetic differences in exposure to camphor after intraruminal dosing in selectively bred lines of goats, 2620
goat kid
Suitability of electronic mini-boluses for the early identification of goat kids and effects on growth performance and development of the reticulorumen, 3464
grazing
Comparison of 2 high-throughput spectral techniques to predict differences in diet composition of grazing sheep and cattle, 1905
Effect of supplemental ground flaxseed fed to beef cattle grazing summer native range on the northern Great Plains, 2108
Energy cost of activities and locomotion of grazing cows: A repeated study in larger plots, 315
grazing season
Influence of advancing season on dietary composition, intake, site of digestion, and microbial efficiency in beef steers grazing season-long or twice-over rotation native range pastures in western North Dakota, 2812
grouped data model
Parametric bootstrap for testing model fitting of threshold and grouped data models: An application to the analysis of calving ease of Bruna dels Pirineus beef cattle, 2920
grower-finisher pig
Effects of mannanase and distillers dried grain with solubles on growth performance, nutrient digestibility, and carcass characteristics of grower-finisher pigs, 181
growing-finishing pig
Influence of probiotics in different energy and nutrient density diets on growth performance, nutrient digestibility, meat quality, and blood characteristics in growing-finishing pigs, 3320

growing lamb
Effects of ruminal protein degradability and frequency of supplementation on site and extent of digestion and ruminal fermentation characteristics in lambs fed low-quality forage, 718
growing pig
Energy utilization in pigs selected for high and low residual feed intake, 2062
Energy value of wheat distillers grains with solubles for growing pigs and adult sows, 2382
growth
A multilevel nonlinear mixed-effects approach to model growth in pigs, 638
A multivariate nonlinear mixed effects method for analyzing energy partitioning in growing pigs, 2361
Biological markers of neonatal calf performance: The relationship of insulin-like growth factor-I, zinc, and copper to poor neonatal growth, 2585
Cinnamaldehyde in feedlot cattle diets: Intake, growth performance, carcass characteristics, and blood metabolites, 1082
Consequences of long-term inbreeding accumulation on preweaning traits in a closed nucleus Angus herd, 87
Determining the effect of lysine:calorie ratio on growth performance of ten- to twenty-kilogram of body weight nursery pigs of two different genotypes, 137
Effect of bovine respiratory disease during preconditioning on subsequent feedlot performance, carcass characteristics, and beef attributes, 2486
Effect of pen mates on growth, backfat depth, and longissimus muscle area of swine, 895
Effects of exposure to calves persistently infected with bovine viral diarrhea virus type 1b and *Mannheimia haemolytica* challenge on animal performance, nitrogen balance, and visceral organ mass in beef steers, 2179
Effects of fermented soybean meal and specialty animal protein sources on nursery pig performance, 1725
Effects of nutrient restriction of bovine dams during early gestation on postnatal growth, carcass and organ characteristics, and gene expression in adipose tissue and muscle, 3251
Effects of ractopamine and trenbolone acetate implants with or without estradiol on growth performance, carcass characteristics, adipogenic enzyme activity, and blood metabolites in feedlot steers and heifers, 4102
Effects of varying creep feeding duration on the proportion of pigs consuming creep feed and neonatal pig performance, 3154
Effects of winter growing program on visceral organ mass, composition, and oxygen consumption of beef steers during growing and finishing, 1554
Effects of winter growing programs on subsequent feedlot performance, carcass characteristics, body composition, and energy requirements of beef steers, 1564
Efficacy of commercial enzymes in diets containing various concentrations and sources of dried distillers grains with solubles for nursery pigs, 2084
Efficacy of different commercial phytase enzymes and development of an available phosphorus release curve for *Escherichia coli*-derived phytases in nursery pigs, 3631
Estimates of inbreeding depression for serum insulin-like growth factor I concentrations, body weights, and body weight gains in Angus beef cattle divergently selected for serum insulin-like growth factor I concentration, 552
Estimation of genetic trends in French Large White pigs from 1977 to 1998 for growth and carcass traits using frozen semen, 2856
Fermented soybean meal as a vegetable protein source for nursery pigs: I. Effects on growth performance of nursery pigs, 214
Genetic, maternal, and environmental variance components for body weight and length of Atlantic cod at 2 points in life, 3513
Genetics of growth in piglets and the association with homogeneity of body weight within litters, 1240
Genome-wide association study of growth in crossbred beef cattle, 837
Introduction of meat sheep breeds in extensive systems of Patagonia: Lamb growth and survival, 1256
Longitudinal changes in ultrasonic measurements of body composition during growth in Suffolk ram lambs and evaluation of alternative adjustment strategies for ultrasonic scan data, 1341
Methane emissions, feed intake, and performance of finishing beef cattle offered maize silages harvested at 4 different stages of maturity, 1479
Ovine offspring growth and diet digestibility are influenced by maternal selenium supplementation and nutritional intake during pregnancy despite a common postnatal diet, 3645
Postweaning growth and carcass traits in crossbred cattle from Hereford, Angus, Brangus, Beefmaster, Bonsmara, and Romosinuano maternal grandsires, 102
Production and processing studies on calpain-system gene markers for tenderness in Brahman cattle: 1. Growth, efficiency, temperament, and carcass characteristics, 3047
The effect of dentition on feeding development in piglets and on their growth and behavior after weaning, 2277
Type of accommodation during gestation affects growth performance and reproductive characteristics of gilt offspring, 400
growth curve
Covariance functions for body weight from birth to maturity in Nellore cows, 849
Growth characteristics, reproductive performance, and evaluation of their associative relationships in Brangus cattle managed in a Chihuahuan Desert production system, 1891
growth hormone
Periconceptional growth hormone treatment alters fetal growth and development in lambs, 1619
growth hormone-releasing hormone challenge
Periconceptional growth hormone treatment alters fetal growth and development in lambs, 1619
growth performance
Effect of dry- versus wet-autoclaving of spray-dried egg albumen compared with casein as protein sources on apparent nitrogen and energy balance, plasma urea nitrogen and glucose concentrations, and growth performance of neonatal swine, 2665
Effect of probiotic-, bacteriophage-, or organic acid-supplemented feeds or fermented soybean meal on the growth performance, acute-phase response, and bacterial shedding of grower pigs challenged with *Salmonella enterica* serotype Typhimurium, 3880
Influence of probiotics in different energy and nutrient density diets on growth performance, nutrient digestibility, meat quality, and blood characteristics in growing-finishing pigs, 3320
Metabolizable energy content of refined glycerin and its effects on growth performance and carcass and pork quality characteristics of finishing pigs, 3887
Mouse AMP-activated protein kinase $\gamma 3$ subunit R225Q mutation affecting mouse growth performance when fed a high-energy diet, 1332
growth rate
Effect of breed body size and the muscular hypertrophy gene in the production and carcass traits of concentrate-finished yearling bulls, 1229
gut bacteria
Amino acid and fiber digestibility, intestinal bacterial profile, and enzyme activity in growing pigs fed dried distillers grains with solubles-based diets, 3304
gut peptide
Effect of feed restriction and supplemental dietary fat on gut peptide and hypothalamic neuropeptide messenger ribonucleic acid concentrations in growing wethers, 737

H

hair coat
Steer responses to feeding soybean hulls and steroid hormone implantation on toxic tall fescue pasture, 3759
halothane gene
Meta-analysis of the effect of the halothane gene on 6 variables of pig meat quality and on carcass leanness, 2841
ham
Detection of a quantitative trait locus for ham weight with polar overdominance near the ortholog of the callipyge locus in an experimental pig F_2 population, 3167
handling
Effects of different moving devices at loading on stress response and meat quality in pigs, 4086
Observations of market pigs following transport to a packing plant, 2199
hatchability
Genotype × environment interaction as it relates to egg production in turkeys (*Meleagris gallopavo*), 1957
hay
Digestibility and nutrient retention of perennial peanut and bermudagrass hays for mature horses, 2055

hay maturity
Voluntary intake and digestibility of teff hay fed to horses, 3296
health
Community and occupational health concerns in pork production: A review, E102
Effects of dietary aflatoxin on the health and performance of growing barrows, 3624
Unwanted horses: The role of nonprofit equine rescue and sanctuary organizations, 4142
heart rate
Effects of different moving devices at loading on stress response and meat quality in pigs, 4086
Energy cost of activities and locomotion of grazing cows: A repeated study in larger plots, 315
Relationships between racing times of Standardbreds and v_4 and v_{200}, 950
heat production
Energy cost of activities and locomotion of grazing cows: A repeated study in larger plots, 315
Energy utilization in pigs selected for high and low residual feed intake, 2062
heat stress
A comprehensive index for assessing environmental stress in animals, 2153
Effect of temperature on thermal acclimation in growing pigs estimated using a nonlinear function, 3715
heat tolerance
Evaluation of physiological and blood serum differences in heat-tolerant (Romosinuano) and heat-susceptible (Angus) *Bos taurus* cattle during controlled heat challenge, 2321
heifer
Modeling the relationship between scanned rump and 12th-rib fat in young temperate and tropical bovines: Model development and evaluation, 1848
Using alfalfa leaf meal as a supplement in late-gestation beef heifer and nursing beef calf diets, 2132
heifer development
Effect of dietary crude protein source on hormone and follicle characteristics in beef heifers, 937
helminth
Selection of tannins by sheep in response to gastrointestinal nematode infection, 2189
hematologic
Hyperleptinemia in horses: Responses to administration of a small dose of lipopolysaccharide endotoxin in mares and geldings, 926
hematological profile
Metabolic and hematological profiles in mature horses supplemented with different selenium sources and doses, 650
hepatic gluconeogenesis
Expression and activity of key hepatic gluconeogenesis enzymes in response to increasing intravenous infusions of glucose in dairy cows, 2998
heritability
Additive genetic relationships between scrotal circumference, heifer pregnancy, and stayability in Nellore cattle, 3809
Bayes factor analyses of heritability for serum and muscle lipid traits in Duroc pigs, 2246
Contribution of genetic influences to animal-to-animal variation in myoglobin content and beef lean color stability, 1160
Estimation of genetic parameters for body weights, scrotal circumference, and testicular volume measured at different ages in Nellore cattle, 1215
Genetic, maternal, and environmental variance components for body weight and length of Atlantic cod at 2 points in life, 3513
Genetic parameters for intramuscular fatty acid composition and metabolism in pigs, 1286
Genotype × environment interaction as it relates to egg production in turkeys (*Meleagris gallopavo*), 1957
Modeling variance structure of body shape traits of Lipizzan horses, 2868
Parametric bootstrap for testing model fitting of threshold and grouped data models: An application to the analysis of calving ease of Bruna dels Pirineus beef cattle, 2920
Response to selection for bacterial cold water disease resistance in rainbow trout, 1936
Selection to reduce residual feed intake in pigs produces a correlated response in juvenile insulin-like growth factor-I concentration, 1973
heterogeneity
Genetics of growth in piglets and the association with homogeneity of body weight within litters, 1240
heterogeneity of variance
Modeling variance structure of body shape traits of Lipizzan horses, 2868
heterosis
Estimation of breed and heterosis effects for growth and carcass traits in cattle using published crossbreeding studies, 460
Evaluation of tropically adapted straightbred and crossbred beef cattle: Heifer age and size at first conception and characteristics of their first calves, 3173
high-concentrate diet
Applying technology with newer feed ingredients in feedlot diets: Do the old paradigms apply?, E123
high-moisture corn
Phosphorus utilization in starter pigs fed high-moisture corn-based liquid diets steeped with phytase, 3964
high fresh meat quality tested boar
Longissimus muscle transcriptome profiles related to carcass and meat quality traits in fresh meat Piétrain carcasses, 4044
hindgut fermentation
Fiber-related digestive processes in three different breeds of pigs, 972
hip height
Genetic associations between carcass traits measured by real-time ultrasound and scrotal circumference and growth traits in Nelore cattle, 52
histological structure
Morphology and enzymatic activity of the small intestinal mucosa of Iberian pigs as compared with a lean pig strain, 3590
Holstein
Fine-mapping quantitative trait loci for twinning rate on *Bos taurus* chromosome 14 in North American Holsteins, 2556
The effects of zilpaterol hydrochloride on carcass cutability and tenderness of calf-fed Holstein steers, 2476
hoof
Novel keratins identified by quantitative proteomic analysis as the major cytoskeletal proteins of equine (*Equus caballus*) hoof lamellar tissue, 3843
hoop barn
Performance and carcass characteristics of finishing beef cattle managed in a bedded hoop-barn system, 2797
hormone
Effects of ractopamine and trenbolone acetate implants with or without estradiol on growth performance, carcass characteristics, adipogenic enzyme activity, and blood metabolites in feedlot steers and heifers, 4102
hormone sensitive lipase
Breed difference and regulation of the porcine Sirtuin 1 by insulin, 3909
horse
Cationic and neutral amino acid transporter transcript abundances are differentially expressed in the equine intestinal tract, 1028
Comparison of in vitro digestibility estimates using the Daisy^{II} incubator with in vivo digestibility estimates in horses, 3954
Development and usage of eXtension's HorseQuest: An online resource, 2829
Digestibility and nutrient retention of perennial peanut and bermudagrass hays for mature horses, 2055
Effect of dietary omega-3 fatty acid source on plasma and red blood cell membrane composition and immune function in yearling horses, 248
Maximal lactate steady state during exercise in blood of horses, 2038
Metabolic and hematological profiles in mature horses supplemented with different selenium sources and doses, 650
Relationships between racing times of Standardbreds and v_4 and v_{200}, 950
The influence of vitamin E on immune function and response to vaccination in older horses, 2950
Unwanted horses: The role of nonprofit equine rescue and sanctuary organizations, 4142
Voluntary intake and digestibility of teff hay fed to horses, 3296
HorseQuest
Development and usage of eXtension's HorseQuest: An online resource, 2829

human chorionic gonadotropin
Administration of human chorionic gonadotropin 7 days after fixed-time artificial insemination of suckled beef cows, 2337
Effect of gonadotropin treatment on estrus, ovulation, and litter size in weaned and anestrous sows, 2356
humoral immunity
Effect of maternal fish oil and seaweed extract supplementation on colostrum and milk composition, humoral immune response, and performance of suckled piglets, 2988
hybridization
Precision genetics for complex objectives in animal agriculture, 2530
hydrogen sulfide
Corn or sorghum wet distillers grains with solubles in combination with steam-flaked corn: In vitro fermentation and hydrogen sulfide production, 2425
Effects of sulfur and monensin concentrations on in vitro dry matter disappearance, hydrogen sulfide production, and volatile fatty acid concentrations in batch culture ruminal fermentations, 1503
25-hydroxyvitamin D_3
Reproductive performance and bone status markers of gilts and lactating sows supplemented with two different forms of vitamin D, 202
hyperleptinemia
Hyperleptinemia in horses: Responses to administration of a small dose of lipopolysaccharide endotoxin in mares and geldings, 926
Hyperleptinemia in mares and geldings: Assessment of insulin sensitivity from glucose responses to insulin injection, 2940
hypertrophic
Genetic evaluation of type traits in hypertrophic Piemontese cows, 3504

I

Iberian pig
Morphology and enzymatic activity of the small intestinal mucosa of Iberian pigs as compared with a lean pig strain, 3590
identity by state relationship
Investigation of candidate regions influencing litter size in Danish Landrace sows, 1603
ileal digestibility
Effect of virginiamycin on the apparent ileal digestibility of amino acids by growing pigs, 1718
immune function
Effect of dietary omega-3 fatty acid source on plasma and red blood cell membrane composition and immune function in yearling horses, 248
Effects of maternal natural (*RRR* α-tocopherol acetate) or synthetic (all-*rac* α-tocopherol acetate) vitamin E supplementation on suckling calf performance, colostrum immunoglobulin G, and immune function, 3128
immune response
Chito-oligosaccharide reduces diarrhea incidence and attenuates the immune response of weaned pigs challenged with *Escherichia coli* K88, 3871
Dietary supplementation with different forms of flax in late gestation and lactation: Effects on sow and litter performances, endocrinology, and immune response, 225
Effects of exposure to calves persistently infected with bovine viral diarrhea virus type 1b and subsequent infection with *Mannheima haemolytica* on clinical signs and immune variables: Model for bovine respiratory disease via viral and bacterial interaction, 2166
The influence of vitamin E on immune function and response to vaccination in older horses, 2950
immune transfer
Effects of late gestation supplementation of rumen undegradable protein, vitamin E, zinc, and chlortetracycline to ewes on indices of immune transfer and productivity, 1125
immunity
Yeast cell-wall products containing β-glucan plus ascorbic acid affect neonatal *Bos taurus* calf leukocytes and growth after a transport stressor, 1195
immunoglobulin G
Altrenogest treatment during late pregnancy did not reduce colostrum yield in primiparous sows, 1684
Effect of selenium supplementation and plane of nutrition on mares and their foals: Foaling data, 982
Relationships between colostrum production by primiparous sows and sow physiology around parturition, 1672
implant
Additive effects of a steroidal implant and zilpaterol hydrochloride on feedlot performance, carcass characteristics, and skeletal muscle messenger ribonucleic acid abundance in finishing steers, 330
Effects of ractopamine and trenbolone acetate implants with or without estradiol on growth performance, carcass characteristics, adipogenic enzyme activity, and blood metabolites in feedlot steers and heifers, 4102
imprinting
Detection of a quantitative trait locus for ham weight with polar overdominance near the ortholog of the callipyge locus in an experimental pig F_2 population, 3167
imprinting variance
Evidence for parent-of-origin effects on genetic variability of beef traits, 523
inbreeding
Genetic diversity and population structure of American Red Angus cattle, 59
Pedigree analysis of 5 swine breeds in the United States and the implications for genetic conservation, 1610
inbreeding coefficient
Genetic diversity and population structure of the synthetic Pannon White rabbit revealed by pedigree analyses, 1267
inbreeding depression
Consequences of long-term inbreeding accumulation on preweaning traits in a closed nucleus Angus herd, 87
Estimates of inbreeding depression for serum insulin-like growth factor I concentrations, body weights, and body weight gains in Angus beef cattle divergently selected for serum insulin-like growth factor I concentration, 552
indigestibility
Voluntary intake and digestibility of teff hay fed to horses, 3296
indwelling temperature probe
Technical note: Development of a self-contained, indwelling rectal temperature probe for cattle research, 3291
inflammation
Biological markers of neonatal calf performance: The relationship of insulin-like growth factor-I, zinc, and copper to poor neonatal growth, 2585
Effects of rumen-protected polyunsaturated fatty acid supplementation on performance and physiological responses of growing cattle after transportation and feedlot entry, 4120
in situ
In situ disappearance of dry matter and fiber from fall-grown cereal-grain forages from the north-central United States, 3992
instrumentation
Establishing an appropriate mode of comparison for measuring the performance of marbling score output from video image analysis beef carcass grading systems, 2464
insulin
Breed difference and regulation of the porcine Sirtuin 1 by insulin, 3909
Effect of feed restriction and supplemental dietary fat on gut peptide and hypothalamic neuropeptide messenger ribonucleic acid concentrations in growing wethers, 737
Effects of nutrient restriction of bovine dams during early gestation on postnatal growth and regulation of plasma glucose, 3262
insulin-like growth factor
Biological markers of neonatal calf performance: The relationship of insulin-like growth factor-I, zinc, and copper to poor neonatal growth, 2585
Estimates of inbreeding depression for serum insulin-like growth factor I concentrations, body weights, and body weight gains in Angus beef cattle divergently selected for serum insulin-like growth factor I concentration, 552
insulin-like growth factor-1
Evaluating percentage of roughage in lamb finishing diets containing 40% dried distillers grains: Growth, serum urea nitrogen, nonesterified fatty acids, and insulin growth factor-1 concentrations and wool, carcass, and fatty acid characteristics, 3030
Redberry juniper as a roughage source in lamb feedlot rations: Performance and serum nonesterified fatty acids, urea nitrogen, and insulin-like growth factor-1 concentrations, 1492
insulin-like growth factor-I
Effects of body condition on measures of intramuscular and rump fat, endocrine factors, and calving rate of beef cows grazing common bermudagrass or endophyte-infected tall fescue, 4133

insulin-like growth factor I
Selection to reduce residual feed intake in pigs produces a correlated response in juvenile insulin-like growth factor-I concentration, 1973
insulin-like growth factor I gene
Candidate gene analysis for reproductive traits in two lines of rabbits divergently selected for uterine capacity, 828
Oral inoculation with *Salmonella enterica* serovar Typhimurium or Choleraesuis promotes divergent responses in the somatotropic growth axis of swine, 1642
insulin-like growth factor 2 gene
The insulin-like growth factor 2 (*IGF2*) gene intron3-g.3072G>A polymorphism is not the only *Sus scrofa* chromosome 2p mutation affecting meat production and carcass traits in pigs: Evidence from the effects of a cathepsin D (*CTSD*) gene polymorphism, 2235
insulin-like growth factor binding protein-3
Oral inoculation with *Salmonella enterica* serovar Typhimurium or Choleraesuis promotes divergent responses in the somatotropic growth axis of swine, 1642
insulin-like growth factor binding protein-5
Oral inoculation with *Salmonella enterica* serovar Typhimurium or Choleraesuis promotes divergent responses in the somatotropic growth axis of swine, 1642
insulin resistance
Reduced feed intake of lactating primiparous sows is associated with increased insulin resistance during the peripartum period and is not modified through supplementation with dietary tryptophan, 612
insulin sensitivity
Hyperleptinemia in mares and geldings: Assessment of insulin sensitivity from glucose responses to insulin injection, 2940
intake
Effect of feed restriction and supplemental dietary fat on gut peptide and hypothalamic neuropeptide messenger ribonucleic acid concentrations in growing wethers, 737
Effect of supplemental ground flaxseed fed to beef cattle grazing summer native range on the northern Great Plains, 2108
intake prediction equation
Development and evaluation of feeding-period average dry matter intake prediction equations from a commercial feedlot database, 3009
Internet
Development and usage of eXtension's HorseQuest: An online resource, 2829
intestinal absorption
Bioavailability of dietary cyanocobalamin (vitamin B_{12}) in growing pigs, 3936
intestinal epithelium
Interaction of *Bacillus* species and *Salmonella enterica* serovar Typhimurium in immune or inflammatory signaling from swine intestinal epithelial cells, 1649
intestinal microbiota
Effect of dietary supplementation with glutamine and a combination of glutamine-arginine on intestinal health in twenty-five-day-old weaned rabbits, 170
intestine
Net flux of amino acids across the portal-drained viscera and liver of the ewe during abomasal infusion of protein and glucose, 1093
intramuscular fat
Genetic parameters for intramuscular fatty acid composition and metabolism in pigs, 1286
Intramuscular fat and fatty acid composition of longissimus muscle from divergent pure breeds of cattle, 756
Results from six generations of selection for intramuscular fat in Duroc swine using real-time ultrasound. II. Genetic parameters and trends, 69
The effect of variation at the retinoic acid receptor-related orphan receptor C gene on intramuscular fat percent and marbling score in Australian cattle, 47
intramuscular tenderness
Mapping of intramuscular tenderness and muscle fiber orientation of muscles in the beef round, 3084
intrauterine crowding
Effect of excessive, hormonally induced intrauterine crowding in the gilt on fetal development on day 40 of pregnancy, 2611
Intrauterine crowding decreases average birth weight and affects muscle fiber hyperplasia in piglets, 3242
intrauterine growth retardation
Epigenetics and fetal adaptation to perinatal events: Diversity through fidelity, E216
inulin
Diets containing inulin but not lupins help to prevent swine dysentery in experimentally challenged pigs, 3327
in vitro
Comparison of in vitro digestibility estimates using the Daisy^{II} incubator with in vivo digestibility estimates in horses, 3954
in vitro dry matter disappearance
Effects of varying bulk densities of steam-flaked corn and dietary roughage concentration on in vitro fermentation, performance, carcass quality, and acid-base balance measurements in finishing steers, 1135
in vitro fermentation
Corn or sorghum wet distillers grains with solubles in combination with steam-flaked corn: In vitro fermentation and hydrogen sulfide production, 2425
Effects of sulfur and monensin concentrations on in vitro dry matter disappearance, hydrogen sulfide production, and volatile fatty acid concentrations in batch culture ruminal fermentations, 1503
in vivo
Comparison of in vitro digestibility estimates using the Daisy^{II} incubator with in vivo digestibility estimates in horses, 3954
iodine value
Effects of dried distillers grains with solubles on carcass fat quality of finishing pigs, 3666
ionophore
Applying technology with newer feed ingredients in feedlot diets: Do the old paradigms apply?, E123
iron
Proteins involved in iron metabolism in beef cattle are affected by copper deficiency in combination with high dietary manganese, but not by copper deficiency alone, 275
irradiation
Effect of electron beam irradiation and storage on the quality attributes of sausages with different fat contents, 795
Italian heavy pig
The insulin-like growth factor 2 (*IGF2*) gene intron3-g.3072G>A polymorphism is not the only *Sus scrofa* chromosome 2p mutation affecting meat production and carcass traits in pigs: Evidence from the effects of a cathepsin D (*CTSD*) gene polymorphism, 2235

J

Jersey dairy cattle
A genome-wide association study for milk production traits in Danish Jersey cattle using a 50K single nucleotide polymorphism chip, 3522
juniper
Pharmacokinetic differences in exposure to camphor after intraruminal dosing in selectively bred lines of goats, 2620
Redberry juniper as a roughage source in lamb feedlot rations: Performance and serum nonesterified fatty acids, urea nitrogen, and insulin-like growth factor-1 concentrations, 1492

K

keratin
Novel keratins identified by quantitative proteomic analysis as the major cytoskeletal proteins of equine (*Equus caballus*) hoof lamellar tissue, 3843
Korean cattle
Identification of genetic polymorphisms in bovine mitochondrial deoxyribonucleic acid, 2551

L

lactate
Maximal lactate steady state during exercise in blood of horses, 2038
Relationships between racing times of Standardbreds and v_4 and v_{200}, 950
lactating sow
Dietary effects of distillers dried grains with solubles on performance and milk composition of lactating sows, 3313
lactation
Dietary supplementation with different forms of flax in late gestation and lactation: Effects on sow and litter performances, endocrinology, and immune response, 225

Reproductive performance and bone status markers of gilts and lactating sows supplemented with two different forms of vitamin D, 202
Use of crude glycerol, a biodiesel coproduct, in diets for lactating sows, 2648
lactation feeding level
Effects of lactation feed intake and creep feeding on sow and piglet performance, 3145
lactogenesis
Altrenogest treatment during late pregnancy did not reduce colostrum yield in primiparous sows, 1684
Relationships between colostrum production by primiparous sows and sow physiology around parturition, 1672
lactose
Comparison of dried whey permeate and a carbohydrate product in diets for nursery pigs, 1868
Effect of milk chocolate product on week-1 feed intake and growth performance of weanling pigs, 2779
lamb
Effect of thiamine concentration on animal health, feedlot performance, carcass characteristics, and ruminal hydrogen sulfide concentrations in lambs fed diets based on 60% distillers dried grains plus solubles, 2444
Effects of crude glycerin on performance and carcass characteristics of finishing wether lambs, 1771
Effects of ruminal protein degradability and frequency of supplementation on nitrogen retention, apparent digestibility, and nutrient flux across visceral tissues in lambs fed low-quality forage, 727
Enhancement technology improves palatability of normal and callipyge lambs, 4026
Evaluating percentage of roughage in lamb finishing diets containing 40% dried distillers grains: Growth, serum urea nitrogen, nonesterified fatty acids, and insulin growth factor-1 concentrations and wool, carcass, and fatty acid characteristics, 3030
Introduction of meat sheep breeds in extensive systems of Patagonia: Lamb growth and survival, 1256
Ovine offspring growth and diet digestibility are influenced by maternal selenium supplementation and nutritional intake during pregnancy despite a common postnatal diet, 3645
Redberry juniper as a roughage source in lamb feedlot rations: Performance and serum nonesterified fatty acids, urea nitrogen, and insulin-like growth factor-1 concentrations, 1492
The assessment of carcass traits of Awassi lambs by real-time ultrasound at different body weights and sexes, 3428
lamb performance
Differential effects of maternal undernutrition between days 1 and 90 of pregnancy on ewe and lamb performance and lamb parasitism in hill or lowland breeds, 3833
Effects of maternal protein nutrition and subsequent grazing on chicory (*Cichorium intybus*) on parasitism and performance of lambs, 1513
lamb plasma
Fatty acid profile of colostrum and milk of ewes supplemented with fish meal and the subsequent plasma fatty acid status of their lambs, 2092
lamb production
Effects of late gestation supplementation of rumen undegradable protein, vitamin E, zinc, and chlortetracycline to ewes on indices of immune transfer and productivity, 1125
lamb survival
Lamb survival in Australian Merino Sheep: A genetic analysis, 3198
lamellae
Novel keratins identified by quantitative proteomic analysis as the major cytoskeletal proteins of equine (*Equus caballus*) hoof lamellar tissue, 3843
lameness
Effects of low-protein diets and rumen-protected conjugated linoleic acid on production and carcass traits of growing double-muscled Piemontese bulls, 3372
laminitis
Novel keratins identified by quantitative proteomic analysis as the major cytoskeletal proteins of equine (*Equus caballus*) hoof lamellar tissue, 3843
land application
BOARD-INVITED REVIEW: Fate and transport of bioaerosols associated with livestock operations and manures, 3693
large animal model
Developmental programming: The concept, large animal models, and the key role of uteroplacental vascular development' E61
leanness
Epistatic analysis of carcass characteristics in pigs reveals genomic interactions between quantitative trait loci attributable to additive and dominance genetic effects, 2219
lean pig strain
Morphology and enzymatic activity of the small intestinal mucosa of Iberian pigs as compared with a lean pig strain, 3590
learning
Effects of environmental enrichment and loose housing of lactating sows on piglet performance before and after weaning, 3554
Sheep use preingestive cues as indicators of postingestive consequences to improve food learning, 1535
lifetime growth
Impact of lactation length and piglet weaning weight on long-term growth and viability of progeny, 2265
lifetime production
The effect of gilt age at first estrus and breeding on third estrus on sow body weight changes and long-term reproductive performance, 2500
linear-threshold model
Additive genetic relationships between scrotal circumference, heifer pregnancy, and stayability in Nellore cattle, 3809
lingual papillae
Morphological adaptations of yak (*Bos grunniens*) tongue to the foraging environment of the Qinghai-Tibetan Plateau, 2594
linkage analysis
Quantitative trait loci analysis of swine meat quality traits, 2904
linkage disequilibrium
Fine-mapping quantitative trait loci for twinning rate on *Bos taurus* chromosome 14 in North American Holsteins, 2556
α-linolenic acid
Effect of feeding rolled flaxseed on milk fatty acid profiles and reproductive performance of dairy cows, 3739
linseed
Lipid content and fatty acid composition of the digital cushion of bulls offered different amounts of linseed, 2403
lipid
Lipid content and fatty acid composition of the digital cushion of bulls offered different amounts of linseed, 2403
lipid content
Influence of genetic line on lipid metabolism traits of rabbit muscle, 3419
lipid metabolism
Porcine peroxisome proliferator-activated receptor δ mediates the lipolytic effects of dietary fish oil to reduce body fat deposition, 2009
Visfatin regulates genes related to lipid metabolism in porcine adipocytes, 3233
Lipizzan horse
Modeling variance structure of body shape traits of Lipizzan horses, 2868
lipogenesis
Effect of dietary supplemental vitamin A concentration on performance, carcass merit, serum metabolites, and lipogenic enzyme activity in yearling beef steers, 1463
lipoprotein
Bayes factor analyses of heritability for serum and muscle lipid traits in Duroc pigs, 2246
liquid feed
Phosphorus utilization in starter pigs fed high-moisture corn-based liquid diets steeped with phytase, 3964
litter performance
Dietary supplementation with different forms of flax in late gestation and lactation: Effects on sow and litter performances, endocrinology, and immune response, 225
litter size
Accounting for additive genetic mutations on litter size in Ripollesa sheep, 1248
An application of change-point recursive models to the relationship between litter size and number of stillborns in pigs, 3493
Candidate gene analysis for reproductive traits in two lines of rabbits divergently selected for uterine capacity, 828
Genetic analyses of stillbirth in relation to litter size using random regression models, 3800
Impact of piglet birth weight, birth order, and litter size on subsequent growth performance, carcass quality, muscle composition, and eating quality of pork, 2767
Impacts of amino acid nutrition on pregnancy outcome in pigs: Mechanisms and implications for swine production, E195

Investigation of candidate regions influencing litter size in Danish Landrace sows, 1603
Maternal responses to daily maternal porcine somatotropin injections during early-mid pregnancy or early-late pregnancy in sows and gilts, 1365
litter size trait
Heritabilities and genetic correlations for litter size and semen traits in Czech Large White and Landrace pigs, 2893
live export
The physiological and behavioral responses of steers to gaseous ammonia in simulated long-distance transport by ship, 3579
liver
Association of liver abnormalities with carcass grading performance and value, 4037
Dietary nitrogen-to-energy ratio alters amino acid partition in the whole body and among the splanchnic tissues of growing rams, 2122
Differential expression of liver proteins in Chianina and Holstein young bulls, 593
Net flux of amino acids across the portal-drained viscera and liver of the ewe during abomasal infusion of protein and glucose, 1093
liver biopsy
Technical note: Analysis of total lipid and triacylglycerol content in small liver biopsy samples in cattle, 2741
locomotion score
Effects of low-protein diets and rumen-protected conjugated linoleic acid on production and carcass traits of growing double-muscled Piemontese bulls, 3372
longevity
Factors associated with sow stayability in 6 genotypes, 3486
longissimus
Longissimus muscle transcriptome profiles related to carcass and meat quality traits in fresh meat Piétrain carcasses, 4044
longissimus dorsi
Relationship between muscle microstructure, the calpain system, and shear force in bovine longissimus dorsi muscle, 3445
longissimus muscle
Correlations between fat depot traits and fatty acid composition in abdominal subcutaneous adipose tissue and longissimus muscle: Results from a White Duroc × Erhualian intercross F_2 population, 3538
The assessment of carcass traits of Awassi lambs by real-time ultrasound at different body weights and sexes, 3428
longissimus muscle area
Effect of pen mates on growth, backfat depth, and longissimus muscle area of swine, 895
Genetic associations between carcass traits measured by real-time ultrasound and scrotal circumference and growth traits in Nelore cattle, 52
longitudinal data
Covariance functions for body weight from birth to maturity in Nellore cows, 849
loss
Nutritional and management methods to decrease nitrogen losses from beef feedlots, E172
low phosphorus diet
Influence of benzoic acid and phytase in low-phosphorus diets on bone characteristics in growing-finishing pigs, 3363
low-quality forage
Effects of ruminal protein degradability and frequency of supplementation on nitrogen retention, apparent digestibility, and nutrient flux across visceral tissues in lambs fed low-quality forage, 727
Effects of ruminal protein degradability and frequency of supplementation on site and extent of digestion and ruminal fermentation characteristics in lambs fed low-quality forage, 718
lupin
Diets containing inulin but not lupins help to prevent swine dysentery in experimentally challenged pigs, 3327
luteal function
Administration of human chorionic gonadotropin 7 days after fixed-time artificial insemination of suckled beef cows, 2337
lyophilization
Technical note: Efficient protocol for isolation of total ribonucleic acid from lyophilized fat and muscle pig samples, 442
lysine
Determining the effect of lysine:calorie ratio on growth performance of ten- to twenty-kilogram of body weight nursery pigs of two different genotypes, 137
lysozyme activity
The influence of vitamin E on immune function and response to vaccination in older horses, 2950

M

macroglycogen
Stepwise chilling: Tender pork without compromising water-holding capacity, 1830
macronutrient
Dietary macronutrients and feeding frequency affect fasting and postprandial concentrations of hormones involved in appetite regulation in adult dogs, 3945
magnesium
Effects of sex and short-term magnesium supplementation on stress responses and longissimus muscle quality characteristics of crossbred cattle, 349
maize (corn)
Methane emissions, feed intake, and performance of finishing beef cattle offered maize silages harvested at 4 different stages of maturity, 1479
major gene
Analysis of the existence of major genes affecting alpaca fiber traits, 3783
Evidence of major genes affecting resistance to bacterial cold water disease in rainbow trout using Bayesian methods of segregation analysis, 3814
male fertility
Interaction of genotype × artificial insemination conditions for male effect on fertility and prolificacy, 3475
male prolificacy
Interaction of genotype × artificial insemination conditions for male effect on fertility and prolificacy, 3475
management of small populations
Pedigree analysis of seven small French sheep populations and implications for the management of rare breeds, 505
mannanase
Effects of mannanase and distillers dried grain with solubles on growth performance, nutrient digestibility, and carcass characteristics of grower-finisher pigs, 181
Mannheimia haemolytica
Effects of exposure to calves persistently infected with bovine viral diarrhea virus type 1b and subsequent infection with *Mannheima haemolytica* on clinical signs and immune variables: Model for bovine respiratory disease via viral and bacterial interaction, 2166
manure
BOARD-INVITED REVIEW: Fate and transport of bioaerosols associated with livestock operations and manures, 3693
The potential ability of swine nutrition to influence environmental factors positively, E95
manure application
Fate and transport of zoonotic, bacterial, viral, and parasitic pathogens during swine manure treatment, storage, and land application, E84
manure storage
Fate and transport of zoonotic, bacterial, viral, and parasitic pathogens during swine manure treatment, storage, and land application, E84
manure treatment
Fate and transport of zoonotic, bacterial, viral, and parasitic pathogens during swine manure treatment, storage, and land application, E84
marbling
Effect of dietary supplemental vitamin A concentration on performance, carcass merit, serum metabolites, and lipogenic enzyme activity in yearling beef steers, 1463
Effect of feeding wet distillers grains on performance, marbling deposition, and fatty acid content of beef from steers fed low- or high-forage diets, 3657
Establishing an appropriate mode of comparison for measuring the performance of marbling score output from video image analysis beef carcass grading systems, 2464
Estimated gene frequencies of GeneSTAR markers and their size of effects on meat tenderness, marbling, and feed efficiency in temperate and tropical beef cattle breeds across a range of production systems, 1917
Genetic evaluation of Angus cattle for carcass marbling using ultrasound and genomic indicators, 517

mare
Hyperleptinemia in horses: Responses to administration of a small dose of lipopolysaccharide endotoxin in mares and geldings, 926
Hyperleptinemia in mares and geldings: Assessment of insulin sensitivity from glucose responses to insulin injection, 2940
mare reproductive loss syndrome
Invited Review: The role of caterpillars in mare reproductive loss syndrome: A model for environmental causes of abortion, 1379
marker-assisted selection
Genomic selection in admixed and crossbred populations, 32
marker density
Genomic prediction of simulated multibreed and purebred performance using observed fifty thousand single nucleotide polymorphism genotypes, 544
maternal effect
Genetic, maternal, and environmental variance components for body weight and length of Atlantic cod at 2 points in life, 3513
Maternal and social genetic effects on average daily gain of piglets from birth until weaning, 2883
maternal nutrition
Maternal selenium supplementation and timing of nutrient restriction in pregnant sheep: Effects on maternal endocrine status and placental characteristics, 955
Ovine offspring growth and diet digestibility are influenced by maternal selenium supplementation and nutritional intake during pregnancy despite a common postnatal diet, 3645
Prepartum dietary energy source fed to beef cows: I. Effects on pre- and postpartum cow performance, 2717
Winter grazing system and supplementation of beef cows during late gestation influence heifer progeny, 4094
maternal obesity
Maternal obesity and increased nutrient intake before and during gestation in the ewe results in altered growth, adiposity, and glucose tolerance in adult offspring, 3546
maternal undernutrition
Differential effects of maternal undernutrition between days 1 and 90 of pregnancy on ewe and lamb performance and lamb parasitism in hill or lowland breeds, 3833
The effect of early to mid-gestational nutrient restriction on female offspring fertility and hypothalamic-pituitary-adrenal axis response to stress, 2029
maternal variance
Phenotypic and genetic parameters for different measures of feed efficiency in different breeds of Irish performance-tested beef bulls, 885
matrix metalloproteinase
Phenotypic differences in matrix metalloproteinase 2 activity between fibroblasts from 3 bovine muscles, 4006
maturation
Porcine oocytes denuded before maturation can develop to the blastocyst stage if provided a cumulous cell-derived coculture system, 2604
maturity
Methane emissions, feed intake, and performance of finishing beef cattle offered maize silages harvested at 4 different stages of maturity, 1479
maximal
Maximal lactate steady state during exercise in blood of horses, 2038
measurement error
Evaluation of the prediction of alternative measures of pork carcass composition by three optical probes, 767
meat color
Fine mapping of quantitative trait loci for meat color on *Sus scrofa* chromosome 6: Analysis of the swine *NUDT7* gene, 23
meat fatty acid
Evaluating percentage of roughage in lamb finishing diets containing 40% dried distillers grains: Growth, serum urea nitrogen, nonesterified fatty acids, and insulin growth factor-1 concentrations and wool, carcass, and fatty acid characteristics, 3030
meat quality
Bayes factor analyses of heritability for serum and muscle lipid traits in Duroc pigs, 2246
Changes of the activities of glycolytic and oxidative enzymes before and after slaughter in the longissimus muscle of Pietrain and Duroc pigs and a Duroc-Pietrain crossbreed, 4016
Correlative responses for carcass and meat quality traits to selection for ovulation rate or prenatal survival in French Large White pigs, 903
Effect of bovine respiratory disease during preconditioning on subsequent feedlot performance, carcass characteristics, and beef attributes, 2486
Effects of different moving devices at loading on stress response and meat quality in pigs, 4086
Fine mapping of quantitative trait loci for meat color on *Sus scrofa* chromosome 6: Analysis of the swine *NUDT7* gene, 23
Influence of probiotics in different energy and nutrient density diets on growth performance, nutrient digestibility, meat quality, and blood characteristics in growing-finishing pigs, 3320
Meta-analysis of the effect of the halothane gene on 6 variables of pig meat quality and on carcass leanness, 2841
Production and processing studies on calpain-system gene markers for tenderness in Brahman cattle: 2. Objective meat quality, 3059
Quantitative trait loci analysis of swine meat quality traits, 2904
Technical note: Efficient protocol for isolation of total ribonucleic acid from lyophilized fat and muscle pig samples, 442
The two mutations, Q204X and nt821, of the myostatin gene affect carcass and meat quality in young heterozygous bulls of French beef breeds, 446
mechanistic model
A mechanistic model for predicting intake of forage diets by ruminants, 1108
meloxicam
Nonsteroidal anti-inflammatory drug therapy for neonatal calf diarrhea complex: Effects on calf performance, 2019
Merino sheep
Lamb survival in Australian Merino Sheep: A genetic analysis, 3198
mesenchymal stem cell
Fetal programming of skeletal muscle development in ruminant animals, E51
messenger RNA abundance
Cationic and neutral amino acid transporter transcript abundances are differentially expressed in the equine intestinal tract, 1028
meta-analysis
Meta-analysis of the effect of the halothane gene on 6 variables of pig meat quality and on carcass leanness, 2841
metabolic flux
Dietary nitrogen-to-energy ratio alters amino acid partition in the whole body and among the splanchnic tissues of growing rams, 2122
metabolic loss
Effect of nutrient composition of feeds on digestibility of organic matter by cattle: A review, E151
metabolic status
Effects of twin pregnancy and dry period feeding strategy on milk production, energy balance, and metabolic profiles in dairy cows, 1048
metabolism
Effects of feeding diets naturally contaminated with *Fusarium* mycotoxins on protein metabolism in late gestation and lactation of first-parity sows, 998
Gluconeogenesis differs in developing chick embryos derived from small compared with typical size broiler breeder eggs, 912
Influence of genetic line on lipid metabolism traits of rabbit muscle, 3419
Metabolic acidosis in sheep alters expression of renal and skeletal muscle amino acid enzymes and transporters, 707
metabolizable energy
Metabolizable energy content of refined glycerin and its effects on growth performance and carcass and pork quality characteristics of finishing pigs, 3887
metabolizable protein
Effects of maternal protein nutrition and subsequent grazing on chicory (*Cichorium intybus*) on parasitism and performance of lambs, 1513
metal transporter
Proteins involved in iron metabolism in beef cattle are affected by copper deficiency in combination with high dietary manganese, but not by copper deficiency alone, 275
methane
Methane emissions, feed intake, and performance of finishing beef cattle offered maize silages harvested at 4 different stages of maturity, 1479
Methane emissions, feed intake, performance, digestibility, and rumen fermentation of finishing beef cattle offered whole-crop wheat silages differing in grain content, 2703

methane production
Potential of low-temperature anaerobic digestion to address current environmental concerns on swine production, E112
methionine
Redox regulation of cysteine-dependent enzymes, 1297
microarray
Longissimus muscle transcriptome profiles related to carcass and meat quality traits in fresh meat Piétrain carcasses, 4044
microbial efficiency
Influence of advancing season on dietary composition, intake, site of digestion, and microbial efficiency in beef steers grazing season-long or twice-over rotation native range pastures in western North Dakota, 2812
microbial protein synthesis
Effects of partial ruminal defaunation on urea-nitrogen recycling, nitrogen metabolism, and microbial nitrogen supply in growing lambs fed low or high dietary crude protein concentrations, 1034
microbiota
Dietary cellulose, fructooligosaccharides, and pectin modify fecal protein catabolites and microbial populations in adult cats, 2978
microclimate
Effect of microclimate on particulate matter, airborne bacteria, and odorous compounds in swine nursery houses, 3707
microstructure
Relationship between muscle microstructure, the calpain system, and shear force in bovine longissimus dorsi muscle, 3445
milk
A genome-wide association study for milk production traits in Danish Jersey cattle using a 50K single nucleotide polymorphism chip, 3522
Differential composition of proteomes in sow colostrum and milk from anterior and posterior mammary glands, 2657
Transfer of conjugated linoleic acid from sows to their offspring and its impact on the fatty acid profiles of plasma, muscle, and subcutaneous fat in piglets, 1741
milk composition
Dietary effects of distillers dried grains with solubles on performance and milk composition of lactating sows, 3313
Dose response of lactating dairy ewes during suckling and milking to bovine somatotropin, 3136
milk production
Effect of dietary organic zinc, manganese, copper, and cobalt supplementation on milk production, follicular growth, embryo quality, and tissue mineral concentrations in dairy cows, 3856
Interaction of breed type and endophyte-infected tall fescue on milk production and quality in beef cattle, 2802
milk quality
Interaction of breed type and endophyte-infected tall fescue on milk production and quality in beef cattle, 2802
milk yield
Dam and granddam feeding during pregnancy in sheep affects milk supply in offspring and reproductive performance in grand-offspring, E40
Dose response of lactating dairy ewes during suckling and milking to bovine somatotropin, 3136
mineral
Bacterial fermentation affects net mineral flux in the large intestine of pigs fed diets with viscous and fermentable nonstarch polysaccharides, 3351
Effect of dietary organic and inorganic micromineral source and level on sow body, liver, colostrum, mature milk, and progeny mineral compositions over six parities, 626
mineral composition
Partition of minerals in body components from a high- and low-lean genetic line of barrows and gilts from 20 to 125 kilograms of body weight, 3337
mineral status
Effect of reduced dietary calcium concentration and phytase supplementation on calcium and phosphorus utilization in weanling pigs with modified mineral status, 1706
mitochondria
A new approach to sperm preservation based on bioenergetic theory, 1314
Porcine oocytes denuded before maturation can develop to the blastocyst stage if provided a cumulous cell-derived coculture system, 2604
mitochondrial deoxyribonucleic acid
Identification of genetic polymorphisms in bovine mitochondrial deoxyribonucleic acid, 2551
mixed-inheritance model
Analysis of the existence of major genes affecting alpaca fiber traits, 3783
mixed model evaluation
An animal breeding approach to the estimation of genetic and environmental trends from field populations, E3
model
Application of biological simulation models in estimating feed efficiency of finishing steers, 2523
modeling
Determination of carcass and body fat compositions of grazing crossbred bulls using body measurements, 1442
model selection
Modeling variance structure of body shape traits of Lipizzan horses, 2868
model validation
Improvement in genetic evaluation of female fertility in dairy cattle using multiple-trait models including milk production traits, 871
modified-atmosphere packaging
Effects of zilpaterol hydrochloride feeding duration on beef and calf-fed Holstein strip loin steak color, 1168
molecular breeding value
Genetic evaluation of Angus cattle for carcass marbling using ultrasound and genomic indicators, 517
molecular marker
Assessment of *DGAT1* and *LEP* gene polymorphisms in three Nelore (*Bos indicus*) lines selected for growth and their relationship with growth and carcass traits, 435
monensin
Effects of sulfur and monensin concentrations on in vitro dry matter disappearance, hydrogen sulfide production, and volatile fatty acid concentrations in batch culture ruminal fermentations, 1503
monitoring
Application of statistical process control charts to monitor changes in animal production systems, E11
monoterpene
Pharmacokinetic differences in exposure to camphor after intraruminal dosing in selectively bred lines of goats, 2620
Monte Carlo simulation
Comparison of multinomial and binomial proportion methods for analysis of multinomial count data, 3452
moral decision making
Engaging science in a climate of values: Tools for animal scientists tasked with addressing ethical problems, E75
morphological adaptation
Morphological adaptations of yak (*Bos grunniens*) tongue to the foraging environment of the Qinghai-Tibetan Plateau, 2594
mortality
Effect of excessive, hormonally induced intrauterine crowding in the gilt on fetal development on day 40 of pregnancy, 2611
mother-offspring interaction
Suckling behavior in captive plains zebra (*Equus burchellii*): Sex differences in foal behavior, 131
mucosal integrity
Effect of dietary supplementation with glutamine and a combination of glutamine-arginine on intestinal health in twenty-five-day-old weaned rabbits, 170
multibreed evaluation
Estimation of breed and heterosis effects for growth and carcass traits in cattle using published crossbreeding studies, 460
multilevel mixed effect model
A multilevel nonlinear mixed-effects approach to model growth in pigs, 638
multinomial data analysis
Comparison of multinomial and binomial proportion methods for analysis of multinomial count data, 3452
multiple trait analysis
Improvement in genetic evaluation of female fertility in dairy cattle using multiple-trait models including milk production traits, 871
multivariate nonlinear mixed effects modeling
A multivariate nonlinear mixed effects method for analyzing energy partitioning in growing pigs, 2361
muscle
Comparative proteomic profiling of 2 muscles from 5 different pure pig breeds using surface-enhanced laser desorption/ionization time-of-flight proteomics technology, 1522
Effects of ractopamine and sex on serum metabolites and skeletal muscle gene expression in finishing steers and heifers, 1349

Mouse AMP-activated protein kinase γ3 subunit R225Q mutation affecting mouse growth performance when fed a high-energy diet, 1332
muscle depth
Estimation of carcass composition by ultrasound measurements in 4 anatomical locations of 3 commercial categories of lamb, 3409
muscle fiber orientation
Mapping of intramuscular tenderness and muscle fiber orientation of muscles in the beef round, 3084
muscle pH
Relationship between muscle microstructure, the calpain system, and shear force in bovine longissimus dorsi muscle, 3445
muscle protein synthesis
Effects of feeding diets naturally contaminated with *Fusarium* mycotoxins on protein metabolism in late gestation and lactation of first-parity sows, 998
muscle structure
Changes of the activities of glycolytic and oxidative enzymes before and after slaughter in the longissimus muscle of Pietrain and Duroc pigs and a Duroc-Pietrain crossbreed, 4016
mutation
Accounting for additive genetic mutations on litter size in Ripollesa sheep, 1248
myogenesis
Fetal programming of skeletal muscle development in ruminant animals, E51
Intrauterine crowding decreases average birth weight and affects muscle fiber hyperplasia in piglets, 3242
myosin
Additive effects of a steroidal implant and zilpaterol hydrochloride on feedlot performance, carcass characteristics, and skeletal muscle messenger ribonucleic acid abundance in finishing steers, 330
myostatin
The two mutations, Q204X and nt821, of the myostatin gene affect carcass and meat quality in young heterozygous bulls of French beef breeds, 446

N

n-3 fatty acid
Effect of dietary n-3 fatty acids (fish oils) on boar reproduction and semen quality, 2346
Lipid content and fatty acid composition of the digital cushion of bulls offered different amounts of linseed, 2403
n-alkane
Comparison of 2 high-throughput spectral techniques to predict differences in diet composition of grazing sheep and cattle, 1905
Na^+-coupled neutral amino acid transporter
Metabolic acidosis in sheep alters expression of renal and skeletal muscle amino acid enzymes and transporters, 707
Nellore cattle
Covariance functions for body weight from birth to maturity in Nellore cows, 849
neonatal pig
Effects of varying creep feeding duration on the proportion of pigs consuming creep feed and neonatal pig performance, 3154
neonatal swine
Effect of dry- versus wet-autoclaving of spray-dried egg albumen compared with casein as protein sources on apparent nitrogen and energy balance, plasma urea nitrogen and glucose concentrations, and growth performance of neonatal swine, 2665
neonate
Differential effects of maternal undernutrition between days 1 and 90 of pregnancy on ewe and lamb performance and lamb parasitism in hill or lowland breeds, 3833
Effects of plane of nutrition and selenium supply during gestation on ewe and neonatal offspring performance, body composition, and serum selenium, 1786
Metabolic maturity at birth and neonate lamb survival: Association among maternal factors, litter size, lamb birth weight, and plasma metabolic and endocrine factors on survival and behavior, 581
neuropeptide Y
Effect of feed restriction and supplemental dietary fat on gut peptide and hypothalamic neuropeptide messenger ribonucleic acid concentrations in growing wethers, 737
neutral detergent fiber
Effect of the form of dietary fat and the concentration of dietary neutral detergent fiber on ileal and total tract endogenous losses and apparent and true digestibility of fat by growing pigs, 2959
neutral-detergent-fiber disappearance
In situ disappearance of dry matter and fiber from fall-grown cereal-grain forages from the north-central United States, 3992
neutral lipid
Tissue-specific robustness of fatty acid signatures in cultured gilthead sea bream (*Sparus aurata* L.) fed practical diets with a combined high replacement of fish meal and fish oil, 1759
nitrate
Differential gene expression of ewes varying in tolerance to dietary nitrate, 3187
nitrogen
Effect of nitrogen supplementation on urea kinetics and microbial use of recycled urea in steers consuming corn-based diets, 2729
Nutritional and management methods to decrease nitrogen losses from beef feedlots, E172
nitrogen balance
Effects of exposure to calves persistently infected with bovine viral diarrhea virus type 1b and *Mannheimia haemolytica* challenge on animal performance, nitrogen balance, and visceral organ mass in beef steers, 2179
Effects of ruminal protein degradability and frequency of supplementation on nitrogen retention, apparent digestibility, and nutrient flux across visceral tissues in lambs fed low-quality forage, 727
nitrogen metabolism
Effects of partial ruminal defaunation on urea-nitrogen recycling, nitrogen metabolism, and microbial nitrogen supply in growing lambs fed low or high dietary crude protein concentrations, 1034
Effects of ruminal protein degradability and frequency of supplementation on site and extent of digestion and ruminal fermentation characteristics in lambs fed low-quality forage, 718
nitrogen recycling
Effects of ruminal protein degradability and frequency of supplementation on nitrogen retention, apparent digestibility, and nutrient flux across visceral tissues in lambs fed low-quality forage, 727
nonionic surfactant
Effects of dietary supplementation with alkyl polyglycoside, a nonionic surfactant, on nutrient digestion and ruminal fermentation in goats, 3984
nonlinear mixed model
Effect of temperature on thermal acclimation in growing pigs estimated using a nonlinear function, 3715
nonprofit organization
Unwanted horses: The role of nonprofit equine rescue and sanctuary organizations, 4142
nonstarch polysaccharide
Bacterial fermentation affects net mineral flux in the large intestine of pigs fed diets with viscous and fermentable nonstarch polysaccharides, 3351
nuclear magnetic resonance spectroscopy
Phosphorus utilization and characterization of excreta from swine fed diets containing a variety of cereal grains balanced for total phosphorus, 1860
nucleus herd
Consequences of long-term inbreeding accumulation on preweaning traits in a closed nucleus Angus herd, 87
nursery
Effect of milk chocolate product on week-1 feed intake and growth performance of weanling pigs, 2779
nursery pig
Comparison of dried whey permeate and a carbohydrate product in diets for nursery pigs, 1868
Determining the effect of lysine:caloric ratio on growth performance of ten- to twenty-kilogram of body weight nursery pigs of two different genotypes, 137
Effects of fermented soybean meal and specialty animal protein sources on nursery pig performance, 1725
Efficacy of different commercial phytase enzymes and development of an available phosphorus release curve for *Escherichia coli*-derived phytases in nursery pigs, 3631
nutrient balance
Dietary effects of distillers dried grains with solubles on performance and milk composition of lactating sows, 3313
nutrient composition
Changes and evolution of corn coproducts for beef cattle, E143
nutrient digestibility
Dietary cellulose, fructooligosaccharides, and pectin modify fecal protein catabolites and microbial populations in adult cats, 2978

nutrient flux
Effects of ruminal protein degradability and frequency of supplementation on nitrogen retention, apparent digestibility, and nutrient flux across visceral tissues in lambs fed low-quality forage, 727
nutrient-gene interaction
The small intestinal epithelia of beef steers differentially express sugar transporter messenger ribonucleic acid in response to abomasal versus ruminal infusion of starch hydrolysate, 306
nutrient management
Nutritional and management methods to decrease nitrogen losses from beef feedlots, E172
nutrient restriction
Effects of stage of gestation and nutrient restriction during early to mid-gestation on maternal and fetal visceral organ mass and indices of jejunal growth and vascularity in beef cows, 2410
nutrition
Effects of maternal nutrition on conceptus growth and offspring performance: Implications for beef cattle production, E205
nutritional plane
Effects of plane of nutrition and selenium supply during gestation on ewe and neonatal offspring performance, body composition, and serum selenium, 1786
nutritive value
Energy and amino acid utilization in expeller-extracted canola meal fed to growing pigs, 1433

O

oats
Effect of β-glucans contained in barley- and oat-based diets and exogenous enzyme supplementation on gastrointestinal fermentation of finisher pigs and subsequent manure odor and ammonia emissions, 1411
obesity
Maternal obesity and increased nutrient intake before and during gestation in the ewe results in altered growth, adiposity, and glucose tolerance in adult offspring, 3546
odor
Effect of β-glucans contained in barley- and oat-based diets and exogenous enzyme supplementation on gastrointestinal fermentation of finisher pigs and subsequent manure odor and ammonia emissions, 1411
odorous compound
Effect of microclimate on particulate matter, airborne bacteria, and odorous compounds in swine nursery houses, 3707
offspring
Ovine offspring growth and diet digestibility are influenced by maternal selenium supplementation and nutritional intake during pregnancy despite a common postnatal diet, 3645
offspring appetite
Maternal obesity and increased nutrient intake before and during gestation in the ewe results in altered growth, adiposity, and glucose tolerance in adult offspring, 3546
omega-3
Effect of dietary omega-3 fatty acid source on plasma and red blood cell membrane composition and immune function in yearling horses, 248
on-farm temperament
Assessment of different on-farm measures of beef cattle temperament for use in genetic evaluation, 3529
on-farm trial
Applications of population data analysis in on-farm dairy trials, E25
oocyte
Porcine oocytes denuded before maturation can develop to the blastocyst stage if provided a cumulous cell-derived coculture system, 2604
oocyte complementary deoxyribonucleic acid library
Identification and expression analysis of connexin-45 and connexin-60 as major connexins in porcine oocytes, 3269
optical probe
Evaluation of the prediction of alternative measures of pork carcass composition by three optical probes, 767
ordinal data
Technical note: Analysis of ordinal outcomes from carcass data in beef cattle research, 3384
organ composition
Effects of nutrient restriction of bovine dams during early gestation on postnatal growth, carcass and organ characteristics, and gene expression in adipose tissue and muscle, 3251
organic trace minerals
Effect of dietary organic zinc, manganese, copper, and cobalt supplementation on milk production, follicular growth, embryo quality, and tissue mineral concentrations in dairy cows, 3856
organ mass
Effect of extended withdrawal of zilpaterol hydrochloride on performance and carcass traits in finishing beef steers, 338
Effects of winter growing program on visceral organ mass, composition, and oxygen consumption of beef steers during growing and finishing, 1554
Performance, residual feed intake, digestibility, carcass traits, and profitability of Angus-Hereford steers housed in individual or group pens, 324
outdoor production system
Genetic parameters of piglet survival and birth weight from a two-generation crossbreeding experiment under outdoor conditions designed to disentangle direct and maternal effects, 1276
ovarian follicle
Identification and expression analysis of connexin-45 and connexin-60 as major connexins in porcine oocytes, 3269
overwrap packaging
Effects of zilpaterol hydrochloride feeding duration on beef and calf-fed Holstein strip loin steak color, 1168
oviduct
Expression of progesterone receptor related to the polymorphism in the *PGR* gene in the rabbit reproductive tract, 421
oviductal glycoprotein 1 (*OVGP1*)
Investigation of the oviductal glycoprotein 1 (*OVGP1*) gene associated with embryo survival and development in the rabbit, 1597
Ovis aries
Selection of tannins by sheep in response to gastrointestinal nematode infection, 2189
Technical note: High fidelity of whole-genome amplified sheep (*Ovis aries*) deoxyribonucleic acid using a high-density single nucleotide polymorphism array-based genotyping platform, 3183
ovulation rate
Correlative responses for carcass and meat quality traits to selection for ovulation rate or prenatal survival in French Large White pigs, 903
Effect of excessive, hormonally induced intrauterine crowding in the gilt on fetal development on day 40 of pregnancy, 2611
Factors affecting preovulatory follicle diameter and ovulation rate after gonadotropin-releasing hormone in postpartum beef cows. Part I: Cycling cows, 2300
Factors affecting preovulatory follicle diameter and ovulation rate after gonadotropin-releasing hormone in postpartum beef cows. Part II: Anestrous cows, 2311
ovulation synchronization
Administration of human chorionic gonadotropin 7 days after fixed-time artificial insemination of suckled beef cows, 2337
oxidative status
Metabolic and hematological profiles in mature horses supplemented with different selenium sources and doses, 650
oxidative stress
Mammalian glutathione peroxidases control acquisition and maintenance of spermatozoa integrity, 1321
Redox regulation of cysteine-dependent enzymes, 1297
oxygen consumption
Effects of winter growing program on visceral organ mass, composition, and oxygen consumption of beef steers during growing and finishing, 1554

P

P8 rump fat
Modeling the relationship between scanned rump and 12th-rib fat in young temperate and tropical bovines: Model development and evaluation, 1848
pain medication
Pain mitigation after band castration of beef calves and its effects on performance, behavior, *Escherichia coli*, and salivary cortisol, 802
palatability
Characterization of biological types of cattle (Cycle VIII): Carcass, yield, and longissimus palatability traits, 3070
Comparison of tenderness, palatability, and retail caselife of enhanced cow subprimals with nonenhanced cow and United States Department of Agriculture Select subprimals, 3683
Enhancement technology improves palatability of normal and callipyge lambs, 4026

Feed preferences and performance of nursery pigs fed diets containing various inclusion amounts and qualities of distillers coproducts and flavor, 3725
pancreatic polypeptide
Changes in blood pancreatic polypeptide and ghrelin concentrations in response to feeding in sheep, 2103
Pannon White rabbit
Genetic diversity and population structure of the synthetic Pannon White rabbit revealed by pedigree analyses, 1267
parasitism
Selection of tannins by sheep in response to gastrointestinal nematode infection, 2189
parental investment theory
Suckling behavior in captive plains zebra (*Equus burchellii*): Sex differences in foal behavior, 131
partial least squares
Assessment of goat fat depots using ultrasound technology and multiple multivariate prediction models, 572
particulate matter
Effect of microclimate on particulate matter, airborne bacteria, and odorous compounds in swine nursery houses, 3707
passive immunity
Effect of selenium supplementation and plane of nutrition on mares and their foals: Foaling data, 982
pathogen
BOARD-INVITED REVIEW: Fate and transport of bioaerosols associated with livestock operations and manures, 3693
pea protein concentrate
Influence of the inclusion of cooked cereals and pea starch in diets based on soy or pea protein concentrate on nutrient digestibility and performance of young pigs, 671
pea starch
Influence of the inclusion of cooked cereals and pea starch in diets based on soy or pea protein concentrate on nutrient digestibility and performance of young pigs, 671
pectin
Ileal microbiota of growing pigs fed different dietary calcium phosphate levels and phytase content and subjected to ileal pectin infusion, 147
pedigree analysis
Genetic diversity and population structure of the synthetic Pannon White rabbit revealed by pedigree analyses, 1267
Pedigree analysis of seven small French sheep populations and implications for the management of rare breeds, 505
pen-mate effect
Effect of pen mates on growth, backfat depth, and longissimus muscle area of swine, 895
perennial peanut
Digestibility and nutrient retention of perennial peanut and bermudagrass hays for mature horses, 2055
performance
Chito-oligosaccharide reduces diarrhea incidence and attenuates the immune response of weaned pigs challenged with *Escherichia coli* K88, 3871
Comparative effects of ractopamine hydrochloride and zilpaterol hydrochloride on growth performance, carcass traits, and longissimus tenderness of finishing steers, 1823
Effect of extended withdrawal of zilpaterol hydrochloride on performance and carcass traits in finishing beef steers, 338
Effect of weaning date (normal vs. late) on performance of young and mature beef cows and their progeny in a fall calving system in the Southern Great Plains, 1577
Effects of dietary aflatoxin on the health and performance of growing barrows, 3624
Effects of mannanase and distillers dried grain with solubles on growth performance, nutrient digestibility, and carcass characteristics of grower-finisher pigs, 181
Effects of maternal natural (*RRR* α-tocopherol acetate) or synthetic (all-*rac* α-tocopherol acetate) vitamin E supplementation on suckling calf performance, colostrum immunoglobulin G, and immune function, 3128
Effects of rumen-protected polyunsaturated fatty acid supplementation on performance and physiological responses of growing cattle after transportation and feedlot entry, 4120
Feed preferences and performance of nursery pigs fed diets containing various inclusion amounts and qualities of distillers coproducts and flavor, 3725
Methane emissions, feed intake, performance, digestibility, and rumen fermentation of finishing beef cattle offered whole-crop wheat silages differing in grain content, 2703
Nonsteroidal anti-inflammatory drug therapy for neonatal calf diarrhea complex: Effects on calf performance, 2919
Performance, residual feed intake, digestibility, carcass traits, and profitability of Angus-Hereford steers housed in individual or group pens, 324
Phosphorus utilization in starter pigs fed high-moisture corn-based liquid diets steeped with phytase, 3964
The effect of diet composition on tryptophan requirement of young piglets, 1017
perinatal adaptation
Epigenetics and fetal adaptation to perinatal events: Diversity through fidelity, E216
peroxisome proliferator-activated receptor δ
Porcine peroxisome proliferator-activated receptor δ mediates the lipolytic effects of dietary fish oil to reduce body fat deposition, 2009
peroxisomal proliferator-activated receptor γ
Induction of peroxisomal proliferator-activated receptor γ and peroxisomal proliferator-activated receptor γ coactivator 1 by unsaturated fatty acids, retinoic acid, and carotenoids in preadipocytes obtained from bovine white adipose tissue, 1801
peroxisome proliferator-activated receptor-γ agonist
Factors influencing the differentiation of bovine preadipocytes in vitro, 1999
peroxisomal proliferator-activated receptor γ coactivator 1
Induction of peroxisomal proliferator-activated receptor γ and peroxisomal proliferator-activated receptor γ coactivator 1 by unsaturated fatty acids, retinoic acid, and carotenoids in preadipocytes obtained from bovine white adipose tissue, 1801
PG 600
Effect of gonadotropin treatment on estrus, ovulation, and litter size in weaned and anestrous sows, 2356
PGR genotype
Expression of progesterone receptor related to the polymorphism in the *PGR* gene in the rabbit reproductive tract, 421
pH
Effect of dietary cation-anion difference on measures of acid-base physiology and performance in beef cattle, 374
pharmacokinetics
Pharmacokinetic differences in exposure to camphor after intraruminal dosing in selectively bred lines of goats, 2620
phenotypic diversity
Precision genetics for complex objectives in animal agriculture, 2530
phospholipid
Tissue-specific robustness of fatty acid signatures in cultured gilthead sea bream (*Sparus aurata* L.) fed practical diets with a combined high replacement of fish meal and fish oil, 1759
phosphorus
A calcitonin receptor (*CALCR*) single nucleotide polymorphism is associated with growth performance and bone integrity in response to dietary phosphorus deficiency, 1009
Effect of reduced dietary calcium concentration and phytase supplementation on calcium and phosphorus utilization in weanling pigs with modified mineral status, 1706
Efficacy of different commercial phytase enzymes and development of an available phosphorus release curve for *Escherichia coli*-derived phytases in nursery pigs, 3631
Evaluation of antibiotic effects on phosphorus digestibility and utilization by growing-finishing pigs fed a phosphorus-deficient, corn-soybean meal diet, 1752
Performance and phosphorus balance of pigs fed diets formulated on the basis of values for standardized total tract digestibility of phosphorus, 2968
Phosphorus requirement and excretion of finishing beef cattle fed different concentrations of phosphorus, 2393
Phosphorus utilization and characterization of excreta from swine fed diets containing a variety of cereal grains balanced for total phosphorus, 1860
Phosphorus utilization in starter pigs fed high-moisture corn-based liquid diets steeped with phytase, 3964
photoperiod
Accelerated lambing achieved by a photoperiod regimen consisting of alternating 4-month sequences of long and short days applied year-round, 3280

phylogenic analysis
Identification of genetic polymorphisms in bovine mitochondrial deoxyribonucleic acid, 2551
physiological marker
Evaluation of physiological and blood serum differences in heat-tolerant (Romosinuano) and heat-susceptible (Angus) *Bos taurus* cattle during controlled heat challenge, 2321
phytase
Effect of phytase on apparent total tract digestibility of phosphorus in corn-soybean meal diets fed to finishing pigs, 238
Effect of reduced dietary calcium concentration and phytase supplementation on calcium and phosphorus utilization in weanling pigs with modified mineral status, 1706
Efficacy of different commercial phytase enzymes and development of an available phosphorus release curve for *Escherichia coli*-derived phytases in nursery pigs, 3631
Ileal microbiota of growing pigs fed different dietary calcium phosphate levels and phytase content and subjected to ileal pectin infusion, 147
Influence of benzoic acid and phytase in low-phosphorus diets on bone characteristics in growing-finishing pigs, 3363
Performance and phosphorus balance of pigs fed diets formulated on the basis of values for standardized total tract digestibility of phosphorus, 2968
Phosphorus utilization in starter pigs fed high-moisture corn-based liquid diets steeped with phytase, 3964
phytate degradation
Phosphorus utilization and characterization of excreta from swine fed diets containing a variety of cereal grains balanced for total phosphorus, 1860
Piedmontese breed
Effects of low-protein diets and rumen-protected conjugated linoleic acid on production and carcass traits of growing double-muscled Piemontese bulls, 3372
Piemontese
Genetic evaluation of type traits in hypertrophic Piemontese cows, 3504
pig
A calcitonin receptor (*CALCR*) single nucleotide polymorphism is associated with growth performance and bone integrity in response to dietary phosphorus deficiency, 1009
Amino acid and fiber digestibility, intestinal bacterial profile, and enzyme activity in growing pigs fed dried distillers grains with solubles-based diets, 3304
Amino acid digestibility and energy concentration of high-protein corn dried distillers grains and high-protein sorghum dried distillers grains with solubles for swine, 3617
Association analyses of candidate single nucleotide polymorphisms on reproductive traits in swine, 1
Bacterial fermentation affects net mineral flux in the large intestine of pigs fed diets with viscous and fermentable nonstarch polysaccharides, 3351
Bioavailability of dietary cyanocobalamin (vitamin B_{12}) in growing pigs, 3936
Breed difference and regulation of the porcine Sirtuin 1 by insulin, 3909
Changes of the activities of glycolytic and oxidative enzymes before and after slaughter in the longissimus muscle of Pietrain and Duroc pigs and a Duroc-Pietrain crossbreed, 4016
Characterization of the nutritional value of air-classified protein and starch fractions of field pea and zero-tannin faba bean in grower pigs, 660
Chito-oligosaccharide reduces diarrhea incidence and attenuates the immune response of weaned pigs challenged with *Escherichia coli* K88, 3871
Comparative proteomic profiling of 2 muscles from 5 different pure pig breeds using surface-enhanced laser desorption/ionization time-of-flight proteomics technology, 1522
Correlations between fat depot traits and fatty acid composition in abdominal subcutaneous adipose tissue and longissimus muscle: Results from a White Duroc × Erhualian intercross F_2 population, 3538
Correlative responses for carcass and meat quality traits to selection for ovulation rate or prenatal survival in French Large White pigs, 903
Detection of a quantitative trait locus for ham weight with polar overdominance near the ortholog of the callipyge locus in an experimental pig F_2 population, 3167
Diets containing inulin but not lupins help to prevent swine dysentery in experimentally challenged pigs, 3327
Digestibility of dietary fiber in distillers coproducts fed to growing pigs, 2373
Effect of β-glucans contained in barley- and oat-based diets and exogenous enzyme supplementation on gastrointestinal fermentation of finisher pigs and subsequent manure odor and ammonia emissions, 1411
Effect of body composition on diet selection in finishing pigs, 1733
Effect of dietary organic and inorganic micromineral source and level on sow body, liver, colostrum, mature milk, and progeny mineral compositions over six parities, 626
Effect of dietary protein and lysine fluctuations in the absence and presence of ractopamine on performance and carcass quality of late-finishing pigs, 604
Effect of distillers dried grains with solubles and ractopamine (Paylean) on quality and shelf-life of fresh pork and bacon, 2751
Effect of excessive, hormonally induced intrauterine crowding in the gilt on fetal development on day 40 of pregnancy, 2611
Effect of milk chocolate product on week-1 feed intake and growth performance of weanling pigs, 2779
Effect of polymorphisms in candidate genes on reproduction traits in Finnish pig populations, 821
Effect of probiotic-, bacteriophage-, or organic acid-supplemented feeds or fermented soybean meal on the growth performance, acute-phase response, and bacterial shedding of grower pigs challenged with *Salmonella enterica* serotype Typhimurium, 3880
Effect of reduced dietary calcium concentration and phytase supplementation on calcium and phosphorus utilization in weanling pigs with modified mineral status, 1706
Effect of the form of dietary fat and the concentration of dietary neutral detergent fiber on ileal and total tract endogenous losses and apparent and true digestibility of fat by growing pigs, 2959
Effect of virginiamycin on the apparent ileal digestibility of amino acids by growing pigs, 1718
Effects of different moving devices at loading on stress response and meat quality in pigs, 4086
Effects of distillers dried grains with solubles on amino acid, energy, and fiber digestibility and on hindgut fermentation of dietary fiber in a corn-soybean meal diet fed to growing pigs, 1454
Effects of dried distillers grains with solubles on carcass fat quality of finishing pigs, 3666
Effects of feeding diets containing increasing content of corn distillers dried grains with solubles to grower-finisher pigs on growth performance, carcass composition, and pork fat quality, 1398
Efficacy of commercial enzymes in diets containing various concentrations and sources of dried distillers grains with solubles for nursery pigs, 2084
Energy and amino acid utilization in expeller-extracted canola meal fed to growing pigs, 1433
Epistatic analysis of carcass characteristics in pigs reveals genomic interactions between quantitative trait loci attributable to additive and dominance genetic effects, 2219
Estimates of genetic parameters among scale activity scores, growth, and fatness in pigs, 455
Estimates of variance components for genetic correlations among swine estrus traits, 2913
Evaluation of antibiotic effects on phosphorus digestibility and utilization by growing-finishing pigs fed a phosphorus-deficient, corn-soybean meal diet, 1752
Evaluation of elevated dietary corn fiber from corn germ meal in growing female pigs, 192
Evaluation of glycerol, a biodiesel coproduct, in grow-finish pig diets to support growth and pork quality, 3927
Evaluation of the prediction of alternative measures of pork carcass composition by three optical probes, 767
Feed preferences and performance of nursery pigs fed diets containing various inclusion amounts and qualities of distillers coproducts and flavor, 3725
Fermented soybean meal as a vegetable protein source for nursery pigs: I. Effects on growth performance of nursery pigs, 214
Genetic analyses of stillbirth in relation to litter size using random regression models, 3800
Genetic parameters for intramuscular fatty acid composition and metabolism in pigs, 1286
Heritabilities and genetic correlations for litter size and semen traits in Czech Large White and Landrace pigs, 2893

Ileal digestibility of amino acids in conventional, fermented, and enzyme-treated soybean meal and in soy protein isolate, fish meal, and casein fed to weanling pigs, 2674
Ileal microbiota of growing pigs fed different dietary calcium phosphate levels and phytase content and subjected to ileal pectin infusion, 147
Influence of benzoic acid and phytase in low-phosphorus diets on bone characteristics in growing-finishing pigs, 3363
Influence of feed flavors and nursery diet complexity on preweaning and nursery pig performance, 3918
Intrauterine crowding decreases average birth weight and affects muscle fiber hyperplasia in piglets, 3242
Investigation of candidate regions influencing litter size in Danish Landrace sows, 1603
Maternal responses to daily maternal porcine somatotropin injections during early-mid pregnancy or early-late pregnancy in sows and gilts, 1365
Meta-analysis of the effect of the halothane gene on 6 variables of pig meat quality and on carcass leanness, 2841
Metabolizable energy content of refined glycerin and its effects on growth performance and carcass and pork quality characteristics of finishing pigs, 3887
Molecular cloning and characterization of porcine calcineurin-α subunit expression in skeletal muscle, 562
Observations of market pigs following transport to a packing plant, 2199
Partition of minerals in body components from a high- and low-lean genetic line of barrows and gilts from 20 to 125 kilograms of body weight, 3337
Performance and phosphorus balance of pigs fed diets formulated on the basis of values for standardized total tract digestibility of phosphorus, 2968
Porcine peroxisome proliferator-activated receptor δ mediates the lipolytic effects of dietary fish oil to reduce body fat deposition, 2009
Prenatal exposure to maternal low or high protein diets induces modest changes in the adipose tissue proteome of newborn piglets, 1626
Protein and starch concentrates of air-classified field pea and zero-tannin faba bean for weaned pigs, 2627
Quantitative trait loci analysis of swine meat quality traits, 2904
Regulation of ovine and porcine stearoyl coenzyme A desaturase gene promoters by fatty acids and sterols, 2565
Technical note: Efficient protocol for isolation of total ribonucleic acid from lyophilized fat and muscle pig samples, 442
The effect of dentition on feeding development in piglets and on their growth and behavior after weaning, 2277
The effects of feeding diets containing corn distillers dried grains with solubles, and withdrawal period of distillers dried grains with solubles, on growth performance and pork quality in grower-finisher pigs, 1388
The nutritional value of expeller-pressed canola meal for grower-finisher pigs, 2073

pig breed
Fiber-related digestive processes in three different breeds of pigs, 972

pig growth performance
Use of *Saccharomyces cerevisiae* fermentation product on growth performance and microbiota of weaned pigs during *Salmonella* infection, 3896

piglet
A comparison between different survival and threshold models with an application to piglet preweaning survival in a dry-cured ham-producing crossbred line, 1990
Effect of maternal fish oil and seaweed extract supplementation on colostrum and milk composition, humoral immune response, and performance of suckled piglets, 2988
Effects of environmental enrichment and loose housing of lactating sows on piglet performance before and after weaning, 3554
Maternal and social genetic effects on average daily gain of piglets from birth until weaning, 2883
Reproductive performance and bone status markers of gilts and lactating sows supplemented with two different forms of vitamin D, 202
Transfer of conjugated linoleic acid from sows to their offspring and its impact on the fatty acid profiles of plasma, muscle, and subcutaneous fat in piglets, 1741

piglet body weight
Genetics of growth in piglets and the association with homogeneity of body weight within litters, 1240

piglet mortality
An application of change-point recursive models to the relationship between litter size and number of stillborns in pigs, 3493

piglet performance
Influence of the inclusion of cooked cereals and pea starch in diets based on soy or pea protein concentrate on nutrient digestibility and performance of young pigs, 671

piglet survival
Genetic parameters of piglet survival and birth weight from a two-generation crossbreeding experiment under outdoor conditions designed to disentangle direct and maternal effects, 1276
The relevance of purebred information for predicting genetic merit of survival at birth of crossbred piglets, 481

pig performance
Impact of piglet birth weight, birth order, and litter size on subsequent growth performance, carcass quality, muscle composition, and eating quality of pork, 2767

placenta
Effect of selenium supplementation and plane of nutrition on mares and their foals: Foaling data, 982
Maternal selenium supplementation and timing of nutrient restriction in pregnant sheep: Effects on maternal endocrine status and placental characteristics, 955

placental dysfunction
Developmental programming: The concept, large animal models, and the key role of uteroplacental vascular development' E61

plains zebra
Suckling behavior in captive plains zebra (*Equus burchellii*): Sex differences in foal behavior, 131

plasma
Effect of dietary omega-3 fatty acid source on plasma and red blood cell membrane composition and immune function in yearling horses, 248
Transfer of conjugated linoleic acid from sows to their offspring and its impact on the fatty acid profiles of plasma, muscle, and subcutaneous fat in piglets, 1741

plasma analyte
Effect of divergence in residual feed intake on feeding behavior, blood metabolic variables, and body composition traits in growing beef heifers, 109
Repeatability of feed efficiency, carcass ultrasound, feeding behavior, and blood metabolic variables in finishing heifers divergently selected for residual feed intake, 3214

plasma mineral
Strong associations among rumen endotoxin and acute phase proteins with plasma minerals in lactating cows fed graded amounts of concentrate, 1545

plasma protein
Fermented soybean meal as a vegetable protein source for nursery pigs: I. Effects on growth performance of nursery pigs, 214

plasma urea nitrogen
Effect of dry- versus wet-autoclaving of spray-dried egg albumen compared with casein as protein sources on apparent nitrogen and energy balance, plasma urea nitrogen and glucose concentrations, and growth performance of neonatal swine, 2665

policy
Engaging science in a climate of values: Tools for animal scientists tasked with addressing ethical problems, E75

polioencephalomalacia
Effect of thiamine concentration on animal health, feedlot performance, carcass characteristics, and ruminal hydrogen sulfide concentrations in lambs fed diets based on 60% distillers dried grains plus solubles, 2444
Effects of high-sulfur water and clinoptilolite on health and growth performance of steers fed forage-based diets, 1777

polymorphism
Identification of genetic polymorphisms in bovine mitochondrial deoxyribonucleic acid, 2551
The two mutations, Q204X and nt821, of the myostatin gene affect carcass and meat quality in young heterozygous bulls of French beef breeds, 446

polyunsaturated fatty acid
Effects of rumen-protected polyunsaturated fatty acid supplementation on performance and physiological responses of growing cattle after transportation and feedlot entry, 4120

Genetic parameters for intramuscular fatty acid composition and metabolism in pigs, 1286
Porcine peroxisome proliferator-activated receptor δ mediates the lipolytic effects of dietary fish oil to reduce body fat deposition, 2009
Regulation of the expression of angiotensin-converting enzyme 2 by polyunsaturated fatty acids in porcine adipocytes, 3563
population structure
Genetic diversity and population structure of American Red Angus cattle, 59
porcine circovirus type 2
Efficacy of experimentally produced spray-dried plasma on infectivity of porcine circovirus type 2, 4078
porcine oocyte
Identification and expression analysis of connexin-45 and connexin-60 as major connexins in porcine oocytes, 3269
pork
Stepwise chilling: Tender pork without compromising water-holding capacity, 1830
pork quality
Effects of feeding diets containing increasing content of corn distillers dried grains with solubles to grower-finisher pigs on growth performance, carcass composition, and pork fat quality, 1398
Evaluation of glycerol, a biodiesel coproduct, in grow-finish pig diets to support growth and pork quality, 3927
Impact of piglet birth weight, birth order, and litter size on subsequent growth performance, carcass quality, muscle composition, and eating quality of pork, 2767
Metabolizable energy content of refined glycerin and its effects on growth performance and carcass and pork quality characteristics of finishing pigs, 3887
The effects of feeding diets containing corn distillers dried grains with solubles, and withdrawal period of distillers dried grains with solubles, on growth performance and pork quality in grower-finisher pigs, 1388
posterior mammary gland
Differential composition of proteomes in sow colostrum and milk from anterior and posterior mammary glands, 2657
postmortem
Morphological and biochemical assessment of apoptosis in different skeletal muscles of bulls during conditioning, 3439
Redox regulation of cysteine-dependent enzymes, 1297
postweaning piglet
The effect of diet composition on tryptophan requirement of young piglets, 1017
potassium
Influence of dietary protein content and source on fecal quality, electrolyte concentrations, and osmolarity, and digestibility in dogs differing in body size, 159
potassium carbonate
Effects of water quality and dietary potassium on performance and carcass characteristics of yearling steers, 296
potassium chloride
Effects of water quality and dietary potassium on performance and carcass characteristics of yearling steers, 296
potato coproduct
Utilization and application of wet potato processing coproducts for finishing cattle, E133
poultry
Gluconeogenesis differs in developing chick embryos derived from small compared with typical size broiler breeder eggs, 912
power of the test
Comparison of multinomial and binomial proportion methods for analysis of multinomial count data, 3452
prebiotic feed supplement
Use of Saccharomyces cerevisiae fermentation product on growth performance and microbiota of weaned pigs during *Salmonella* infection, 3896
prediction
Determination of carcass and body fat compositions of grazing crossbred bulls using body measurements, 1442
Establishing an appropriate mode of comparison for measuring the performance of marbling score output from video image analysis beef carcass grading systems, 2464
Estimation of carcass composition by ultrasound measurements in 4 anatomical locations of 3 commercial categories of lamb, 3409
Evaluation of the prediction of alternative measures of pork carcass composition by three optical probes, 767
predictive equation
Energy value of wheat distillers grains with solubles for growing pigs and adult sows, 2382
preference
Feed preferences and performance of nursery pigs fed diets containing various inclusion amounts and qualities of distillers coproducts and flavor, 3725
pregnancy
Effects of maternal nutrition on conceptus growth and offspring performance: Implications for beef cattle production, E205
Maternal responses to daily maternal porcine somatotropin injections during early-mid pregnancy or early-late pregnancy in sows and gilts, 1365
pregnancy establishment
Effects of flunixin meglumine on pregnancy establishment in beef cattle, 943
prenatal diet
Prenatal exposure to maternal low or high protein diets induces modest changes in the adipose tissue proteome of newborn piglets, 1626
prenatal nutrition
Effects of nutrient restriction of bovine dams during early gestation on postnatal growth, carcass and organ characteristics, and gene expression in adipose tissue and muscle, 3251
Effects of nutrient restriction of bovine dams during early gestation on postnatal growth and regulation of plasma glucose, 3262
prenatal survival
Correlative responses for carcass and meat quality traits to selection for ovulation rate or prenatal survival in French Large White pigs, 903
prepartum energy source
Prepartum dietary energy source fed to beef cows: I. Effects on pre- and postpartum cow performance, 2717
preslaughter handling
Metabolizable energy content of refined glycerin and its effects on growth performance and carcass and pork quality characteristics of finishing pigs, 3887
preweaning mortality
A comparison between different survival and threshold models with an application to piglet preweaning survival in a dry-cured ham-producing crossbred line, 1990
preweaning period
Estimation of genetic and crossbreeding parameters for preweaning traits in German Angus and Simmental beef cattle and the reciprocal crosses, 80
preweaning trait
Genetic parameters for preweaning and early growth traits in Berkshire pigs when creep feeding is used, 879
primiparous
Feed transition between gestation and lactation is exhibited earlier in sows fed a high-fiber diet during gestation, 2637
primiparous sow
Reduced feed intake of lactating primiparous sows is associated with increased insulin resistance during the peripartum period and is not modified through supplementation with dietary tryptophan, 612
prion protein
Prediction of prion protein genotype and association of this genotype with lamb performance traits of Suffolk sheep, 428
probiotic
Influence of probiotics in different energy and nutrient density diets on growth performance, nutrient digestibility, meat quality, and blood characteristics in growing-finishing pigs, 3320
process stability
Potential of low-temperature anaerobic digestion to address current environmental concerns on swine production, E112
production data
A review of population data utilization in beef cattle research, E32
production disease
Trait selection and welfare of genetically engineered animals in agriculture, 811
production system
Application of statistical process control charts to monitor changes in animal production systems, E11
production trait
Temperament traits of beef calves measured under field conditions and their relationships to performance, 1982
The insulin-like growth factor 2 (*IGF2*) gene intron3-g.3072G>A polymorphism is not the only *Sus scrofa* chromosome 2p mutation

affecting meat production and carcass traits in pigs: Evidence from the effects of a cathepsin D (*CTSD*) gene polymorphism, 2235
productive trait
Assessment of *DGAT1* and *LEP* gene polymorphisms in three Nelore (*Bos indicus*) lines selected for growth and their relationship with growth and carcass traits, 435
Effect of dam and sire genotypes on productive and carcass traits of rabbits, 533
productivity
Accelerated lambing achieved by a photoperiod regimen consisting of alternating 4-month sequences of long and short days applied year-round, 3280
profit
A review of population data utilization in beef cattle research, E32
profitability
Performance, residual feed intake, digestibility, carcass traits, and profitability of Angus-Hereford steers housed in individual or group pens, 324
progesterone
Factors affecting preovulatory follicle diameter and ovulation rate after gonadotropin-releasing hormone in postpartum beef cows. Part I: Cycling cows, 2300
progesterone receptor expression
Expression of progesterone receptor related to the polymorphism in the *PGR* gene in the rabbit reproductive tract, 421
progestin
Comparison of long-term progestin-based estrus synchronization protocols in beef heifers, 3568
proglycogen
Stepwise chilling: Tender pork without compromising water-holding capacity, 1830
prolactin
Steer responses to feeding soybean hulls and steroid hormone implantation on toxic tall fescue pasture, 3759
proliferation
Conjugated linoleic acid differentially regulates fat deposition in backfat and longissimus muscle of finishing pigs, 1694
promoter activity
Regulation of ovine and porcine stearoyl coenzyme A desaturase gene promoters by fatty acids and sterols, 2565
propionate
Effect of feeding wet distillers grains on performance, marbling deposition, and fatty acid content of beef from steers fed low- or high-forage diets, 3657
protein
Application of biological simulation models in estimating feed efficiency of finishing steers, 2523
Protein and starch concentrates of air-classified field pea and zero-tannin faba bean for weaned pigs, 2627
protein catabolite
Dietary cellulose, fructooligosaccharides, and pectin modify fecal protein catabolites and microbial populations in adult cats, 2978
protein degradability
Effects of ruminal protein degradability and frequency of supplementation on nitrogen retention, apparent digestibility, and nutrient flux across visceral tissues in lambs fed low-quality forage, 727
protein level
Effect of dietary protein and lysine fluctuations in the absence and presence of ractopamine on performance and carcass quality of late-finishing pigs, 604
protein phosphatase 2B
Molecular cloning and characterization of porcine calcineurin-α subunit expression in skeletal muscle, 562
protein requirement
Effects of low-protein diets and rumen-protected conjugated linoleic acid on production and carcass traits of growing double-muscled Piemontese bulls, 3372
protein supplement
Effect of dietary crude protein source on hormone and follicle characteristics in beef heifers, 937
protein synthesis
A low-fat liquid diet increases protein accretion and alters cellular signaling for protein synthesis in 10-day-old pigs, 2576
Chronic improvement of amino acid nutrition stimulates initiation of global messenger ribonucleic acid translation in tissues of sheep without affecting protein elongation, 689
proteolysis
Enhancement technology improves palatability of normal and callipyge lambs, 4026
Phenotypic differences in matrix metalloproteinase 2 activity between fibroblasts from 3 bovine muscles, 4006
proteome
Differential composition of proteomes in sow colostrum and milk from anterior and posterior mammary glands, 2657
Differential expression of liver proteins in Chianina and Holstein young bulls, 593
Prenatal exposure to maternal low or high protein diets induces modest changes in the adipose tissue proteome of newborn piglets, 1626
proteomic
Comparative proteomic profiling of 2 muscles from 5 different pure pig breeds using surface-enhanced laser desorption/ionization time-of-flight proteomics technology, 1522
proteomics
Novel keratins identified by quantitative proteomic analysis as the major cytoskeletal proteins of equine (*Equus caballus*) hoof lamellar tissue, 3843
psychrophilic process
Potential of low-temperature anaerobic digestion to address current environmental concerns on swine production, E112
puberty
Estimates of variance components for genetic correlations among swine estrus traits, 2913
The effect of gilt age at first estrus and breeding on third estrus on sow body weight changes and long-term reproductive performance, 2500
Type of accommodation during gestation affects growth performance and reproductive characteristics of gilt offspring, 400
pulse
Characterization of the nutritional value of air-classified protein and starch fractions of field pea and zero-tannin faba bean in grower pigs, 660

Q

Qinghai-Tibetan Plateau
Morphological adaptations of yak (*Bos grunniens*) tongue to the foraging environment of the Qinghai-Tibetan Plateau, 2594
quality
Characterization of biological types of cattle (Cycle VIII): Carcass, yield, and longissimus palatability traits, 3070
Effect of electron beam irradiation and storage on the quality attributes of sausages with different fat contents, 795
Effects of sex and short-term magnesium supplementation on stress responses and longissimus muscle quality characteristics of crossbred cattle, 349
quality grade
Technical note: Analysis of ordinal outcomes from carcass data in beef cattle research, 3384
quantitative genetics
Technical note: An R package for fitting generalized linear mixed models in animal breeding, 497
quantitative trait loci
A genome-wide association study for milk production traits in Danish Jersey cattle using a 50K single nucleotide polymorphism chip, 3522
Fine mapping of quantitative trait loci for meat color on *Sus scrofa* chromosome 6: Analysis of the swine *NUDT7* gene, 23
Quantitative trait loci analysis of swine meat quality traits, 2904
The effect of variation at the retinoic acid receptor-related orphan receptor C gene on intramuscular fat percent and marbling score in Australian cattle, 47
quantitative trait locus
Assessment of *DGAT1* and *LEP* gene polymorphisms in three Nelore (*Bos indicus*) lines selected for growth and their relationship with growth and carcass traits, 435
Detection of a quantitative trait locus for ham weight with polar overdominance near the ortholog of the callipyge locus in an experimental pig F_2 population, 3167
Epistatic analysis of carcass characteristics in pigs reveals genomic interactions between quantitative trait loci attributable to additive and dominance genetic effects, 2219

Investigation of candidate regions influencing litter size in Danish Landrace sows, 1603
The insulin-like growth factor 2 (*IGF2*) gene intron3-g.3072G>A polymorphism is not the only *Sus scrofa* chromosome 2p mutation affecting meat production and carcass traits in pigs: Evidence from the effects of a cathepsin D (*CTSD*) gene polymorphism, 2235

R

rabbit
Candidate gene analysis for reproductive traits in two lines of rabbits divergently selected for uterine capacity, 828
Effect of dam and sire genotypes on productive and carcass traits of rabbits, 533
Effect of dietary supplementation with glutamine and a combination of glutamine-arginine on intestinal health in twenty-five-day-old weaned rabbits, 170
Expression of progesterone receptor related to the polymorphism in the *PGR* gene in the rabbit reproductive tract, 421
Interaction of genotype × artificial insemination conditions for male effect on fertility and prolificacy, 3475
Investigation of the oviductal glycoprotein 1 (*OVGP1*) gene associated with embryo survival and development in the rabbit, 1597
rabbit line
Influence of genetic line on lipid metabolism traits of rabbit muscle, 3419
race record
Relationships between racing times of Standardbreds and v_4 and v_{200}, 950
ractopamine
Aggressiveness and brain amine concentration in dominant and subordinate finishing pigs fed the β-adrenoreceptor agonist ractopamine, 3107
Behavior and peripheral amine concentrations in relation to ractopamine feeding, sex, and social rank of finishing pigs, 1184
Effect of dietary protein and lysine fluctuations in the absence and presence of ractopamine on performance and carcass quality of late-finishing pigs, 604
Effects of ractopamine and sex on serum metabolites and skeletal muscle gene expression in finishing steers and heifers, 1349
Effects of ractopamine and trenbolone acetate implants with or without estradiol on growth performance, carcass characteristics, adipogenic enzyme activity, and blood metabolites in feedlot steers and heifers, 4102
ractopamine hydrochloride
Comparative effects of ractopamine hydrochloride and zilpaterol hydrochloride on growth performance, carcass traits, and longissimus tenderness of finishing steers, 1823
Effects of ractopamine hydrochloride are not confined to mammalian tissue: Evidence for direct effects of ractopamine hydrochloride supplementation on fermentation by ruminal microorganisms, 697
rainbow trout
Evidence of major genes affecting resistance to bacterial cold water disease in rainbow trout using Bayesian methods of segregation analysis, 3814
Response to selection for bacterial cold water disease resistance in rainbow trout, 1936
random regression
Covariance functions for body weight from birth to maturity in Nellore cows, 849
Genetic analyses of stillbirth in relation to litter size using random regression models, 3800
rat
Epigenetics and fetal adaptation to perinatal events: Diversity through fidelity, E216
reactive nitrogen species
Redox regulation in skeletal muscle during contractile activity and aging, 1307
reactive oxygen species
Redox regulation in skeletal muscle during contractile activity and aging, 1307
real-time polymerase chain reaction
Ileal microbiota of growing pigs fed different dietary calcium phosphate levels and phytase content and subjected to ileal pectin infusion, 147
rectal temperature monitoring
Technical note: Development of a self-contained, indwelling rectal temperature probe for cattle research, 3291
recursive model
An application of change-point recursive models to the relationship between litter size and number of stillborns in pigs, 3493
Red Angus cattle
Genetic diversity and population structure of American Red Angus cattle, 59
red blood cell
Effect of dietary omega-3 fatty acid source on plasma and red blood cell membrane composition and immune function in yearling horses, 248
red meat yield
Predicting red meat yields in carcasses from beef-type and calf-fed Holstein steers using the United States Department of Agriculture calculated yield grade, 2139
redox signaling
Redox regulation in skeletal muscle during contractile activity and aging, 1307
regression
Estimation of carcass composition by ultrasound measurements in 4 anatomical locations of 3 commercial categories of lamb, 3409
Rendement Napole gene
Mouse AMP-activated protein kinase γ3 subunit R225Q mutation affecting mouse growth performance when fed a high-energy diet, 1332
reproduction
Calving day and age at first calving in Angus heifers, 1947
Dam and granddam feeding during pregnancy in sheep affects milk supply in offspring and reproductive performance in grand-offspring, E40
Effect of dietary organic and inorganic micromineral source and level on sow body, liver, colostrum, mature milk, and progeny mineral compositions over six parities, 626
Effect of polymorphisms in candidate genes on reproduction traits in Finnish pig populations, 821
Effects of natural (*RRR* α-tocopherol acetate) or synthetic (all-*rac* α-tocopherol acetate) vitamin E supplementation on reproductive efficiency in beef cows, 3121
Impacts of amino acid nutrition on pregnancy outcome in pigs: Mechanisms and implications for swine production, E195
Invited Review: The role of caterpillars in mare reproductive loss syndrome: A model for environmental causes of abortion, 1379
Prepartum dietary energy source fed to beef cows: I. Effects on pre- and postpartum cow performance, 2717
reproductive performance
Effect of dietary n-3 fatty acids (fish oils) on boar reproduction and semen quality, 2346
Effect of dietary organic zinc, manganese, copper, and cobalt supplementation on milk production, follicular growth, embryo quality, and tissue mineral concentrations in dairy cows, 3856
reproductive trait
Additive genetic relationships between scrotal circumference, heifer pregnancy, and stayability in Nellore cattle, 3809
Association analyses of candidate single nucleotide polymorphisms on reproductive traits in swine, 1
requirement
Phosphorus requirement and excretion of finishing beef cattle fed different concentrations of phosphorus, 2393
The effect of diet composition on tryptophan requirement of young piglets, 1017
residual feed intake
Energy utilization in pigs selected for high and low residual feed intake, 2062
Estimated gene frequencies of GeneSTAR markers and their size of effects on meat tenderness, marbling, and feed efficiency in temperate and tropical beef cattle breeds across a range of production systems, 1917
Factors affecting beef cattle producer perspectives on feed efficiency, 3749
Performance, residual feed intake, digestibility, carcass traits, and profitability of Angus-Hereford steers housed in individual or group pens, 324
Phenotypic and genetic parameters for different measures of feed efficiency in different breeds of Irish performance-tested beef bulls, 885
Season of testing and its effect on feed intake and efficiency in growing beef cattle, 3789
Whole genome single nucleotide polymorphism associations with feed intake and feed efficiency in beef cattle, 16

respiratory toxicology
The physiological and behavioral responses of steers to gaseous ammonia in simulated long-distance transport by ship, 3579
retail display
Influence of feeding various quantities of wet and dry distillers grains to finishing steers on carcass characteristics, meat quality, retail-case life of ground beef, and fatty acid profile of longissimus muscle, 3399
retention
Bioavailability of dietary cyanocobalamin (vitamin B_{12}) in growing pigs, 3936
reticulorumen
Suitability of electronic mini-boluses for the early identification of goat kids and effects on growth performance and development of the reticulorumen, 3464
retinoic acid receptor-related orphan receptor C gene
The effect of variation at the retinoic acid receptor-related orphan receptor C gene on intramuscular fat percent and marbling score in Australian cattle, 47
ribosome transit time
Chronic improvement of amino acid nutrition stimulates initiation of global messenger ribonucleic acid translation in tissues of sheep without affecting protein elongation, 689
rice
Influence of the inclusion of cooked cereals and pea starch in diets based on soy or pea protein concentrate on nutrient digestibility and performance of young pigs, 671
Ripollesa breed
Accounting for additive genetic mutations on litter size in Ripollesa sheep, 1248
risk assessment
Fumonisin B_1 and implications in nursery swine productivity: A quantitative exposure assessment, 3767
Romosinuano
Evaluation of tropically adapted straightbred and crossbred beef cattle: Heifer age and size at first conception and characteristics of their first calves, 3173
Intramuscular fat and fatty acid composition of longissimus muscle from divergent pure breeds of cattle, 756
rotational grazing
Comparison of 3 tall fescue-based stocker systems, 1880
roughage
Effects of varying bulk densities of steam-flaked corn and dietary roughage concentration on in vitro fermentation, performance, carcass quality, and acid-base balance measurements in finishing steers, 1135
Manipulating grain processing method and roughage level to improve feed efficiency in feedlot cattle, 284
roughage source
Evaluation of dried distillers grains and roughage source in steam-flaked corn finishing diets, 258
R package
Technical note: An R package for fitting generalized linear mixed models in animal breeding, 497
rumen bolus
Suitability of electronic mini-boluses for the early identification of goat kids and effects on growth performance and development of the reticulorumen, 3464
rumen epithelial cell
Rumen fluid inhibits proliferation and stimulates expression of cyclin-dependent kinase inhibitors 1A and 2A in bovine rumen epithelial cells, 3226
rumen epithelium
Dietary nitrogen reduction enhances urea transport across goat rumen epithelium, 3390
rumen fermentation
Dose response to cinnamaldehyde supplementation in growing beef heifers: Ruminal and intestinal digestion, 680
Effects of ractopamine hydrochloride are not confined to mammalian tissue: Evidence for direct effects of ractopamine hydrochloride supplementation on fermentation by ruminal microorganisms, 697
rumen fluid
Rumen fluid inhibits proliferation and stimulates expression of cyclin-dependent kinase inhibitors 1A and 2A in bovine rumen epithelial cells, 3226
rumen undegradable intake protein
Effects of late gestation supplementation of rumen undegradable protein, vitamin E, zinc, and chlortetracycline to ewes on indices of immune transfer and productivity, 1125
ruminal acidosis
Experimental feed induction of ruminal lactic, propionic, or butyric acidosis in sheep, 3041
ruminal fermentation
Effects of dietary supplementation with alkyl polyglycoside, a non-ionic surfactant, on nutrient digestion and ruminal fermentation in goats, 3984
Evaluation of dried distillers grains and roughage source in steam-flaked corn finishing diets, 258
Use of chitosans to modulate ruminal fermentation of a 50:50 forage-to-concentrate diet in sheep, 749
ruminal protein degradability
Effects of ruminal protein degradability and frequency of supplementation on site and extent of digestion and ruminal fermentation characteristics in lambs fed low-quality forage, 718
ruminant
A mechanistic model for predicting intake of forage diets by ruminants, 1108
Dietary nitrogen-to-energy ratio alters amino acid partition in the whole body and among the splanchnic tissues of growing rams, 2122
Effect of nutrient composition of feeds on digestibility of organic matter by cattle: A review, E151
rump fat thickness
Genetic associations between carcass traits measured by real-time ultrasound and scrotal circumference and growth traits in Nelore cattle, 52
rusticity
Effect of breed body size and the muscular hypertrophy gene in the production and carcass traits of concentrate-finished yearling bulls, 1229

S

saliva collection
Technical note: Comparison of salivary and serum cortisol concentrations after adrenocorticotropic hormone challenge in ewes, 599
salivary cortisol
Technical note: Comparison of salivary and serum cortisol concentrations after adrenocorticotropic hormone challenge in ewes, 599
Salmonella
Interaction of *Bacillus* species and *Salmonella enterica* serovar Typhimurium in immune or inflammatory signaling from swine intestinal epithelial cells, 1649
Oral inoculation with *Salmonella enterica* serovar Typhimurium or Choleraesuis promotes divergent responses in the somatotropic growth axis of swine, 1642
Use of Saccharomyces cerevisiae fermentation product on growth performance and microbiota of weaned pigs during *Salmonella* infection, 3896
Salmonella challenge
Effect of probiotic-, bacteriophage-, or organic acid-supplemented feeds or fermented soybean meal on the growth performance, acute-phase response, and bacterial shedding of grower pigs challenged with *Salmonella enterica* serotype Typhimurium, 3880
sausage
Effect of electron beam irradiation and storage on the quality attributes of sausages with different fat contents, 795
scrapie
Prediction of prion protein genotype and association of this genotype with lamb performance traits of Suffolk sheep, 428
scrotal circumference
Consequences of long-term inbreeding accumulation on preweaning traits in a closed nucleus Angus herd, 87
season
Performance and carcass characteristics of finishing beef cattle managed in a bedded hoop-barn system, 2797
Season of testing and its effect on feed intake and efficiency in growing beef cattle, 3789
seasonality
Accelerated lambing achieved by a photoperiod regimen consisting of alternating 4-month sequences of long and short days applied year-round, 3280
seaweed extract
Effect of maternal fish oil and seaweed extract supplementation on colostrum and milk composition, humoral immune response, and performance of suckled piglets, 2988

secondary metabolite
Redberry juniper as a roughage source in lamb feedlot rations: Performance and serum nonesterified fatty acids, urea nitrogen, and insulin-like growth factor-1 concentrations, 1492
secretoglobin family 1A member 1 gene
Candidate gene analysis for reproductive traits in two lines of rabbits divergently selected for uterine capacity, 828
segregation analysis
Analysis of the existence of major genes affecting alpaca fiber traits, 3783
Evidence of major genes affecting resistance to bacterial cold water disease in rainbow trout using Bayesian methods of segregation analysis, 3814
selection
Adaptability of pregnant Merino ewes to the cold desert climate in Nevada, 860
Estimates of inbreeding depression for serum insulin-like growth factor I concentrations, body weights, and body weight gains in Angus beef cattle divergently selected for serum insulin-like growth factor I concentration, 552
Feed intake of sheep as affected by body weight, breed, sex, and feed composition, 467
Genetic, maternal, and environmental variance components for body weight and length of Atlantic cod at 2 points in life, 3513
Precision genetics for complex objectives in animal agriculture, 2530
Prediction of genetic values for feed intake from individual body weight gain and total feed intake of the pen, 1967
Response to selection for bacterial cold water disease resistance in rainbow trout, 1936
Results from six generations of selection for intramuscular fat in Duroc swine using real-time ultrasound. II. Genetic parameters and trends, 69
selection experiment
Correlative responses for carcass and meat quality traits to selection for ovulation rate or prenatal survival in French Large White pigs, 903
selection line
Selection to reduce residual feed intake in pigs produces a correlated response in juvenile insulin-like growth factor-I concentration, 1973
selective serotonin reuptake inhibitor
Technical note: Effects of rumen passage on fluoxetine bioavailability in serum and effects of fluoxetine on serum prolactin concentration and demeanor in ewes, 3611
selenium
Effect of selenium supplementation and plane of nutrition on mares and their foals: Foaling data, 982
Effect of selenium supplementation and plane of nutrition on mares and their foals: Selenium concentrations and glutathione peroxidase, 991
Effects of plane of nutrition and selenium supply during gestation on ewe and neonatal offspring performance, body composition, and serum selenium, 1786
Maternal dietary restriction and selenium supply alters messenger ribonucleic acid expression of angiogenic factors in maternal intestine, mammary gland, and fetal jejunal tissues during late gestation in pregnant ewe lambs, 2692
Maternal selenium supplementation and timing of nutrient restriction in pregnant sheep: Effects on maternal endocrine status and placental characteristics, 955
Ovine offspring growth and diet digestibility are influenced by maternal selenium supplementation and nutritional intake during pregnancy despite a common postnatal diet, 3645
selenium yeast
Metabolic and hematological profiles in mature horses supplemented with different selenium sources and doses, 650
semen quality
Effect of dietary n-3 fatty acids (fish oils) on boar reproduction and semen quality, 2346
semen trait
Heritabilities and genetic correlations for litter size and semen traits in Czech Large White and Landrace pigs, 2893
sensory cue
Sheep use preingestive cues as indicators of postingestive consequences to improve food learning, 1535
seroconversion
Efficacy of experimentally produced spray-dried plasma on infectivity of porcine circovirus type 2, 4078
sex
Aggressiveness and brain amine concentration in dominant and subordinate finishing pigs fed the β-adrenoreceptor agonist ractopamine, 3107
Behavior and peripheral amine concentrations in relation to ractopamine feeding, sex, and social rank of finishing pigs, 1184
Effects of ractopamine and sex on serum metabolites and skeletal muscle gene expression in finishing steers and heifers, 1349
Feed intake of sheep as affected by body weight, breed, sex, and feed composition, 467
Partition of minerals in body components from a high- and low-lean genetic line of barrows and gilts from 20 to 125 kilograms of body weight, 3337
Relationships of behavioral and physiological symptoms of preslaughter stress to beef longissimus muscle tenderness, 1148
The assessment of carcass traits of Awassi lambs by real-time ultrasound at different body weights and sexes, 3428
sex difference
Suckling behavior in captive plains zebra (*Equus burchellii*): Sex differences in foal behavior, 131
sex sorting
An estrogen sensor for poultry sex sorting, 1358
shade
Effect of shade on body temperature and performance of feedlot steers, 4056
shear force
Moisture enhancement and blade tenderization effects on the shear force and palatability of strip loin steaks from beef cattle fed zilpaterol hydrochloride, 1809
Production and processing studies on calpain-system gene markers for tenderness in Brahman cattle: 2. Objective meat quality, 3059
sheep
Accelerated lambing achieved by a photoperiod regimen consisting of alternating 4-month sequences of long and short days applied year-round, 3280
Adaptability of pregnant Merino ewes to the cold desert climate in Nevada, 860
Changes in blood pancreatic polypeptide and ghrelin concentrations in response to feeding in sheep, 2103
Chronic improvement of amino acid nutrition stimulates initiation of global messenger ribonucleic acid translation in tissues of sheep without affecting protein elongation, 689
Differential effects of maternal undernutrition between days 1 and 90 of pregnancy on ewe and lamb performance and lamb parasitism in hill or lowland breeds, 3833
Differential gene expression of ewes varying in tolerance to dietary nitrate, 3187
Effect of feed restriction and supplemental dietary fat on gut peptide and hypothalamic neuropeptide messenger ribonucleic acid concentrations in growing wethers, 737
Effects of partial ruminal defaunation on urea-nitrogen recycling, nitrogen metabolism, and microbial nitrogen supply in growing lambs fed low or high dietary crude protein concentrations, 1034
Effects of plane of nutrition and selenium supply during gestation on ewe and neonatal offspring performance, body composition, and serum selenium, 1786
Experimental feed induction of ruminal lactic, propionic, or butyric acidosis in sheep, 3041
Feed intake of sheep as affected by body weight, breed, sex, and feed composition, 467
Longitudinal changes in ultrasonic measurements of body composition during growth in Suffolk ram lambs and evaluation of alternative adjustment strategies for ultrasonic scan data, 1341
Maternal obesity and increased nutrient intake before and during gestation in the ewe results in altered growth, adiposity, and glucose tolerance in adult offspring, 3546
Maternal selenium supplementation and timing of nutrient restriction in pregnant sheep: Effects on maternal endocrine status and placental characteristics, 955
Metabolic acidosis in sheep alters expression of renal and skeletal muscle amino acid enzymes and transporters, 707
Metabolic maturity at birth and neonate lamb survival: Association among maternal factors, litter size, lamb birth weight, and plasma metabolic and endocrine factors on survival and behavior, 581
Net flux of amino acids across the portal-drained viscera and liver of the ewe during abomasal infusion of protein and glucose, 1093
Pedigree analysis of seven small French sheep populations and implications for the management of rare breeds, 505

Prediction of prion protein genotype and association of this genotype with lamb performance traits of Suffolk sheep, 428
Regulation of ovine and porcine stearoyl coenzyme A desaturase gene promoters by fatty acids and sterols, 2565
Sheep use preingestive cues as indicators of postingestive consequences to improve food learning, 1535
Technical note: High fidelity of whole-genome amplified sheep (*Ovis aries*) deoxyribonucleic acid using a high-density single nucleotide polymorphism array-based genotyping platform, 3183
The effect of early to mid-gestational nutrient restriction on female offspring fertility and hypothalamic-pituitary-adrenal axis response to stress, 2029
The effects of 12, 30, or 48 hours of road transport on the physiological and behavioral responses of sheep, 2144
Use of chitosans to modulate ruminal fermentation of a 50:50 forage-to-concentrate diet in sheep, 749
Validation of live animal ultrasonic measurements of body composition in market lambs, 2932

shelf life
Effect of distillers dried grains with solubles and ractopamine (Paylean) on quality and shelf-life of fresh pork and bacon, 2751

shipping fever
Effect of bovine respiratory disease and overall pathogenic disease incidence on carcass traits, 491

sigmoidal function
A multilevel nonlinear mixed-effects approach to model growth in pigs, 638

silage
Comparison of 3 tall fescue-based stocker systems, 1880

Simmental
Estimation of genetic and crossbreeding parameters for preweaning traits in German Angus and Simmental beef cattle and the reciprocal crosses, 80

simulation
Determination of carcass and body fat compositions of grazing crossbred bulls using body measurements, 1442

single nucleotide polymorphism
Association analyses of candidate single nucleotide polymorphisms on reproductive traits in swine, 1
Fine-mapping quantitative trait loci for twinning rate on *Bos taurus* chromosome 14 in North American Holsteins, 2556
Genome-wide association study of growth in crossbred beef cattle, 837
Technical note: High fidelity of whole-genome amplified sheep (*Ovis aries*) deoxyribonucleic acid using a high-density single nucleotide polymorphism array-based genotyping platform, 3183
Whole genome single nucleotide polymorphism associations with feed intake and feed efficiency in beef cattle, 16

single nucleotide polymorphism marker panel
Genomic prediction of simulated multibreed and purebred performance using observed fifty thousand single nucleotide polymorphism genotypes, 544

sire effect
Effect of dam and sire genotypes on productive and carcass traits of rabbits, 533

sire model
Technical note: An R package for fitting generalized linear mixed models in animal breeding, 497

Sirtuin 1
Breed difference and regulation of the porcine Sirtuin 1 by insulin, 3909

skeletal muscle
Redox regulation in skeletal muscle during contractile activity and aging, 1307
Fetal programming of skeletal muscle development in ruminant animals, E51
Morphological and biochemical assessment of apoptosis in different skeletal muscles of bulls during conditioning, 3439

SLC2
The small intestinal epithelia of beef steers differentially express sugar transporter messenger ribonucleic acid in response to abomasal versus ruminal infusion of starch hydrolysate, 306

SLC5
The small intestinal epithelia of beef steers differentially express sugar transporter messenger ribonucleic acid in response to abomasal versus ruminal infusion of starch hydrolysate, 306

small intestine
Effects of stage of gestation and nutrient restriction during early to mid-gestation on maternal and fetal visceral organ mass and indices of jejunal growth and vascularity in beef cows, 2410
Morphology and enzymatic activity of the small intestinal mucosa of Iberian pigs as compared with a lean pig strain, 3590
The small intestinal epithelia of beef steers differentially express sugar transporter messenger ribonucleic acid in response to abomasal versus ruminal infusion of starch hydrolysate, 306

social interaction
Maternal and social genetic effects on average daily gain of piglets from birth until weaning, 2883

social networking
Development and usage of eXtension's HorseQuest: An online resource, 2829

social rank
Aggressiveness and brain amine concentration in dominant and subordinate finishing pigs fed the β-adrenoreceptor agonist ractopamine, 3107
Behavior and peripheral amine concentrations in relation to ractopamine feeding, sex, and social rank of finishing pigs, 1184

social survey
Factors affecting beef cattle producer perspectives on feed efficiency, 3749

sodium
Influence of dietary protein content and source on fecal quality, electrolyte concentrations, and osmolarity, and digestibility in dogs differing in body size, 159

sodium selenite
Metabolic and hematological profiles in mature horses supplemented with different selenium sources and doses, 650

somatotropin
Dose response of lactating dairy ewes during suckling and milking to bovine somatotropin, 3136
Maternal responses to daily maternal porcine somatotropin injections during early-mid pregnancy or early-late pregnancy in sows and gilts, 1365

sow
Altrenogest treatment during late pregnancy did not reduce colostrum yield in primiparous sows, 1684
Dietary supplementation with different forms of flax in late gestation and lactation: Effects on sow and litter performances, endocrinology, and immune response, 225
Differential composition of proteomes in sow colostrum and milk from anterior and posterior mammary glands, 2657
Effect of dietary organic and inorganic micromineral source and level on sow body, liver, colostrum, mature milk, and progeny mineral compositions over six parities, 626
Effect of gonadotropin treatment on estrus, ovulation, and litter size in weaned and anestrous sows, 2356
Effects of feeding diets naturally contaminated with *Fusarium* mycotoxins on protein metabolism in late gestation and lactation of first-parity sows, 998
Factors associated with sow stayability in 6 genotypes, 3486
Feed transition between gestation and lactation is exhibited earlier in sows fed a high-fiber diet during gestation, 2637
Genetics of growth in piglets and the association with homogeneity of body weight within litters, 1240
Relationships between colostrum production by primiparous sows and sow physiology around parturition, 1672
Use of crude glycerol, a biodiesel coproduct, in diets for lactating sows, 2648

sow housing
Effects of environmental enrichment and loose housing of lactating sows on piglet performance before and after weaning, 3554

sow longevity
Association analyses of candidate single nucleotide polymorphisms on reproductive traits in swine, 1

sow productive life
Effect of polymorphisms in candidate genes on reproduction traits in Finnish pig populations, 821

soybean hull
Steer responses to feeding soybean hulls and steroid hormone implantation on toxic tall fescue pasture, 3759

soybean meal
Using alfalfa leaf meal as a supplement in late-gestation beef heifer and nursing beef calf diets, 2132

soy protein concentrate
Influence of the inclusion of cooked cereals and pea starch in diets based on soy or pea protein concentrate on nutrient digestibility and performance of young pigs, 671
soy protein isolate
Ileal digestibility of amino acids in conventional, fermented, and enzyme-treated soybean meal and in soy protein isolate, fish meal, and casein fed to weanling pigs, 2674
spermatozoa
Assessment of buffalo semen with the 3-(4,5-dimethylthiazol-2-yl)-2,5-diphenyltetrazolium bromide reduction assay, 922
Effect of dietary n-3 fatty acids (fish oils) on boar reproduction and semen quality, 2346
sperm deoxyribonucleic acid integrity
Mammalian glutathione peroxidases control acquisition and maintenance of spermatozoa integrity, 1321
sperm maturation
Mammalian glutathione peroxidases control acquisition and maintenance of spermatozoa integrity, 1321
sperm mobility
A new approach to sperm preservation based on bioenergetic theory, 1314
spindle
Porcine oocytes denuded before maturation can develop to the blastocyst stage if provided a cumulous cell-derived coculture system, 2604
spray-dried egg albumen
Effect of dry- versus wet-autoclaving of spray-dried egg albumen compared with casein as protein sources on apparent nitrogen and energy balance, plasma urea nitrogen and glucose concentrations, and growth performance of neonatal swine, 2665
spray-dried plasma
Efficacy of experimentally produced spray-dried plasma on infectivity of porcine circovirus type 2, 4078
stable isotope
Dietary nitrogen-to-energy ratio alters amino acid partition in the whole body and among the splanchnic tissues of growing rams, 2122
Gluconeogenesis differs in developing chick embryos derived from small compared with typical size broiler breeder eggs, 912
starch
Protein and starch concentrates of air-classified field pea and zero-tannin faba bean for weaned pigs, 2627
starter pig
Phosphorus utilization in starter pigs fed high-moisture corn-based liquid diets steeped with phytase, 3964
statistical process control
Application of statistical process control charts to monitor changes in animal production systems, E11
Applications of population data analysis in on-farm dairy trials, E25
stayability
Factors associated with sow stayability in 6 genotypes, 3486
steady state
Maximal lactate steady state during exercise in blood of horses, 2038
steam-flaked corn
Dried distillers grains with solubles with reduced corn silage levels in beef finishing diets, 2456
Effects of varying bulk densities of steam-flaked corn and dietary roughage concentration on in vitro fermentation, performance, carcass quality, and acid-base balance measurements in finishing steers, 1135
Evaluation of dried distillers grains and roughage source in steam-flaked corn finishing diets, 258
stearoyl coenzyme A desaturase
Factors influencing the differentiation of bovine preadipocytes in vitro, 1999
Regulation of ovine and porcine stearoyl coenzyme A desaturase gene promoters by fatty acids and sterols, 2565
steer
Cinnamaldehyde in feedlot cattle diets: Intake, growth performance, carcass characteristics, and blood metabolites, 1082
Effects of high-sulfur water and clinoptilolite on health and growth performance of steers fed forage-based diets, 1777
Modeling the relationship between scanned rump and 12th-rib fat in young temperate and tropical bovines: Model development and evaluation, 1848
The physiological and behavioral responses of steers to gaseous ammonia in simulated long-distance transport by ship, 3579
Tissue expression of angiopoietin-like protein 4 in cattle, 124
steroid hormone implant
Steer responses to feeding soybean hulls and steroid hormone implantation on toxic tall fescue pasture, 3759
sterol
Regulation of ovine and porcine stearoyl coenzyme A desaturase gene promoters by fatty acids and sterols, 2565
stillbirth
Genetic analyses of stillbirth in relation to litter size using random regression models, 3800
stocker cattle
Comparison of 3 tall fescue-based stocker systems, 1880
stress
Developmental programming: The concept, large animal models, and the key role of uteroplacental vascular development, E61
Effects of sex and short-term magnesium supplementation on stress responses and longissimus muscle quality characteristics of crossbred cattle, 349
Observations of market pigs following transport to a packing plant, 2199
Relationships of behavioral and physiological symptoms of preslaughter stress to beef longissimus muscle tenderness, 1148
The effects of 12, 30, or 48 hours of road transport on the physiological and behavioral responses of sheep, 2144
stress response
The effect of early to mid-gestational nutrient restriction on female offspring fertility and hypothalamic-pituitary-adrenal axis response to stress, 2029
subcutaneous fat thickness
The assessment of carcass traits of Awassi lambs by real-time ultrasound at different body weights and sexes, 3428
subsequent reproduction
Maternal responses to daily maternal porcine somatotropin injections during early-mid pregnancy or early-late pregnancy in sows and gilts, 1365
suckling pig
Effects of lactation feed intake and creep feeding on sow and piglet performance, 3145
sucrose
Comparison of dried whey permeate and a carbohydrate product in diets for nursery pigs, 1868
sulfur
Effect of thiamine concentration on animal health. feedlot performance, carcass characteristics, and ruminal hydrogen sulfide concentrations in lambs fed diets based on 60% distillers dried grains plus solubles, 2444
Effects of high-sulfur water and clinoptilolite on health and growth performance of steers fed forage-based diets, 1777
Effects of sulfur and monensin concentrations on in vitro dry matter disappearance, hydrogen sulfide production, and volatile fatty acid concentrations in batch culture ruminal fermentations, 1503
sulfur hexafluoride
Methane emissions, feed intake, and performance of finishing beef cattle offered maize silages harvested at 4 different stages of maturity, 1479
Methane emissions, feed intake, performance, digestibility, and rumen fermentation of finishing beef cattle offered whole-crop wheat silages differing in grain content, 2703
superovulation
Effect of excessive, hormonally induced intrauterine crowding in the gilt on fetal development on day 40 of pregnancy, 2611
supplementation
Winter grazing system and supplementation of beef cows during late gestation influence heifer progeny, 4094
supplementation frequency
Effects of ruminal protein degradability and frequency of supplementation on site and extent of digestion and ruminal fermentation characteristics in lambs fed low-quality forage, 718
surface-enhanced laser desorption/ionization time-of-flight mass spectrometry
Comparative proteomic profiling of 2 muscles from 5 different pure pig breeds using surface-enhanced laser desorption/ionization time-of-flight proteomics technology, 1522
survival
Introduction of meat sheep breeds in extensive systems of Patagonia: Lamb growth and survival, 1256

Metabolic maturity at birth and neonate lamb survival: Association among maternal factors, litter size, lamb birth weight, and plasma metabolic and endocrine factors on survival and behavior, 581
Response to selection for bacterial cold water disease resistance in rainbow trout, 1936
survival analysis
A comparison between different survival and threshold models with an application to piglet preweaning survival in a dry-cured ham-producing crossbred line, 1990
Sus scrofa Piétrain
Longissimus muscle transcriptome profiles related to carcass and meat quality traits in fresh meat Piétrain carcasses, 4044
swine
A low-fat liquid diet increases protein accretion and alters cellular signaling for protein synthesis in 10-day-old pigs, 2576
Association analyses of candidate single nucleotide polymorphisms on reproductive traits in swine, 1
Behavior and peripheral amine concentrations in relation to ractopamine feeding, sex, and social rank of finishing pigs, 1184
Community and occupational health concerns in pork production: A review, E102
Determining the effect of lysine:calorie ratio on growth performance of ten- to twenty-kilogram of body weight nursery pigs of two different genotypes, 137
Effect of pen mates on growth, backfat depth, and longissimus muscle area of swine, 895
Effect of temperature on thermal acclimation in growing pigs estimated using a nonlinear function, 3715
Effects of dietary aflatoxin on the health and performance of growing barrows, 3624
Estimation of genetic trends in French Large White pigs from 1977 to 1998 for growth and carcass traits using frozen semen, 2856
Fine mapping of quantitative trait loci for meat color on *Sus scrofa* chromosome 6: Analysis of the swine *NUDT7* gene, 23
Fumonisin B_1 and implications in nursery swine productivity: A quantitative exposure assessment, 3767
Impacts of amino acid nutrition on pregnancy outcome in pigs: Mechanisms and implications for swine production, E195
Interaction of *Bacillus* species and *Salmonella enterica* serovar Typhimurium in immune or inflammatory signaling from swine intestinal epithelial cells, 1649
Oral inoculation with *Salmonella enterica* serovar Typhimurium or Choleraesuis promotes divergent responses in the somatotropic growth axis of swine, 1642
Pedigree analysis of 5 swine breeds in the United States and the implications for genetic conservation, 1610
Persistence of blood changes associated with alteration of the dietary electrolyte balance in commercial pigs after feed withdrawal, transportation, and lairage, and the effects on performance and carcass quality, 4068
Phosphorus utilization and characterization of excreta from swine fed diets containing a variety of cereal grains balanced for total phosphorus, 1860
Results from six generations of selection for intramuscular fat in Duroc swine using real-time ultrasound. II. Genetic parameters and trends, 69
Selection to reduce residual feed intake in pigs produces a correlated response in juvenile insulin-like growth factor-I concentration, 1973
The potential ability of swine nutrition to influence environmental factors positively, E95
swine dysentery
Diets containing inulin but not lupins help to prevent swine dysentery in experimentally challenged pigs, 3327
swine feedstuff
Nonsolar energy use and one-hundred-year global warming potential of Iowa swine feedstuffs and feeding strategies, 1204
swine lactation
Impact of lactation length and piglet weaning weight on long-term growth and viability of progeny, 2265
swine manure
Fate and transport of zoonotic, bacterial, viral, and parasitic pathogens during swine manure treatment, storage, and land application, E84
Potential of low-temperature anaerobic digestion to address current environmental concerns on swine production, E112

T

tall fescue
Comparison of 3 tall fescue-based stocker systems, 1880
Interaction of breed type and endophyte-infected tall fescue on milk production and quality in beef cattle, 2802
tannin
Selection of tannins by sheep in response to gastrointestinal nematode infection, 2189
teeth
The effect of dentition on feeding development in piglets and on their growth and behavior after weaning, 2277
teff
Voluntary intake and digestibility of teff hay fed to horses, 3296
Teladorsagia circumcincta
Effects of maternal protein nutrition and subsequent grazing on chicory (*Cichorium intybus*) on parasitism and performance of lambs, 1513
temperament
Estimates of genetic parameters among scale activity scores, growth, and fatness in pigs, 455
Temperament traits of beef calves measured under field conditions and their relationships to performance, 1982
temperate
Modeling the relationship between scanned rump and 12th-rib fat in young temperate and tropical bovines: Model development and evaluation, 1848
temperature
Effect of temperature on thermal acclimation in growing pigs estimated using a nonlinear function, 3715
tenderness
Characterization of biological types of cattle (Cycle VIII): Carcass, yield, and longissimus palatability traits, 3070
Comparative effects of ractopamine hydrochloride and zilpaterol hydrochloride on growth performance, carcass traits, and longissimus tenderness of finishing steers, 1823
Comparison of tenderness, palatability, and retail caselife of enhanced cow subprimals with nonenhanced cow and United States Department of Agriculture Select subprimals, 3683
Effects of sex and short-term magnesium supplementation on stress responses and longissimus muscle quality characteristics of crossbred cattle, 349
Enhancement technology improves palatability of normal and callipyge lambs, 4026
Estimated gene frequencies of GeneSTAR markers and their size of effects on meat tenderness, marbling, and feed efficiency in temperate and tropical beef cattle breeds across a range of production systems, 1917
Relationship between muscle microstructure, the calpain system, and shear force in bovine longissimus dorsi muscle, 3445
Relationships of behavioral and physiological symptoms of preslaughter stress to beef longissimus muscle tenderness, 1148
Stepwise chilling: Tender pork without compromising water-holding capacity, 1830
The effects of zilpaterol hydrochloride on carcass cutability and tenderness of calf-fed Holstein steers, 2476
thiamine
Effect of thiamine concentration on animal health, feedlot performance, carcass characteristics, and ruminal hydrogen sulfide concentrations in lambs fed diets based on 60% distillers dried grains plus solubles, 2444
threshold model
A comparison between different survival and threshold models with an application to piglet preweaning survival in a dry-cured ham-producing crossbred line, 1990
Genetic parameters of piglet survival and birth weight from a two-generation crossbreeding experiment under outdoor conditions designed to disentangle direct and maternal effects, 1276
Parametric bootstrap for testing model fitting of threshold and grouped data models: An application to the analysis of calving ease of Bruna dels Pirineus beef cattle, 2920
The relevance of purebred information for predicting genetic merit of survival at birth of crossbred piglets, 481
Tifton 85
Digestibility and nutrient retention of perennial peanut and bermudagrass hays for mature horses, 2055

timed artificial insemination
Presynchronization with gonadotropin-releasing hormone increases the proportion of *Bos indicus*-influenced females ovulating at initiation of synchronization but fails to improve synchronized new follicular wave emergence or fixed-time artificial insemination conception rates using intravaginal progesterone, gonadotropin-releasing hormone, and prostaglandin $F_{2\alpha}$, 1663
tissue inhibitor of metalloproteinases 1 gene
Candidate gene analysis for reproductive traits in two lines of rabbits divergently selected for uterine capacity, 828
total digestible nutrient
Effect of nutrient composition of feeds on digestibility of organic matter by cattle: A review, E151
total lipid
Technical note: Analysis of total lipid and triacylglycerol content in small liver biopsy samples in cattle, 2741
toxicity
Differential gene expression of ewes varying in tolerance to dietary nitrate, 3187
trans
Feeding wheat dried distillers grains with solubles improves beef *trans* and conjugated linoleic acid profiles, 1842
transceiver
Read distance performance and variation of 5 low-frequency radio frequency identification panel transceiver manufacturers, 2514
transfer pattern
Transfer of conjugated linoleic acid from sows to their offspring and its impact on the fatty acid profiles of plasma, muscle, and subcutaneous fat in piglets, 1741
transgenesis
Trait selection and welfare of genetically engineered animals in agriculture, 811
transgenic
Welfare applications of genetically engineered animals for use in agriculture, 1588
translation invariance
An animal breeding approach to the estimation of genetic and environmental trends from field populations, E3
transponder
Read distance performance and variation of 5 low-frequency radio frequency identification panel transceiver manufacturers, 2514
Suitability of electronic mini-boluses for the early identification of goat kids and effects on growth performance and development of the reticulorumen, 3464
transport
Observations of market pigs following transport to a packing plant, 2199
The effects of 12, 30, or 48 hours of road transport on the physiological and behavioral responses of sheep, 2144
transportation
Effects of rumen-protected polyunsaturated fatty acid supplementation on performance and physiological responses of growing cattle after transportation and feedlot entry, 4120
Yeast cell-wall products containing β-glucan plus ascorbic acid affect neonatal *Bos taurus* calf leukocytes and growth after a transport stressor, 1195
transporter
Cationic and neutral amino acid transporter transcript abundances are differentially expressed in the equine intestinal tract, 1028
trehalose
Effects of trehalose supplementation on semen quality and oxidative stress variables in frozen-thawed bovine semen, 1657
triacylglycerol
Technical note: Analysis of total lipid and triacylglycerol content in small liver biopsy samples in cattle, 2741
tropical
Modeling the relationship between scanned rump and 12th-rib fat in young temperate and tropical bovines: Model development and evaluation, 1848
true digestibility
Effect of the form of dietary fat and the concentration of dietary neutral detergent fiber on ileal and total tract endogenous losses and apparent and true digestibility of fat by growing pigs, 2959
tryptophan
Reduced feed intake of lactating primiparous sows is associated with increased insulin resistance during the peripartum period and is not modified through supplementation with dietary tryptophan, 612
The effect of diet composition on tryptophan requirement of young piglets, 1017
turkey
Genotype × environment interaction as it relates to egg production in turkeys (*Meleagris gallopavo*), 1957
twin
Fine-mapping quantitative trait loci for twinning rate on *Bos taurus* chromosome 14 in North American Holsteins, 2556
twinning
Effects of twin pregnancy and dry period feeding strategy on milk production, energy balance, and metabolic profiles in dairy cows, 1048
twinning rate
Fine-mapping quantitative trait loci for twinning rate on *Bos taurus* chromosome 14 in North American Holsteins, 2556
two-dimensional electrophoresis
Differential expression of liver proteins in Chianina and Holstein young bulls, 593
tylosin
Evaluation of antibiotic effects on phosphorus digestibility and utilization by growing-finishing pigs fed a phosphorus-deficient, corn-soybean meal diet, 1752
type I error
Comparison of multinomial and binomial proportion methods for analysis of multinomial count data, 3452
type trait
Genetic evaluation of type traits in hypertrophic Piemontese cows, 3504

U

ultrasound
Estimation of carcass composition by ultrasound measurements in 4 anatomical locations of 3 commercial categories of lamb, 3409
Genetic evaluation of Angus cattle for carcass marbling using ultrasound and genomic indicators, 517
Longitudinal changes in ultrasonic measurements of body composition during growth in Suffolk ram lambs and evaluation of alternative adjustment strategies for ultrasonic scan data, 1341
Results from six generations of selection for intramuscular fat in Duroc swine using real-time ultrasound. II. Genetic parameters and trends, 69
The assessment of carcass traits of Awassi lambs by real-time ultrasound at different body weights and sexes, 3428
Validation of live animal ultrasonic measurements of body composition in market lambs, 2932
ultrasound technology
Assessment of goat fat depots using ultrasound technology and multiple multivariate prediction models, 572
undegradable intake protein
The effect of rumen degradable and rumen undegradable intake protein on feedlot performance and carcass merit in heavy yearling steers, 1073
United States Department of Agriculture quality grade
Establishing an appropriate mode of comparison for measuring the performance of marbling score output from video image analysis beef carcass grading systems, 2464
unwanted horse
Unwanted horses: The role of nonprofit equine rescue and sanctuary organizations, 4142
urea-nitrogen recycling
Effects of partial ruminal defaunation on urea-nitrogen recycling, nitrogen metabolism, and microbial nitrogen supply in growing lambs fed low or high dietary crude protein concentrations, 1034
urea recycling
Effect of nitrogen supplementation on urea kinetics and microbial use of recycled urea in steers consuming corn-based diets, 2729
urea transport
Dietary nitrogen reduction enhances urea transport across goat rumen epithelium, 3390
Ussing chamber
Dietary nitrogen reduction enhances urea transport across goat rumen epithelium, 3390
uteroplacental insufficiency
Epigenetics and fetal adaptation to perinatal events: Diversity through fidelity, E216

uterus
Effect of dietary cation-anion difference on measures of acid-base physiology and performance in beef cattle, 374
Expression of progesterone receptor related to the polymorphism in the *PGR* gene in the rabbit reproductive tract, 421

V

vaccination
The influence of vitamin E on immune function and response to vaccination in older horses, 2950
Valdostana breed
Genetics of fighting ability in cattle using data from the traditional battle contest of the Valdostana breed, 3206
validation
Validation of live animal ultrasonic measurements of body composition in market lambs, 2932
variance component
Evidence for parent-of-origin effects on genetic variability of beef traits, 523
Genetic, maternal, and environmental variance components for body weight and length of Atlantic cod at 2 points in life, 3513
vasoconstriction
Contractile response of fescue-naïve bovine lateral saphenous veins to increasing concentrations of tall fescue alkaloids, 408
vegetable oil
Tissue-specific robustness of fatty acid signatures in cultured gilthead sea bream (*Sparus aurata* L.) fed practical diets with a combined high replacement of fish meal and fish oil, 1759
very long chain n-3 polyunsaturated fatty acid
Fatty acid profile of colostrum and milk of ewes supplemented with fish meal and the subsequent plasma fatty acid status of their lambs, 2092
viability
Assessment of buffalo semen with the 3-(4,5-dimethylthiazol-2-yl)-2,5-diphenyltetrazolium bromide reduction assay, 922
video image analysis
Establishing an appropriate mode of comparison for measuring the performance of marbling score output from video image analysis beef carcass grading systems, 2464
viremia
Efficacy of experimentally produced spray-dried plasma on infectivity of porcine circovirus type 2, 4078
virginiamycin
Effect of virginiamycin on the apparent ileal digestibility of amino acids by growing pigs, 1718
visceral organ
Effects of winter growing program on visceral organ mass, composition, and oxygen consumption of beef steers during growing and finishing, 1554
visfatin
Visfatin regulates genes related to lipid metabolism in porcine adipocytes, 3233
vitamin A
Effect of dietary supplemental vitamin A concentration on performance, carcass merit, serum metabolites, and lipogenic enzyme activity in yearling beef steers, 1463
vitamin B_{12}
Bioavailability of dietary cyanocobalamin (vitamin B_{12}) in growing pigs, 3936
vitamin C
Yeast cell-wall products containing β-glucan plus ascorbic acid affect neonatal *Bos taurus* calf leukocytes and growth after a transport stressor, 1195
vitamin D
Influence of different calcium supplies and a single vitamin D injection on vitamin D receptor and calbindin D9k immunoreactivities in the gastrointestinal tract of goat kids, 3598
vitamin D_3
Reproductive performance and bone status markers of gilts and lactating sows supplemented with two different forms of vitamin D, 202
vitamin D receptor
Influence of different calcium supplies and a single vitamin D injection on vitamin D receptor and calbindin D9k immunoreactivities in the gastrointestinal tract of goat kids, 3598
vitamin E
Effects of late gestation supplementation of rumen undegradable protein, vitamin E, zinc, and chlortetracycline to ewes on indices of immune transfer and productivity, 1125
Effects of maternal natural (*RRR* α-tocopherol acetate) or synthetic (all-*rac* α-tocopherol acetate) vitamin E supplementation on suckling calf performance, colostrum immunoglobulin G, and immune function, 3128
Effects of natural (*RRR* α-tocopherol acetate) or synthetic (all-*rac* α-tocopherol acetate) vitamin E supplementation on reproductive efficiency in beef cows, 3121
The influence of vitamin E on immune function and response to vaccination in older horses, 2950
volatile fatty acid
Corn or sorghum wet distillers grains with solubles in combination with steam-flaked corn: In vitro fermentation and hydrogen sulfide production, 2425
Rumen fluid inhibits proliferation and stimulates expression of cyclin-dependent kinase inhibitors 1A and 2A in bovine rumen epithelial cells, 3226
voluntary feed intake
A mechanistic model for predicting intake of forage diets by ruminants, 1108
voluntary intake
Voluntary intake and digestibility of teff hay fed to horses, 3296

W

water
Effects of high-sulfur water and clinoptilolite on health and growth performance of steers fed forage-based diets, 1777
water quality
Effects of water quality and dietary potassium on performance and carcass characteristics of yearling steers, 296
weaning
Dose response of lactating dairy ewes during suckling and milking to bovine somatotropin, 3136
Effects of environmental enrichment and loose housing of lactating sows on piglet performance before and after weaning, 3554
weaning management
Effect of weaning date (normal vs. late) on performance of young and mature beef cows and their progeny in a fall calving system in the Southern Great Plains, 1577
weaning weight
Impact of lactation length and piglet weaning weight on long-term growth and viability of progeny, 2265
welfare
Effects of ring castration with local anesthesia and analgesia in Holstein calves at 3 months of age on welfare indicators, 2789
Nonsteroidal anti-inflammatory drug therapy for neonatal calf diarrhea complex: Effects on calf performance, 2019
Observations of market pigs following transport to a packing plant, 2199
The effects of 12, 30, or 48 hours of road transport on the physiological and behavioral responses of sheep, 2144
Trait selection and welfare of genetically engineered animals in agriculture, 811
Welfare applications of genetically engineered animals for use in agriculture, 1588
well-being
Unwanted horses: The role of nonprofit equine rescue and sanctuary organizations, 4142
wether
Effects of crude glycerin on performance and carcass characteristics of finishing wether lambs, 1771
wheat dried distillers grains with solubles
Energy value of wheat distillers grains with solubles for growing pigs and adult sows, 2382
wheat middlings
Using alfalfa leaf meal as a supplement in late-gestation beef heifer and nursing beef calf diets, 2132
whole-crop wheat
Methane emissions, feed intake, performance, digestibility, and rumen fermentation of finishing beef cattle offered whole-crop wheat silages differing in grain content, 2703

whole-genome amplified DNA
Technical note: High fidelity of whole-genome amplified sheep (*Ovis aries*) deoxyribonucleic acid using a high-density single nucleotide polymorphism array-based genotyping platform, 3183
whole corn
Manipulating grain processing method and roughage level to improve feed efficiency in feedlot cattle, 284
whole genome association
Whole genome single nucleotide polymorphism associations with feed intake and feed efficiency in beef cattle, 16
within-litter standard deviation
Genetics of growth in piglets and the association with homogeneity of body weight within litters, 1240

Y

yak tongue
Morphological adaptations of yak (*Bos grunniens*) tongue to the foraging environment of the Qinghai-Tibetan Plateau, 2594
yearling steer
The effect of rumen degradable and rumen undegradable intake protein on feedlot performance and carcass merit in heavy yearling steers, 1073
yeast cell wall
Yeast cell-wall products containing β-glucan plus ascorbic acid affect neonatal *Bos taurus* calf leukocytes and growth after a transport stressor, 1195
yeast culture
Use of Saccharomyces cerevisiae fermentation product on growth performance and microbiota of weaned pigs during *Salmonella* infection, 3896
yield
Effect of zilpaterol hydrochloride supplementation on cutability and subprimal yield of beef steer carcasses, 1817
yield grade
Predicting red meat yields in carcasses from beef-type and calf-fed Holstein steers using the United States Department of Agriculture calculated yield grade, 2139
Technical note: Analysis of ordinal outcomes from carcass data in beef cattle research, 3384

Z

zilpaterol hydrochloride
Additive effects of a steroidal implant and zilpaterol hydrochloride on feedlot performance, carcass characteristics, and skeletal muscle messenger ribonucleic acid abundance in finishing steers, 330
Comparative effects of ractopamine hydrochloride and zilpaterol hydrochloride on growth performance, carcass traits, and longissimus tenderness of finishing steers, 1823
Effect of extended withdrawal of zilpaterol hydrochloride on performance and carcass traits in finishing beef steers, 338
Effects of zilpaterol hydrochloride feeding duration on beef and calf-fed Holstein strip loin steak color, 1168
Moisture enhancement and blade tenderization effects on the shear force and palatability of strip loin steaks from beef cattle fed zilpaterol hydrochloride, 1809
Perspectives on the application of zilpaterol hydrochloride in the United States beef industry, 2825
Predicting red meat yields in carcasses from beef-type and calf-fed Holstein steers using the United States Department of Agriculture calculated yield grade, 2139
The effects of zilpaterol hydrochloride on carcass cutability and tenderness of calf-fed Holstein steers, 2476
zinc
Biological markers of neonatal calf performance: The relationship of insulin-like growth factor-I, zinc, and copper to poor neonatal growth, 2585
Effects of late gestation supplementation of rumen undegradable protein, vitamin E, zinc, and chlortetracycline to ewes on indices of immune transfer and productivity, 1125
zoo
Suckling behavior in captive plains zebra (*Equus burchellii*): Sex differences in foal behavior, 131
zoonotic pathogen
Fate and transport of zoonotic, bacterial, viral, and parasitic pathogens during swine manure treatment, storage, and land application, E84